


Zapper-1



**DIRECTIONS FOR USE  
GENERAL CLASSIFICATION**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Zapper-1 is used to control algae and bacteria in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime, and other deposits. An initial slug addition of 1.5 to 3.0 fluid ounces of Zapper-1 per 1000 gallons of water is recommended. Repeat initial dosage until control is evident.

Subsequent slug additions of 0.5 to 3.0 fluid ounces of Zapper-1 per 1000 gallons of water should be employed every 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

**ACTIVE INGREDIENTS**

Disodium cyanodithioimidocarbonate	14.7%
Potassium N-methyldithiocarbamate	20.3%

<b>INERT INGREDIENTS</b>	65.0%
<b>TOTAL</b>	100.00%

This product contains 3.57 lb. of active ingredients per gallon and weighs 10.2 lb. per gallon.

**KEEP OUT OF REACH OF CHILDREN**

**WARNING**

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**WARNING:** Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

**FIRST AID:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance contact your Regional Office of the EPA.

**STORAGE AND DISPOSAL**

**PROHIBITIONS:** Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

**PESTICIDE DISPOSAL:** Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides, or buried in a safe place away from water supplies.

**CONTAINER DISPOSAL:**

**METAL:** Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in an approved landfill or bury in a safe place. Containers over 30 gallons should be resealed before offering for reconditioning.

**PLASTIC:** Containers under 30 gallons must not be reused but should be triple rinsed and disposed of in an incinerator or landfill approved for pesticide containers or buried in a safe place. Containers over 30 gallons are to be resealed and offered for reconditioning or triple rinsed (or equivalent) and offered for recycling, reconditioning, or disposal in an approved landfill or buried in a safe place.

**GENERAL:** Consult Federal, State, or Local disposal authorities for approved alternative procedures.

Manufactured by  
Systems Sales Company  
3165 McCarty Place, Suite 236  
Orlando, FL 32803

EPA REG NO 437915

EPA EST NO

NET CONTENTS

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS  
AND DOMESTIC ANIMALS**

**DANGER**  
CAUSES EYE DAMAGE  
CAUSES SEVERE SKIN IRRITATION ESPECIALLY WITH FREQUENT USE  
**HARMFUL IF SWALLOWED**

**STORAGE AND DISPOSAL**

**STORAGE** - Store in original container in a cool, dry place. Do not use if container is damaged or leaking.

**DISPOSAL** - Pour contents into a large volume of water. Do not pour down drain. Do not mix with other chemicals.

**WASTE** - Wash hands thoroughly with soap and water after use.

**OTHER INFORMATION** - See side panel for additional precautionary statements.

**RB CHEMICAL COMPANY**  
212 WOOD STREET  
TEXARKANA, ARKANSAS 75502

# RB - 100 D

## Cleaner - Disinfectant Deodorizer

**ACTIVE INGREDIENTS**

**INERT INGREDIENTS**

**KEEP OUT OF REACH OF CHILDREN**

### DANGER

**STATEMENT OF PRACTICAL TREATMENT**

**IF IN EYES** - Flush with water for 15 minutes.  
**IF ON SKIN** - Wash with soap and water.  
**IF SWALLOWED** - Drink promptly a large quantity of water.

**NOTE TO PHYSICIAN**

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET CONTENTS 1.125 GALLON

**DIRECTIONS FOR  
GENERAL CLASSIFICATION**

**FOR CLEANING**  
Lightly soiled areas  
Heavily soiled areas

**GENERAL PURPOSE**

**HOSPITAL DISINFECTANT**

*[Handwritten signature]*

# 100 D Disinfectant Prizer

## DIRECTIONS FOR USE

### GENERAL CLASSIFICATION

### FOR CLEANING

Lightly soiled area

Heavily soiled area

### GENERAL PURPOSE DISINFECTION

### HOSPITAL INFECTON

100 D Disinfectant Prizer is a powerful disinfectant which is effective against all types of bacteria, viruses, fungi, and spores. It is also effective against *Mycobacterium tuberculosis* and is the most effective disinfectant for tuberculous activity.

### DEODORIZATION

100 D Disinfectant Prizer is an excellent deodorizer for all types of odors, including those of animal and vegetable origin. It is also effective against all types of odors, including those of animal and vegetable origin. It is also effective against all types of odors, including those of animal and vegetable origin.

### GENERAL INFORMATION

100 D Disinfectant Prizer is a powerful disinfectant which is effective against all types of bacteria, viruses, fungi, and spores. It is also effective against *Mycobacterium tuberculosis* and is the most effective disinfectant for tuberculous activity.

Keep out of reach of children

### KEEP OUT OF REACH OF CHILDREN

### CAUTION

Do not use in open flames

Do not use in confined spaces

Do not use on fabrics

### CAUTIONARY STATEMENTS

CONTENTS 1 U.S. GALLON

44593 J