

43797-9 PM17 1082

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	EPA REGISTRATION NO. 43797-9	DATE OF ISSUANCE OCT 29 1985
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT Custom Packaging Service	

NOTICE OF PESTICIDE:  REGISTRATION  
 REREGISTRATION  
 (Under the Federal Insecticide, Fungicide,  
 and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Custom Packaging Service  
 Div. of J. Coburn, Inc.  
 427 Evernia Street  
 West Palm Beach, FL 33401

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)7(A) provided that you:

Add the phrase, "EPA Registration No. 43797-9," to your label before you release the product for shipment.

Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of the conditions of registration.

A stamped copy of the label has been enclosed for your records.

Timothy A. Gardner  
 Product Manager (17)  
 Insecticide-Rodenticide Branch  
 Registration Division (TS-767)

Enclosure

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL  DATE 10-29-85

*2072*

CUSTOM  
PESTICIDE SPRAY

~~GENERAL PURPOSE  
AQUEOUS INSECTICIDE~~

EPA REG. NO. EPA EST. NO. 43797 FL01

*Aqueous*  
A Concentrated ~~Pyrethrin~~ Micro Emulsion  
— Clear — Stable — Leave no oily or objectionable residues  
Effective, Fast Acting Insecticide  
For use in homes, institutions, restaurants  
Food Processing Plants, dairies, livestock and outdoors for mosquito control  
For control of fleas and brown dog-ticks on premises and on pets  
Apply with conventional mechanical or compressed air equipment

ACTIVE INGREDIENTS:

Pyrethrins .....	0.15%
*Piperonyl Butoxide, Technical .....	1.50%
INERT INGREDIENTS .....	98.35%
	100.00%

\*Equivalent to 1.22 (butylcarbityl) (6-propylpiperonyl) ether and 0.11 related compounds.

**- KEEP OUT OF REACH OF CHILDREN  
CAUTION**  
See back panel for additional cautions.

DO NOT TRANSPORT OR STORE UNDER 32°F.

BATCH

ACCEPTED  
WITH COMMENTS


Printed in USA In EPA Letter Dated:

*Custom Packaging Services  
West Palm Beach, FL 33409*

OCT 29 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

43797-9  
NET CONTENTS:



**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**INDOOR APPLICATION** *Shake well before use*  
The use of this product in food processing establishments should be confined to time period operation. Food should be removed or covered during treatment. All food processing surfaces should be thoroughly cleaned with potable water before using.

Vacate treated areas and ventilate before reoccupying.  
For maximum effectiveness, see instructions on spot surface treatment and fogging in this label.

**SURFACE SPRAYING:** To control cockroaches, palm-leaf beetles, ants, silverfish, spiders, granary weevils, rice weevils, confused flour beetles, rust red flour beetles, sawtoothed gr beetles, drugstore beetles, meal worms, grain mites and caddis: Use a good sprayer and spray into nooks, cracks and crevices, under pallets, around containers of stored machinery, behind shelves and drawers. For silverfish, spray bookcases. For ants, spray surface application only is to be used, spray floors and other surfaces applying a rate of 1

To control carpet beetles: Spray edges of carpeting and under carpeting and rugs. Make baseboards. Spray directly into cracks, crevices and infested areas of shelving. Repeat treatment as needed.  
To control bedbugs: Spray mattresses lightly, particularly around tufts and seams. Take treatment baseboards, moldings and floors. Repeat treatment as needed.

To control fleas and brown dog ticks: Thoroughly spray infested areas, pet beds, resting areas and behind baseboards, moldings, window and door frames and entire areas of bedding should be placed in animal quarters following treatment. Repeat treatment as needed.  
To control clothes moths: Remove any infested articles from storage, brush thoroughly and possible. Apply spray liberally to empty chests, closets, bureaus and other storage drawers and crevices. After airing, infested articles may be treated lightly keeping nozzle at least three

**SPACE SPRAYING:** Close doors and windows and shut off ventilating systems. Apply with a fine mist or fog. For rapid control of house flies, fruit flies, gnats, mosquitoes, skipper moths, Mediterranean flour moths, Indian meal moths, and tobacco moths. Direct spray uniformly throughout the entire area at a rate of 3-6 ounces per 1000 cubic feet of space.

**FOGGING:** To kill exposed or accessible stages of the above named crawling insects, use a fine mist of space. Contact insects directly whenever possible.

**ON LIVESTOCK:** To protect cattle and horses from horn flies, house flies, mosquitoes and to wet the surface of the hair. To control stable flies, horse flies, and deer flies. Apply at a rate of 1/2 gallon per acre. Repeat treatment daily or as intervals necessary.  
To control blood-sucking lice, apply to the infested areas of the animal using a stiff brush. Repeat every 2 to 3 weeks if required.

**ON PETS:** Start spraying at the tail, moving the dispenser rapidly and making sure that it includes the legs and underbody. While spraying, fluff the hair so that the spray will penetrate thoroughly. Do not spray into eyes or face. Avoid contact with genitalia. Repeat as needed.

**OUTDOOR APPLICATION**  
**ADULT MOSQUITO CONTROL:** Apply as a fine mist to thoroughly treat the entire area. Velocity does not exceed 5 miles per hour. Treat shrubbery or vegetation where standing stagnant pools or ponds and shore lines. Apply at a rate of 2.5 gals per acre (0.1 gallon per 1000 sq ft). Using truck-mounted conventional misting equipment such as Rotomist® models 51C, treat a 300 foot swath with rate equipment 10 delivery of 3 gallon per minute.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.  
**PESTICIDE STORAGE AND SPILL PROCEDURE:** Store upright at room temperature and temperatures. In case of spill or leakage, soak up with an absorbent material such as sawdust. Dispose of with chemical waste.  
**PESTICIDE DISPOSAL:** Pesticide, spray mixture or rinse water that cannot be used should be disposed of at or by an approved waste disposal facility.  
**CONTAINER DISPOSAL:** Triple rinse (or equivalent) then offer for recycling or reconversion, sanitary landfill, or by other approved State and local procedures.

**PRECAUTIONARY STATEMENTS  
HAZARDOUS TO HUMANS & DOMESTIC ANIMALS  
CAUTION**

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Remove pets, birds, spraying or surface applications.

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED:** Drink one or two glasses of water and induce vomiting by touching until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give person.  
**IF INHALED:** Remove victim to fresh air. Apply artificial respiration if indicated.  
**IF ON SKIN:** Remove contaminated clothing and wash affected areas with soap and water.  
**IF IN EYES:** Flush eyes with plenty of water. Call a physician if irritation persists.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to lakes, ponds, streams, tidal marshes or any other body of water.  
Butter assumes all uses of use, storage or handling of this product not in strict accordance with the labeling on the container or label.

Custom Packaging Service  
Div. of J. Coburn, Inc.  
427 Evernia Street  
West Palm Beach, FL 33401

**NOTE:** Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)7(A) provided that you:

Add the phrase, "EPA Registration No. 43797-9," to your label before you release the product for shipment.

Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes accepted of the conditions of registration.

A stamped copy of the label has been enclosed for your records.

Timothy A. Gardner  
Product Manager (17)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767)

Enclosure

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL



DATE

10-29-85

*CUSTOM*  
**PESTICIDE SPRAY**  
~~GENERAL PURPOSE~~  
~~AQUEOUS INSECTICIDE~~

EPA REG. NO. EPA EST. NO. *43797 FL01*

*Aqueous*  
 A Concentrated ~~Pyrethrin~~ Micro Emulsion  
 — Clear — Stable — Leave no oily or objectionable residues  
 Effective, Fast Acting Insecticide  
 For use in homes, institutions, restaurants  
 Food Processing Plants, dairies, livestock and outdoors for mosquito control  
 For control of fleas and brown dog ticks on premises and on pets  
 Apply with conventional mechanical or compressed air equipment

ACTIVE INGREDIENTS:	
Pyrethrins .....	0.15%
*Piperonyl Butoxide, Technical .....	1.50%
INERT INGREDIENTS .....	98.35%
	100.00%

\*Equivalent to 1.22 (butylcarbityl) (6-propylpiperonyl) ether and 0.12 related compounds.


~ KEEP OUT OF REACH OF CHILDREN  
**CAUTION**  
 See back panel for additional cautions.

DO NOT TRANSPORT OR STORE UNDER 32°F.

BATCH

Printed in USA

*Custom Packaging Services*  
*West Palm Beach, FL 33409*  
 OCT 29 1985



43797-9  
 NET CONTENTS: \_\_\_\_\_

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling  
 INDOOR APPLICATION *Shake well before use*

The use of this product in food processing establishments should be confined to time periods when operation. Food should be removed or covered during treatment. All food processing surfaces should be treated or thoroughly cleaned with potable water before using.

Vacate treated areas and ventilate before reoccupying.

For maximum effectiveness, a combination of spot and surface treatment is necessary.

**SURFACE SPRAYING.** To control cockroaches, palmetto bugs, ants, silverfish, spiders, crickets, granary weevils, rice weevils, confused flour beetles, rust red flour beetles, sawtoothed grain beetle, beetles, drugstore beetles, meal worms, grain mites and cadellids: Use a good sprayer adjusted to the spray into hiding places, cracks and crevices, under pallets, around containers of stored foods, machinery, behind shelves and drawers. For silverfish spray bookcases. For ants spray trails, nest. Surface application only is to be used. Spray floors and other surfaces applying a rate of 1 gallon to

To control carpet beetles: Spray edges of carpeting and under carpeting and rugs. Make localized baseboards. Spray directly into cracks, crevices and infested areas of shelving. Repeat treatment. To control bedbugs: Spray mattresses lightly, particularly around tufts and seams. Take beds apart. Treat baseboards, mouldings and floors. Repeat treatment as needed.

To control fleas and brown dog ticks: Thoroughly spray infested areas, pet beds, resting quarters, along and behind baseboards, mullings, window and door frames, and entire areas of floor and bedding should be placed in animal quarters following treatment. Repeat treatment as needed.

To control clothes moths: Remove any infested articles from storage, brush thoroughly and air out as possible. Apply spray liberally to empty chests, closets, bureaus and other storages, directing the crevices. After airing, infested articles may be treated lightly keeping nozzles at least three feet from

**SPACE SPRAYING.** Close doors and windows and shut off ventilating systems. Apply with a good fine mist or fog. For rapid control of house flies, fruit flies, gnats, mosquitoes, skipper flies, wasp moths, Mediterranean flour moths, Indian meal moths, and tobacco moths. Direct spray at an angle uniformly throughout the entire area at a rate of 3-6 ounces per 1000 cubic feet of space.

**FOGGING.** To kill exposed or accessible stages of the above named crawling insects, use a rate of cubic feet of space. Contact insects directly, whenever possible.

**ON LIVESTOCK.** To protect cattle and horses from horn flies, house flies, mosquitoes and gnats, to wet the surface of the hair. To control stable flies, horse flies, and deer flies, apply at a rate of horse sufficient to wet the hair thoroughly. Repeat treatment daily or at intervals necessary to get. To control blood sucking lice, apply to the infested areas of the animal, using a stiff brush to get hair. Repeat every 2 to 3 weeks if required.

**ON PETS.** Start spraying at the tail, moving the dispenser rapidly and making sure that the animal, including the legs and underbody. While spraying, fluff the hair so that the spray will penetrate to wets thoroughly. Do not spray into eyes or face. Avoid contact with genitalia. Repeat as necessary.

**OUTDOOR APPLICATION**  
**ACUTE MOSQUITO CONTROL.** Apply as a fine mist to thoroughly treat the entire area. For best results, does not exceed 5 miles per hour. Treat shrubbery or vegetation where individuals may stagnate pools or ponds and shore lines. Apply at a rate of 2.5 pints per acre (0.1 ounce per 100 sq ft). Using truck-mounted conventional misting equipment such as Rotamist® models 51C, 91 or 103. Treat a 300 foot swath. Calibrate equipment to deliver 0.9 gallon per minute.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.  
**PESTICIDE STORAGE AND SPILL PROCEDURES:** Store upright at room temperature. Avoid extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust. Dispose of with chemical waste.  
**PESTICIDE DISPOSAL:** Pesticide, spray mixture or rinse water that cannot be used according to disposed of at or by an approved waste disposal facility.  
**CONTAINER DISPOSAL:** Triple rinse (or equivalent) then offer for recycling or reconditioning, sanitary landfill, or by other approved State and local procedures.

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS & DOMESTIC ANIMALS**  
**CAUTION**

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Remove pets, birds and cover spraying or surface applications.

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED:** Drink one or two glasses of water and induce vomiting by touching the back of the throat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything to the person.  
**IF INHALED:** Remove victim to fresh air. Apply artificial respiration if indicated.  
**IF ON SKIN:** Remove contaminated clothing and wash affected areas with soap and water.  
**IF IN EYES:** Flush eyes with plenty of water. Call a physician if irritation persists.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to lakes, ponds, streams, tidal marshes or estuaries. Avoid contamination of equipment or disposal of wastes.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with