43813-3

118

SEP 27 1990

Mr. William R. Goodwine Janssen Pharmaceutica Plant Protection Division 40 Kingsbridge Road Piscataway, NJ 08854

BEST AVAILABLE COPY

Dear Mr. Goodwine:

Subject: Pecundal 10EC

EPA Registration Number 43813-3 Your Submission Dated May 16, 1990

The amendment referred to above, submitted in connection with registration under FIFRA is acceptable, provided that you:

- 1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
  - a. Under the Environmental Hazards section, change the second sentence to read "Do not contaminate water when disposing of equipment washwaters".
  - b. In the lower left corner, delete "Janssen Pharmaceutica: May 1990".
- Submit one(1) copy of your final printed labeling before you release the product for shipment.
  - A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

5.2

Susan T. Lewis
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (H7505C)

Enclosure

CONCURRENCES					
SYMBOL #7555					
SURHAME TICKS					
DATE 19/26/96				1	
EPA Form 1326-1 (12-76)	<del></del>			OF	FICIAL FILE COPY

OFFICIAL FILE COP

### **IECAUTIONARY STATEMENTS** VZAPOS TO HUMANS AND DOMESTIC ANIMALS

# DANGER

COEPTED COMMENT A Letter E... irrosive. Causes irreversible eye damage. Harmful if allowed. Do not get in eyes or on clothing, Wear ggles when handling. Wash thoroughly with soap and iter after handling.

#### MITONMENTAL HAZARDS

not apply directly to water. Do not contaminate water cleaning of equipment, or disposal of wastes. Apply this oduct only as specified on this label.

# MYSICAL OR CHEMICAL HAZARDS

not use or store near heat or open flame.

r use and storage by Agricultural and Service Persons Хy

# RECTIONS FOR USE:

s a violation of Federal Law to use this product in a unner inconsistent with its labeling.

### ORAGE AND DISPOSAL

IOHIBITIONS - Do not contaminate water, food or feed storage or disposal.

OPAGE - Store in a cool dry place.

STICIDE DISPOSAL - Pesticide wastes are acutely tardous, improper disposal of excess pesticide, spray kture, or rinsate is a violation of Federal Law. If these stes cannot be disposed of by use according to label tructions, contact your State Pesticide or Environmental ntrol Agency, or the hazardous waste representative at nearest Regional office for guidance.

INTAINER DISPOSAL - Triple ringe (or aguivalent). Then er for recycling or reconditioning, or puncture and pose of in a sanitary landfill, of incincration, c., if wed by state and local authorhies, by burning, it rned, stay out of smoke,

issen Pharmaceutica: May 1990

JANSSEN PHARMACEUTICA

# FECUNDAL 10EC

Active Ingredient injazalii: 1-(2-(2,4-dichlorophenyi)-2 (2-propenyloxy)ethyl)-1H-imidazole\*

10%

Inert Ingredients 90% Contains 0.86 lbs. of Imazalil\* per gallon

> EPA Reg. No. 43813-3 EPA Est. No. 43813-BL-2

KEEP OUT OF REACH OF CHILDREN

# DANGER

#### STATEMENT OF PRACTICAL TREATMENT

#F SWALLOWED: Induce vomiting, pump stomach, call a physician. Treat symptomatically.

IF INHALED: See a physician if an abnormal reaction occurs.

F ON SIGN: Wash thoroughly with soap and water.

IF IN EYES: immediately flush eyes with plenty of water. Call a physician.

See side panel for additional precautionary statements.

Net Contents: 5 gallons

- \*Active ingredient is manufactured by Janssen Pharmaceutica, Beerse, Belgium
- \*\* Registered Trademark of Janssen Pharmaceutica. Beerse, Belgium.



### DOSE RECOMMENDATIONS:

WHEAT & BARLEY: For control of seedborne net blotch and Septori protection against the seed and s common root rot disease comple Fusarium). Promotes stand estab against seed and seedling blights Helminthosporium, Fusarium, or F fl. oz. FECUNDAL 10EC per 100 I

COTTON: For control of Fusarium 4 fl. oz. FECUNDAL 10EC per 100

Use the higher dose when diseas FECUNDAL 10EC may be applied may be diluted with water to imp

SEED LABELLING: Seeds treated Do not use treated seed for food, not graze or feed livestock on trea after planting.

USE PRECAUTION: All seed treat be adequately dyed. Any dye add be cleared for use under 40 CFR.

NOTE TO USER: Combination tre 10EC with products containing lin delayed emergence and stunting however, plants will usually outgre carry over seed treated with Knda season. Minimize time between tr such treatments.

# NOTICE OF WATERANTY

n had a

control on the tabel thereof and is see stable only when used it, assentance to considers, it is impossible to alludes in the see of the and. Comp injury, in It because of much h, or the marrow Pharmanulisa to Bable for exceeding of this parameter from the sale or handling of this parameter for the Bayes, AMERICA FRANCIA WARREST FRANCIA WARREST FRANCIA OF THE PARAMETER OF STATED ABOVE.

BEST AVAILABLE COPY