

**PRECAUTIONARY STATEMENT  
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION**

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating. Remove contaminated clothing and wash before reuse.

**ENVIRONMENTAL HAZARDS**

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your local State Water Board or Regional Office of the EPA.

**STORAGE AND DISPOSAL**

Store in original container in a cool, dry place.

**PESTICIDE DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office for guidance.

**CONTAINER DISPOSAL**

Triple rinse (or equivalent) then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or by other procedures approved by State and Local authorities.

• Registered trademark of Janssen Pharmaceutica.  
\* Active Ingredient and formulation is manufactured by Janssen Pharmaceutica, Beerse, Belgium

PPD 96/12/U.S.A.

**ACCEPTED**  
FEB - 9 1998  
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 43813-15

Janssen Pharmaceutica  
**SAFETRAY® P**  
Wood Preservative for the  
Mushroom Industry

For the prevention of wood rot and decay and for the control of adhesion and penetration of mushroom mycelium in timber trays and benches allowing for an easy tip out of the compost.

**ACTIVE INGREDIENT: (w/w)**  
**PROPICONAZOLE\*:**  
1-[(2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl)methyl]-1H-1,2,4-triazole . . . . . 23.6%  
**INERT INGREDIENTS: (w/w).** . . . . . 76.4%

Contains 2.05 lbs. active ingredient/gallon

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED:** Drink 1 or 2 glasses of water and induce vomiting by touching in back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Treat symptomatically. Seek medical attention.

**IF IN EYES:** Hold eyelids open and flush immediately with a steady gentle stream of water for at least 15 minutes. Get medical attention if irritation persists.

**IF ON SKIN:** Immediately flush exposed area with plenty of water. Remove contaminated clothing. Wash thoroughly with soap and water. Get medical attention if irritation persists.

**IF INHALED:** Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.



**JANSSEN**  
Pharmaceutica  
1125 Trenton-Harbourton Rd.  
Titusville, NJ 08560-0200  
U.S.A. (609) 730-2607

EPA REG. NO. 43813-15  
EPA EST. NO. 43813-BL-2  
NET CONTENTS: 2.6 gallons (10 liters)

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

To prevent wood rot and decay and to control adhesion and penetration of mushroom mycelium in timber trays and benches add 19.5 fl. oz. of SAFETRAY™ P to 25 gal. of water to achieve a treating concentration of 1,500 ppm active ingredient.

**MIXING**

Half-fill the spray or dip tank with water. Add the appropriate amount of SAFETRAY™ P. Triple rinse empty container and add the rinsate to the tank. Stir gently and add water up to the required volume. A few drops of an anti-foam agent may be added to avoid excessive foaming.

**APPLICATION  
SPRAY**

Between each crop of mushrooms, apply the treating solution with a large droplet sprayer on the internal surface of the trays or to the inside surface of the side, end and bottom boards of the benches. To insure complete wetting of the wood surface spray approximately 25 gallons of treating solution per 5,000 sq. ft. of wood surface. Make sure all corners are well treated. Let the trays or bench boards dry before adding compost. The trays should be allowed to dry in a sheltered, well-ventilated place.

**DIP**

Submerge trays or boards in treating solution for not more than 30 seconds, then remove and allow to drain back into dip tank. Let the trays or boards dry in a sheltered, well-ventilated place before adding compost.

**NOTICE OF WARRANTY**

Janssen Pharmaceutica warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Janssen Pharmaceutica. In no case shall Janssen Pharmaceutica be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the Buyer. JANSSEN PHARMACEUTICA MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

PM 34  
43813-15  
2/9/98  
1081