43813-15

04/23/2003

Janssen Pharmaceutica SAFETRAY<sup>®</sup> P

## Wood Preservative for the Mushroom Industry

For the prevention of wood rot and decay and for the control of adhesion and penetration of mushroom mycelium in timber trays and benches allowing for an easy tip out of the compost

ACTIVE INGREDIENT: (w/w) PROPICONAZOLE\*: 1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl] -1H-1,2,4-triazole INERT INGREDIENTS: (w/w) TOTAL 100.0%

Contains 2.05 lbs. active ingredient/gallon

## **KEEP OUT OF REACH OF CHILDREN**

# CAUTION

		FIRST AID			
If swallowed	-Call a poison control center or doctor immediately for treatment advice.				
	<ul> <li>-Have person sip a glass of water if able to swallow.</li> <li>-Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>-Do not give anything by mouth to an unconscious person.</li> </ul>				
If in eyes	-Hold eye open and rinse slowly and gently with water for 15-20 minutes.				
	-Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.				
·	-Call a poison control center or doctor for treatment advice				
If on skin or	-Take off contaminated clothing.				
clothing	-Rinse skin immediately with plenty of water for 15-20 minutes.				
	-Call a poison control center or doctor for treatment advice.				
If inhaled	-Move person to fresh air.				
	-If person is not breathing, call 911 or an ambulance, then give artificial				
	respiration, preferably mouth-to-mouth if possible.				
	-Call a pois	on control center or doctor f		<u>nent advice.</u>	
		HOT LINE NUMBER			
		Chem Trec: (800) 424-			
Have the produce	ct container o	or label with you when callin	ig a poison cont	rol center or d	octor,
or going for trea	itment.	······			
		NOTE TO PHYSICIA			
There is no spec	ific antidote	for Safetray P. Give a salin	e laxative and s	upportive there	apv. '
	Ņ	IET CONTENTS: 2.6 gallons	(10 liters)		
		IO. 43813-15 EPA E	ST. NO. 43813	-BL-2	••••
ACCEPT	ED		_		
		JANSSEN Pharmaceutic			•
APR 2 3 20	กร	1125 Trenton-Harbourto		• • •	
	00	Titusville, NJ 08560-0	<b>)200</b>		•••••
v v te tratatatata	- stal				
<b>ier the Fede</b> ral Insecticide, Fi <b>Jenticide</b> Act as amended, fo	ngiorde, and ir the				
ticide, registered under	•				
A Reg. No. 43813	-15				

## PRECAUTIONARY STATEMENT HAZARDS TO HUMANS & DOMESTIC ANIMALS

## CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating. Remove contaminated clothing and wash before reuse.

### **ENVIRONMENTAL HAZARDS**

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your local State Water Board or Regional Office of the EPA.

#### STORAGE AND DISPOSAL

Store in original container in a cool, dry place.

#### PESTICIDE DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office for guidance.


#### CONTAINER DISPOSAL

Triple rinse (or equivalent) then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or by other procedures approved by State and Local authorities.

Registered trademark of Janssen Pharmaceutica.

\*Propiconazole is manufactured by Novartis Crop Protection AG, Basel, Switzerland

01/2003



2/3

Υ.,

11.

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

To prevent wood rot and decay and to control adhesion and penetration of mushroom mycelium in timber trays and benches add 19.5 fl. oz. of SAFETRAY<sup>™</sup> P to 25 gal. of water to achieve a treating concentration of 1,500 ppm active ingredient.

## MIXING

Half-fill the spray or dip tank with water. Add the appropriate amount of SAFETRAY<sup>™</sup> P. Triple rinse empty container and add the rinsate to the tank. Stir gently and add water up to the required volume. A few drops of an anti-foam agent may be added to avoid excessive foaming.

### APPLICATION

#### SPRAY

Between each crop of mushrooms, apply the treating solution with a large droplet sprayer on the internal surface of the trays or to the inside surface of the side, end and bottom boards of the benches. To insure complete wetting of the wood surface spray approximately 25 gallons of treating solution per 5,000 sq. ft. of wood surface. Make sure all corners are well treated. Let the trays or bench boards dry before adding compost. The trays should be allowed to dry in a sheltered, well-ventilated place.

#### DIP

Submerge trays or boards in treating solution for not more than 30 seconds, then remove and allow to drain back into dip tank. Let the trays or boards dry in a sheltered, wellventilated place before adding compost.

#### NOTICE OF WARRANTY

Janssen Pharmaceutica warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Janssen Pharmaceutica. In no case shall Janssen Pharmaceutica be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the Buyer. JANSSEN PHARMACEUTICA MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

