



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON D.C., 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

MAR 18 2010

Janssen PMP
1125 Trenton-Harbourton Road
Titusville, NJ 08560-0200

Attention: William R. Goodwine
Regulatory Manager

Subject: Notification: XAMOX 100SL
EPA Reg. No. 43813-36
Application dated January 29, 2010

This will acknowledge receipt of your notification regarding a change in the registrant's name submitted under the provisions of FIFRA Section 3(c) (9). Based on a review of the submitted material, the following apply:

- Notification of label change per PR Notice 2007-4

The Notification is in compliance with PR Notice 98-10 and is acceptable. This information has been made a part of your file.

If you have any questions concerning this letter, please contact Demson Fuller at (703) 308-8062.

Sincerely,



Marshall Swindell
Product Manager (33)
Regulatory Management Branch 1
Antimicrobials Division (7510C)



Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060

215

		United States Environmental Protection Agency Washington, DC 20460		<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other		OPP Identifier Number	
Application for Pesticide - Section I							
1. Company/Product Number 43813-36			2. EPA Product Manager Marshall Swindell			3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted	
4. Company/Product (Name) XAMOX 100 SL			PM# 33				
5. Name and Address of Applicant (Include ZIP Code) Janssen PMP, a Division of Janssen Pharmaceutica, N.V. 1125 Trenton-Harbourton Road Titusville, NJ 08560-0200 <input type="checkbox"/> Check if this is a new address			6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____				
Section - II							
<input type="checkbox"/> Amendment - Explain below.				<input type="checkbox"/> Final printed labels in response to Agency letter dated _____			
<input type="checkbox"/> Resubmission in response to Agency letter dated _____				<input type="checkbox"/> "Me Too" Application.			
<input checked="" type="checkbox"/> Notification - Explain below.				<input type="checkbox"/> Other - Explain below.			
Explanation: Use additional page(s) if necessary. (For section I and Section II.) "Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."							
Section - III							
1. Material This Product Will Be Packaged In:							
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		2. Type of Container XXXXXX Metal XXXX Plastic Glass Paper XXXXXX Other (Specify) <u>HDPE</u>	
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container		If "Yes" Package wgt. No. per container			
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container			4. Size(s) Retail Container 53 Gal (200 l) & 264 Gal (1,000 L)		5. Location of Label Directions <input type="checkbox"/> On Label		
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____				
Section - IV							
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)							
Name William R. Goodwine			Title Senior Director, Regulatory Affairs & Product Development			Telephone No. (Include Area Code) (609) 730-2607	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.						6. Date Application Received (Stamped)	
2. Signature 			3. Title Senior Director, Regulatory Affairs & Product Development				
4. Typed Name William R. Goodwine			5. Date January 29, 2010				

XAMOX™ 100 SL

INSECTICIDE WOOD PRESERVATIVE FOR INDUSTRIAL USE

Protects wood & wood products from termites and wood boring insects.
For above ground use only.

ACTIVE INGREDIENT: (w/w)

THIAMETHOXAM:

4H-1,3,5-Oxadiazin-4-imine,3-[(2-Chloro-5-thiazolyl)methyl]tetrahydro-5-methyl-N-nitro 9.9%

INERT INGREDIENTS: (w/w) 90.1%

TOTAL 100.0%

Contains 0.97 lbs. active ingredient/gallon

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID	
IF IN EYES	<ul style="list-style-type: none"> Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Remove contact lenses, if present, after the first 5 minutes. Then continue rinsing eye. Call a poison control center or doctor for further treatment advice.
IF SWALLOWED	<ul style="list-style-type: none"> Call a poison control center or doctor for further treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for further treatment advice
IF INHALED	<ul style="list-style-type: none"> Remove person to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth, if possible. Get medical attention
HOT LINE NUMBER	
For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents) call the National Pesticide Telecommunications Network at 1-800-858-7378. For chemical emergency assistance (spill, leak, fire, or accident), call Chem Trec at 1-800-424-9300.	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
Note to Physician: Treat symptomatically.	

NET CONTENTS: 55 gallons (208 liters)

EPA REG. NO. 43813-36
EPA EST. NO. 43813-BL-2

JANSSEN PMP

A Division of Janssen Pharmaceutica NV
1125 Trenton-Harbourton Rd.
Titusville, NJ 08560-0200

PRECAUTIONARY STATEMENT HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER

CORROSIVE: Causes irreversible eye damage. Do not get in eyes, on skin or clothing. Harmful if swallowed or absorbed through skin. Wear protective eyewear (goggles, face shield, or safety glasses). Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Applicators and other handlers must wear:

- Long sleeved shirt and long pants
- Socks and shoes
- Chemical-resistant gloves (such as: Barrier Laminate, or any of the following gloves at ≥ 14 mils thickness: butyl nitrile, neoprene rubber, polyvinyl chloride, or Viton).
- Goggles, face shield or safety glasses

USER SAFETY RECOMMENDATIONS

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove personal protective equipment immediately after handling this product. Wash outside of gloves before removing. As soon as possible, wash thoroughly.
- Follow manufacturers' instructions for cleaning and maintaining personal protective equipment (PPE). If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry

ENVIRONMENTAL HAZARDS

This product is toxic to wildlife and highly toxic to aquatic invertebrates. Do not apply directly to water, or to areas where water is present, or to inter-tidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash water. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry place.

PESTICIDE DISPOSAL: Pesticide wastes may be toxic. Improper disposal of excess pesticide, spray mixture, or rinse water is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple-rinse container (or equivalent) promptly after emptying. Triple-rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container $\frac{1}{4}$ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available, or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

For minor spills, leaks, etc. follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup procedures and disposal of wastes. In the event of a major spill, fire, or other emergency, call 1-800-424-9300, day or night.

PHYSICAL OR CHEMICAL HAZARDS: Do not use, pour, spill or store near heat or open flame.

5
5

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Description: XAMOX 100 SL is a wood preservative concentrate that requires dilution with water or mineral spirits prior to use on wood products to protect against termites and wood boring insects.

Product Uses: Only for pressure treatment application to millwork components for window and door manufacture, dimensional softwood lumber for structural uses (such as framing, studs, joists, sill & floor plates), structural panels (such as plywood and oriented strand board) and structural engineered wood (such as I-joists, glulam beams, laminated veneer lumber, parallel & oriented strand lumber) that are used in above ground applications and protected from weathering. Do not use on wood that will come in contact with food.

Wood Preparation: Machine, cut, glue, and sand wood as desired before treating. Wood should be kiln dried or air seasoned to a moisture content, of about 25% or less, that will permit adequate penetration of preservative during treatment.

Treatment: For control of wood boring insects and termites, apply XAMOX 100 SL by pressure treatment processes (such as double vacuum, full-cell or modified full-cell) or equivalent treating methods giving comparable retentions. Pressure treatment should be performed according to the typical methods described in the American Wood Preservers' Association (AWPA) Standards. Target retention levels for thiamethoxam in the treated wood products are 0.01-0.04 kg/m³. These retentions are achieved with an uptake of 0.1 – 0.4 fluid ounces of XAMOX 100 SL in a maximum of 2 gallons of treating solution per cubic foot of wood. All treated wood must be held on the drip pad until drippage has stopped. Treated wood should be stored in a weather-protected environment with adequate ventilation for dissipation of solvent vapors.

Finishing: Before glazing, staining, painting, varnishing, or application of water repellents, treated wood should be completely dry and odor-free. Pressure treated wood requires drying after treatment to a moisture content suitable for the type of coating to be applied.

NOTICE OF WARRANTY

Janssen PMP, a Division of Janssen Pharmaceutica NV warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Janssen PMP. To the extent permitted by law, Janssen PMP disclaims any liability for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the Buyer. JANSSEN PMP MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.