| United States □ Registration □ □ Proteining Number 401 M Street, S.W. □ Amendment □ Other Image: Company Product Number Cargany Product Number 2. EFA Froduct Manager 3. Proposed Classification Image: Company Product Number Cargany Product Number 2. EFA Froduct Manager 3. Proposed Classification Image: Company Product Number EFA Reg, No. 43917.7 Richard Geken 3. Product Manager Image: Company Product Number EFA Reg, No. 43917.7 Richard Geken 3. Product Number Image: Company Product Number Product Number 10 More Restated Company Product Number Image: Company Product Number EFA Reg, No. 1 Company Product Number Restated Number Number Number Number Company Product Number EFA Reg, No. 1 Company Product Number Number Num | 43917-7 | | _ | - 2005 | | | . . | 1/11 |
|---|--|--------------------------|-----------------------------------|------------------------|-----------|-----------------------|--------------------|---------------------|
| 1. Company/Product Number EPA Reg. No. 43917-7 2. EPA Product Manager Richard Gebken Spira Area Mosquito Repellent 5. Name and Address of Applicant (Include 2/P Cate) Sopier Antexifie Chimiche S.p.A. C/o Paul A. Keane & Associates 2455 East Minaval Primero Tucson, AZ 85718-3035 Chick of this is a new address Section - II Amendment - Explain below. Besubmission in response to Agency letter dated Section - II Amendment - Explain below. Besubmission in response to Agency letter dated Section - II Amendment - Explain below. Besubmission in response to Agency letter dated Section - II Submit notification of label revision to revise the cartridge and appliance verbiage per PR Notice 98-10. (Refer to the Reference Label for an IIIustration of the change [page 4] This notification is consistent with the provisions of PR Notice 98-10 and EPI Reg. Notice 98-10 and 40 CFR 152.46 this product may be in violation of FIFAA and 1 may be subject to enforcement action and paper line. Container Section - III Amendment - Explain below. Section - III Amendment - Explain below. Besubmission in response to Agency letter dated Section - Explain below. MAR 2 1 2005 Explanation: Use additional page(s) if necessary. (For Section 1 and Section 11.) Submit notification of label revision to revise the cartridge and appliance verbiage per PR Notice 98-10. (Refer to the Reference Label for an IIIustration of the change [page 4] This notification is consistent with the provisions of PR Notice 98-10 and EFR Aregulations is not onsistent with the torms of PR Notice 98-10 and FIFAA and 1 may be subject to enforcement action and papalities under sections 1.2. Container Section - III Austerial This Product Wile Be Packaged In: Container Section - IV Autorized Agent Container Conta | Environmental Protection A 401 M Street, S.W. | | es ction Agen o S.W. | ⊃y | | Ame | stration ndment | |
| EPA Reg. No. 43917.7 Richard Gebken 4. Company Product (Name) M# 10 Image and Audication (Name) Restricted 5. Name and Auscant (National 2/P Code) C. Expedited Review. Image and Auscant (National 2/P Code) C. Expedited Review. Image and Auscant (National 2/P Code) C. Carlat A. Kacene & Associates C. Standiat Review. Image and Auscant (National 2/P Code) C. Carlat A. Kacene & Associates C. Carlat A. Kacene & Carlat A. | | A | pplication f | | | | · · · · · | |
| | | | | | | oposed Classification | | |
| So Name and Advises of Applicant (Include 2/P Cole) Zobel Industrie Chimiche S.p.A. Zobel Ind | 4. Company/ Product (Name) | | | | | | | |
| Zobele Industrie Chimiche S.p.A. cor Paul A. Keane & Associates | | | | 0.5 | | | | |
| | | | | | | | | |
| Tucson, AZ 85718-3035 EPA Reg. No | | | | | | | | |
| Check if this is a new address Product Name Section - II Amendment - Explain balow. Resubmission in response to Agency inter dated Bind printed labels in response to Agency NOTFIFICATION Water Solution. MAR 2 1 2005 Explanation: Use additional page(s) if necessary. (For Section I and Section II.) Submit notification of label revision to revise the cartridge and appliance verblage per PR Notice 98-10. (Refer to the <i>Reference Label</i> for an Illustration of the change [page 4] This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR hts 24, 6, and no other changes have been made to the labeling or the confidential statement to its product. I understand that if this notification is not consistent with the terms of PR Notice 98-10 and 0CFR 152, 46 is product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA. Material This Product WIII Be Packaged In: Child Resistant Packaging Unit Packaging Wgt Container Ves Packaging Wgt Container Ves Desubmitted Label Container Assessment Linker Solub's Packaging Container Desubmitted Label Container Section - IV Contact Point (Complete Items directly below for identification of Individual to be contacted, if mecessary, to process this application, Section - IV Contact Point (Complete Items directly below for identification of Individual to be contacted, if mecessary, to process this application, Section - IV Contact Point (Complete Items directly below for identification of Individual to be contacted, if mecessary, to process this application, Section - IV Contact Point (Complete Items directly below for identification of Individual to be contacted, if mecessary, to process this application, Submit red for for | | | | FPA Reg | No | | | |
| | | | ess | EPA Reg. No | | | | |
| Amendment - Explain below. MAR 2 1 2005 Amendment - Explain below. Amendment - Explain below. Amendment - Explain below. Amendment - Explain below. MAR 2 1 2005 Amendment - Explain below. Amen | ļ | | | | ime | | | |
| □ Presubmission in response to Agency jetter dated □ The Too" Application. MAR 2 1 2005 ■ Notification - Explain below. □ Other - Explain below. MAR 2 1 2005 Explanation: Use additional page(s) if necessary. (For Section I and Section II.) Submit notification of label revision to revise the cartridge and appliance verblage per PR Notice 98-10. (Refer to the Reference Label for an illustration of the change [page 4] This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. L understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to the EPA. I further understand that if it is notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46 this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA. 1. Section - III 1. Material This Product WIII Be Packaged In: Container • Yes □ Plastic • No □ Plastic • No □ On Label • No □ On Label • Label □ Container • No □ On Labeling Accompanying Product • Label □ Container • Label □ Container • Label □ Container | | | | | | | | |
| Notification - Explain below. MAR 2 1 2005 Explanation: Use additional page(s) if necessary. (For Section I and Section II.) Submit notification of label revision to revise the cartridge and appliance verbiage per PR Notice 98-10. (Refer to the Reference Label for an illustration of the change [page 4] This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. Lunderstand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to the EPA. I further understand that if his notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46 this product may be in violation of FIFRA and 1 may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA. 1 Material This Product Will Be Packaged In: Child Resistant Packaging Unit Packaging 1 No 2 No. Per be submitted Unit Packaging Wgt. 0 No. Per 1 No 1 No 1 No 1 No 2 No. Per 1 No 1 No 1 No 1 No 1 No 2 No. Per 1 No 2 No 2 No 3 Location of Label Information 4 Size(s) Retail Container 1 Section - IV 3 Location of Label Information 4 Size(s) Retail Container |) <u> </u> | | | Final pr | inted lab | els in res | ponse to Agen | V NOTHFICATION |
| | Resubmission in respor | nse to Agency letter da | ated | Me Too | o" Applic | ation. | | MAD 9 1 2005 |
| Submit notification of label revision to revise the cartridge and appliance verbiage per PR Notice 98-10. (Refer to the Reference Label for an illustration of the change [page 4] This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46 this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA. Section – III 1. Material This Product WIII Be Packaged In: Child Resistant Packaging Unit Packaged In: Child Resistant Packaging Unit Packaging Wgt. Container Pes* Pres* Paper Pes* Paper Paper Paper Scottion of Net Contents Information 4. Size(s) Retail Container Scottion of Net Contents Information 4. Size(s) Retail Container Container Scotain of Label Directions On Label One Label Directions On Label One Label Directions Container Scottion - IV 1. Contact Point (Complete items directly below for identification of Individual to be contacted, if necessary, to process this application). Name Title Telephone No. (Include Aca Code) (Stamped) 1. certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 6. Matherized Agent Received (Stamped) <td>i and i a</td> <td></td> <td></td> <td></td> <td>Explain</td> <td>below.</td> <td></td> <td></td> | i and i a | | | | Explain | below. | | |
| (Refer to the Reference Label for an illustration of the change [page 4] This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make samy false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46 this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA. Section – III Notice 98-10 and 40 CFR 152.46 this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA. Image: Section – III Notice 98-10 and 40 CFR 152.46 this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA. Image: Section – III Image: Section – III Nother Section – III Image: Section – III | Explanation: Use add | itional page(s) if neces | ssary. (For Section | I and Section II.) | | | | |
| Section – III 1. Material This Product Will Be Packaging Image: Child Resistant Packaging Unit Packaging Water Soluble Packaging Image: Child Resistant Packaging Wgt. | (Refer to the Reference Label for an illustration of the change [page 4] This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46 this product may be in violation of FIFRA and I may be subject to enforcement action and | | | | | | | |
| Child Resistant Packaging Unit Packaging Water Soluble Packaging 2. Type of Container Yes* No No Metal Plastic No No No. Per Of TYes" Other (Specify): S. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions Label Container On Label On Label On Label is Affixed to Product Lithograph Stenciled Paper glued Other Other 1. Contact Point (Complete items directly below for identification of Individual to be contacted, if necessary, to process this application). Name Title Telephone No. (Include Area Code) I certify that the statements 1 have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 3. Title 2. Signature 3. Title Authorized Agent If action and all attachments thereto are true, for | | | | ection – III | | | | |
| Yes* Yes Metal No No No Plastic *Certification must be submitted If "Yes" Unit Packaging Wgt. No. Per Container No. Per Packaging Wgt. No. Per Container Glass 3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions On Label Label Container On Label On Label On Label 6. Manner in Which Label is Affixed to Product Lithograph Stenciled Paper glued Other Other 1. Contact Point (Complete items directly below for identification of Individual to be contacted, if necessary, to process this application). Name Title Telephone No. (Include Area Code) (520) 577-5165 Paul A. Keane Authorized Agent PKeane2100@aol.com I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. S. Title 3. Title 3. Title S. Title | | | | Motor Solubio Book | ocioc | | | ontainer |
| No No No Plastic *Certification must be submitted If "Yes" Unit Packaging Wgt. No. Per Container No. Per Packaging Wgt. No. Per Packaging Wgt. No. Per Container Dispersive Paper 3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions I Label Container 5. Location of Label Directions On Label On Label On Labeling Accompanying Product 6. Manner in Which Label is Affixed to Product Lithograph Stenciled Paper glued Other Section - IV 1. Contact Point (Complete Items directly below for identification of Individual to be contacted, if necessary, to process this application). Name Title Telephone No. (include Area Code) (520) 577-5165 Paul A. Keane Authorized Agent Felephone No. (include Area Code) (520) 577-5165 Paul A. Keane Certification 6. Date Application Received I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 6. Date Application Received (Stamped) 2. Signature 3. Title Authorized Agent | | - | | | aging | : | | ontainei |
| *Certification must be submitted If "Yes" Unit Packaging Wgt. No. Per Container No. Per Packaging Wgt. No. Per Container Distass 3. Location of Net Contents Information 4. Size(s) Retail Container Distass Distass 3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions On Label Image: Label Container Container Image: Container Stenciled Image: Label Container Lithograph Stenciled Image: Paper glued Other On Label Image: Container Stenciled Paper glued Other Image: Container Title Telephone No. (Include Area Code) (520) 577-5165 Stenciled Image: Paper glued Title Telephone No. (Include Area Code) (520) 577-5165 Stenciled Image: Paper glued Certification Title Telephone No. (Include Area Code) (520) 577-5165 Stenciled Image: Paul A. Keane Certification Certification Stenciled Stenciled Stenciled Image: Paul A. Keane Image: Paul Paul Paul Paul Paul Paul Paul Paul | | - | | - | | | | |
| be submitted Unit Packaging Wgt. Container Packaging Wgt. Container Integration 3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions Image: Label Container Image: Container 5. Location of Label Directions Image: Label Container Image: Container 5. Location of Label Directions Image: Label Container Image: Container Image: Container 6. Manner in Which Label is Affixed to Product Lithograph Stenciled Image: Paper glued Other Other Section - IV 1. Contact Point (Complete items directly below for identification of Individual to be contacted, if necessary, to process this application). Name Title Telephone No. (Include Area Code) (520) 577-5165 Paul A. Keane Authorized Agent PKeane2100@aol.com I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 6. Date Application Received (Stamped) 2. Signature 3. Title Stamped Image: Container | | lf "Yes" | No, Per | | No. I | Per | | |
| 3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions D Label Container 0 n Label 6. Manner in Which Label is Affixed to Product Lithograph Stenciled Paper glued Other | | Unit Packaging Wgt. | Container | Packaging Wgt. | Coni | tainer | | pecify): |
| Label Container On Labeling Accompanying Product 6. Manner in Which Label is Affixed to Product Lithograph Stenciled Paper glued Other Other Section - IV 1. Contact Point (Complete items directly below for identification of Individual to be contacted, if necessary, to process this application). Name Title Telephone No. (Include Area Code) (520) 577-5165 Paul A. Keane Authorized Agent PKeane2100@aol.com I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 6. Date Application Received (Stamped) 2. Signature 3. Title Authorized Agent | 3. Location of Net Contents | Information | 4. Size(s) Retail | Container | | 5. L | | |
| 6. Manner in Which Label is Affixed to Product Lithograph Stenciled Paper glued Other Other Section - IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application). Name Title Telephone No. (Include Area Code) (520) 577-5165 Paul A. Keane Authorized Agent PKeane2100@aol.com I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 6. Date Application Received (Stamped) 2. Signature 3. Title Authorized Agent | | | | | | | On Label | |
| Paper glued Other Section - IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application). Name Title Telephone No. (Include Area Code) (520) 577-5165 Paul A. Keane Authorized Agent PKeane2100@aol.com I certify that the statements 1 have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 6. Date Application Received (Stamped) 2. Signature 3. Title 4. Title 6. Date Application | | _ Container | | | | | On Labeling A | ccompanying Product |
| Section - IV 1. Contact Point (Complete items directly below for identification of Individual to be contacted, if necessary, to process this application). Name Title Telephone No. (Include Area Code) (520) 577-5165 Paul A. Keane Authorized Agent PKeane2100@aol.com I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 6. Date Application Received (Stamped) 2. Signature 3. Title 6. Title | 6. Manner in Which Label is | Affixed to Product | 🗖 Litt | iograph | 🗖 Ste | enciled | | |
| 1. Contact Point (Complete items directly below for identification of Individual to be contacted, if necessary, to process this application). Name Title Paul A. Keane Authorized Agent PKeane2100@aol.com Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 2. Signature 3. Title for Authorized Agent | Paper glued Other | | | | | | | |
| Name Title Telephone No. (Include Area Code) (520) 577-5165 Paul A. Keane Authorized Agent PKeane2100@aol.com I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 6. Date Application Received (Stamped) 2. Signature 3. Title 3. Title | | | | | | | | |
| Paul A. Keane Authorized Agent (520) 577-5165 PKeane2100@aol.com I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 6. Date Application Received (Stamped) 2. Signature 3. Title Muthorized Agent | | ete items directly bel | | ion of individual to l | be conta | | | |
| Certification 6. Date Application Received I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 6. Date Application Received (Stamped) 2. Signature 3. Title for | Name | | nae | | | 1 elet | | |
| I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 2. Signature for Authorized Agent | | | | | | | PKeane | |
| for Authorized Agent | I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. | | | | | | | |
| | 2. Signature 3. Title | | | | | | | |
| | | | | | | | | |
| 4. Typed Name 5. Date | 4. Typed Name 5 | | 5. Dat | e | | | | |
| Paul A. Keane March 9, 2005 | Paul A | Keane | | March 9, 2005 | | | | |

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.

· ' ·

Spira Area Mosquito Repellent

Also Works on Black Flies NOTIFICATION Cordless Portable **Outdoor Activities Without Annoving Mosquitoes** MAR 2 1 2005 **Provides 15 Ft. Diameter Protection** Provides 225 sq. ft of Protection for up to 4 Hours per Mat **Repellent Lasts up to 4 Hours** Each Cartridge Lasts up to 12 Hours {11 gm.} [28 Hours {26 gm.}] Each Mat Lasts up to 4 Hours Repellency Lasts up to [number] Hours ("number" determined by number of mats in box multiplied by 4 hours per mat) Ideal For ... Recreation Areas, Backyards, Decks and Patios; Camping, Outdoor Dining, Picnics, Parties, Barbecues and Other Social Events [Gatherings] Great for Fishing, Hunting and Camping Powered by ThermaCELL[®] Value [Summer] [Bonus] Pack: [number] free refills

| Active Ingredient: | |
|-----------------------|---------|
| d-cis/trans allethrin | 21.97% |
| Other Ingredients | |
| Total | 100.00% |

Keep Out of Reach of Children CAUTION See back [side] [bottom] panel for additional precautionary statements.

[This Package] Contains 1 [Reusable] Appliance [Lamp]

{Number} Butane [ThermaCELL[®]] Cartridge(s) Net Weight ____ oz. each and {Number} [Insect] Repellent Mat(s) Net Weight ____ oz. each

{Company Name} offers convenient Refill Kits for use with this product. Refills available wherever {Company Name or product brand name} repellent products are sold.

EPA Reg. No. 43917-7 EPA Est. 43917-ITA-1

Zobele Industrie Chimiche S.p.A. 31800 Trento Via Fersina, 4 Italy {[website]}

> Made and Printed in Italy Mats Made in Italy

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Storage: Store unused mats in original packaging in a cool, dry place inaccessible to children and pets. Store appliance [lamp] and butane cartridges in a cool, dry place away from sources of heat. **Disposal: If empty:** Do not reuse empty envelopes [wrappers] or cartridges. Do not puncture or incinerate empty cartridges. Place in trash or offer for recycling if available. **If cartridge is partly filled or for unused mats:** Call your local solid waste agency [or 1-800-CLEANUP] for disposal instructions. Never place unused mats down any indoor or outdoor drain.

{The following directions will be used when mats are sold with or used in the appliance:}

For best results, allow 10 to 30 minutes, depending upon area, for product to take effect. This product works well in outdoor areas where there is minimal air movement, such as decks, porches, patios and yards. Use one appliance per each 225 square feet (an area 15' x 15') or 15 feet in diameter. Use more appliances in larger areas. Do not expose appliance or mats to rain. Do not contaminate food. Do not leave appliance unattended or use in windy conditions.

- 1. Remove one Spira Area Mosquito Mosquito Repellent mat from wrapper. One mat lasts up to 4 hours. Mat turns from pale blue to white when active ingredient has been exhausted.
- 2. Make sure the 'ON/OFF'switch on the appliance is in the 'OFF' position. Insert the mat under the appliance's black grill. To change mats, slide the 'ON/OFF' switch to 'OFF' and allow the appliance to cool completely. Push the used mat out by inserting a fresh one.
- 3. Remove the appliance cover and butane cartridge cap.
- 4. Screw the cartridge into the opening of the appliance. Make sure the cartridge is fully inserted by turning it clockwise until it stops. Replace the appliance cover. One ThermaCELL[®] butane cartridge lasts up to 12 hours {11 gm.} [up to 28 hours {26 gm}]. If your appliance fails to heat, it may be out of fuel. Check the fuel level by holding the appliance vertically and looking at the fuel gauge on the bottom. You can see the amount of butane in the cartridge. Replace if empty.
- 5. Slide the ON/OFF switch to the 'ON' position; the butane gas will begin to flow.
- 6. Wait approximately 5 to 10 seconds then depress the start button three to five times in rapid succession.
- 7. To verify the appliance is operating, pick it up and check the lens on the end of the appliance. The light at the end of the appliance glows when the appliance is heating. If the light is not glowing, check to make sure the appliance is 'ON' and cartridge is completely screwed into place; then once again depress the start button three to five times in rapid succession. Check to make sure the light is glowing.
- 8. Place the appliance on a flat, stable area, with the grill side facing up. Do not touch the grill; it will be hot after a couple of minutes. Some visible vapor will appear during use. This is normal and no cause for concern. When finished using the appliance, slide the 'ON/OFF' switch to the 'OFF' position, and allow the appliance to cool completely. Appliance is now ready for storage.

{Graphics and/or subtitles will be added to final printed labeling}

{The following directions will be used when mats are sold with or used in the lamp unit:}

For best results allow 10 to 30 minutes, depending upon area, for product to take effect. This product works well in outdoor areas where there is minimal air movement, such as decks, porches, patios and yards. It is great for camping. Use one lamp per each 225 square feet (an area 15' x 15') or 15' in diameter. Use more lamps in larger areas. Do not expose lamps or mats to rain. Do not contaminate food. Do not leave lamp unattended or use in windy conditions. [Features] adjustable lamp light. Automatic shut-off switch if lamp tips or is lifted. No messy wax [candles] to drip or spill. Lamp provides diffused [gentle] light as it repels mosquitoes, black flies, flying insects, bugs and biting flies. Provides up to 4 hours protection per mat. Simply turn lamp on, push the button and enjoy the outdoors in mosquito and bug-free comfort for hours.

At the highest setting each mat lasts up to 2 hours and each ThermaCELL[®] butane cartridge lasts up to 6 hours {11 gm.} [up to 14 hours {26 gm.}]. At the lowest setting each mat lasts up to 4 hours and each ThermaCELL[®] butane cartridge lasts up to 12 hours {11 gm.} [up to 28 hours {26 gm}]. Mat turns from pale blue to white when repellent has been exhausted. Some visible vapor will appear during use. This is normal and no cause for concern.

- 1. Remove one [product name] mat from wrapper.
- 2. With globe in the OFF position, insert the mat under the grill at the top of the lamp.
- 3. Remove the butane cartridge cap and screw cartridge into the opening in the lamp base by turning the cartridge clockwise until it stops. Make sure the cartridge is fully inserted.
- 4. Place the lamp on a flat stable area. Rotate the globe clockwise to the maximum setting. [Slide the ON/OFF switch to the maximum setting.] The gas will begin to flow.

- 5. Wait approximately 5 to 10 seconds then depress the start button three to five times in rapid succession.
- 6. Verify the lamp is operating (lamp will glow). If the lamp fails to glow, check to make sure the lamp is turned on and the cartridge is fully inserted. Also check the cartridge's fuel level. If the fuel level in the cartridge is empty, turn lamp off and replace the cartridge, repeating steps 3 through 6.
- 7. Adjust the light and the rate at which the repellent and butane are used by turning the globe [by sliding the ON/OFF switch].
- 8. When finished using the lamp, rotate the globe [slide the ON/OFF switch] to the OFF position. Allow the lamp to completely cool before storing.
- 9. To replace a used mat, turn off lamp and allow to completely cool. Push the used mat out by inserting a fresh mat. {Graphics and/or subtitles will be added to final printed labeling}

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Only for outdoor use as an insect repellent. Do not use indoors, in tents or any enclosed area. Harmful if inhaled. Avoid breathing vapors. Do not touch the grill while the appliance [lamp] is in use. The grill is hot while in use. Do not insert anything other than Spira Area Mosquito Repellent mats into the appliance [lamp].

First Aid

| If Inhaled: | Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. | |
|---|---|--|
| | Call a poison control center or doctor for further treatment advice. | |
| Have the product container or label with you when calling a poison control center or doctor, or going for treatment. [You may also contact 1-800-xxx-xxxx for emergency medical treatment information.] | | |

{Note: The first aid statements' grid format will be used if market label space permits; otherwise a paragraph format will be used.}

Physical and Chemical Hazards

Place appliance [lamp] on a flat, stable surface [with the grill facing upward]. Do not cover with any material while in use. Clean with a damp cloth only when the appliance [lamp] is cool and inactive. Cartridge contains flammable, pressurized butane. Do not use near fire or flame. Protect the butane cartridges from sunlight. Do not expose them to temperatures above 120°F (50°C). Do not pierce, break or incinerate butane cartridges, even after use. Butane cartridges other than ThermaCELL[®] cartridges will not work in this appliance [lamp]. Seller will not be held responsible for damage, injury or poor performance caused by use of other butane cartridges or repellent mats.

Environmental Hazards

This pesticide is highly toxic to fish. Do not apply directly to water. Drift from treated areas may be hazardous to organisms in adjacent aquatic sites.

{Optional Selling Copy}

Spira Area Mosquito Repellent

Also Works on Black Flies

Continuous • Convenient • Easy to Use • Effective

Mosquitoes, black flies, bugs, outdoor flying insects and biting flies can spoil just about any outdoor activity whether you are entertaining guests at a barbecue or working in your backyard. Now you can alleviate the annoyance from these insects with passive protection for up to four hours. This product efficiently repels and reduces the annoyance of mosquitoes, black flies, outdoor flying insects, bugs and biting flies in an area as large as an average-size deck or patio (15 feet in diameter or 225 square feet [an area 15' x 15']) for up to four hours. This product is portable and can be taken anywhere you expect annoying mosquitoes, black flies, outdoor flying insects, bugs and biting flies to be a problem. For use in backyards, other recreational areas and on patios, decks, etc.

This product is odor free and silent so you can use it in comfort; it pleasantly protects your outdoor areas from mosquitoes, black flies, flying insects, bugs and biting flies. Its design is attractive so you will be comfortable using it when you entertain guests, yet functional so it is effective and easy to use. Makes outdoor evenings and outings enjoyable again! Simply insert the cartridge and repellent mat and push two buttons to start. [Simply insert the cartridge and repellent mat, rotate the glove [slide the switch] and push the button.] It silently and continuously releases a repellent that protects your outdoor area from mosquitoes, black flies, outdoor flying insects, bugs and biting flies for up to four hours.

Guarantee: Appliance [lamp] is guaranteed to last [number] years from date of purchase. If the appliance [lamp] fails to perform to your satisfaction, send the appliance [lamp] and receipt to [Company Name] for a full refund of purchase price or repair or replacement.

| Nat Label} | | | | | |
|---|--|--|--|--|--|
| SPIRA AREA MOSQUITO REPELLENT MAT | | | | | |
| Active Ingredient: d-cis/trans allethrin | | | | | |
| Other Ingredients | | | | | |
| Total 100.00% | | | | | |
| Keep Out of Reach of Children CAUTION See outer carton for additional precautionary statements and Directions for Use. | | | | | |
| Net Weight:oz. | | | | | |
| EPA Reg. No. 43917-7 EPA Est. 43917-ITA-1 | | | | | |
| Zobele Industrie Chimiche S.p.A. | | | | | |
| 31800 Trento Via Fersina, 4 Italy | | | | | |
| Made (and Printed) in Italy | | | | | |

{ThermaCELL[®] Butane Cartridge Labeling}

ThermaCELL[®] Butane Cartridge

Important: Contains Butane. Contents under pressure. Do not puncture or incinerate. Do not use near sparks or open flames, store at temperatures above 120°F (50°C) or expose cartridge to prolonged sunlight. Keep cartridge out of children's reach. Use only with Spira Area Mosquito Repellent products. Seller is not responsible for damage caused by using this butane cartridge in other butane products.

Net Weight: ____ oz.

Zobele Industrie Chimiche S.p.A. 31800 Trento Via Fersina, 4 Italy ThermaCELL[®] is a Registered Trademark of the Schawbel Corporation

{Appliance Labeling}

SPIRA AREA ThermaCELL[®] MOSQUITO REPELLENT APPLIANCE CAUTION - HOT SURFACE Keep Out of Reach of Children

Only for outdoor use as an insect repellent. Do not use indoors, in a tent or any enclosed area. Do not touch the [black] grill while the appliance is in use. [Black] grill is hot while in use. Place on a flat, stable surface with the [black] grill facing upward. Do not cover with any material while in use. Appliance contains flammable butane. Do not use near fire or flame. Read *Directions for Use* and *Precautionary Statements* prior to use. Butane cartridges other than ThermaCELL[®] will not work in this appliance. Seller will not be held responsible for damage, injury or poor performance caused by use of other butane cartridges or repellent mats.

Zobele Industrie Chimiche S.p.A. 31800 Trento Via Fersina, 4 Italy U.S. Patent Nos. 5,700,430; D423,071 [{website}]

[ThermaCELL[®] is a Registered Trademark of the Schawbel Corporation]

{Lamp Labeling:}

SPIRA AREA MOSQUITO REPELLENT ThermaCELL[®] LAMP CAUTION - HOT SURFACE Keep Out of Reach of Children

Only for outdoor use as an insect repellent. Do not use indoors, in a tent or any enclosed area. Do not touch the grill while in use. Grill is hot while in use. Place on a flat, stable surface with the grill facing upward. Do not cover with any material while in use. Lamp contains flammable butane. Do not use near fire or flame. Read *Directions for Use* and *Precautionary Statements* prior to use. Butane cartridges other than ThermaCELL[®] will not work in this lamp. Seller will not be held responsible for damage, injury or poor performance caused by use of other butane cartridges or repellent mats.

Zobele Industrie Chimiche S.p.A. 31800 Trento Via Fersina, 4 Italy [{website}] U.S. Patent Nos. 6,033,212; 5,700,430; D300,606 Other Patents Pending. ThermaCELL[®] is a Registered Trademark of the Schawbel Corporation

[] Denotes alternate/optional verbiage

{ } Denotes verbiage not printed on market labeling

Note: "Device" may be universally substituted for "appliance;" "mat slot area" may be universally substituted for "grill;" and "lantern" may be universally substituted for "lamp."

[Refill Labeling]

Spira Area Mosquito Repellent

REFILLS

Also Works on Black Flies Cordless Portable Outdoor Activities Without Annoying Mosquitoes Provides 15 Ft. Diameter Protection Provides 225 sq. ft. of Protection for up to 4 Hours per Mat Repellent Lasts up to 4 Hours Each mat Lasts up to 4 Hours Each Cartridge Lasts up to 12 Hours {11 gm.} [28 Hours {26 gm.}] Repellency Lasts up to [number] Hours {"number" determined by number of mats in box multiplied by 4 hours per mat} Ideal For . . . Recreation Areas, Backyards, Decks and Patios; Camping, Outdoor Dining, Picnics, Parties, Barbecues and Other Social Events [Gatherings] Great for Fishing, Hunting and Camping Powered by ThermaCELL®

| Active Ingredient: | | |
|-----------------------|-------|---------|
| d-cis/trans allethrin | | 21.97% |
| Other Ingredients | | 78.03% |
| - | Total | 100.00% |

Keep Out of Reach of Children CAUTION See back [side] [bottom] panel for additional precautionary statements.

[This Package] Contains {Number} Butane [ThermaCELL®] Cartridge(s) Net Weight ____ oz. each and {Number} [Insect] Repellent Mat(s) Net Weight ____ oz. each

EPA Reg. No. 43917-7 EPA Est. 43917-ITA-1

Zobele Industrie Chimiche S.p.A. 31800 Trento Via Fersina, 4 Italy {[website]}

> Made and Printed in Italy Mats Made in Italy

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Storage: Store unused mats in original packaging in a cool, dry place inaccessible to children and pets. Store appliance [lamp] and butane cartridges in a cool, dry place away from sources of heat. **Disposal: If empty:** Do not reuse empty envelopes [wrappers] or cartridges. Do not puncture or incinerate empty cartridges. Place in trash or offer for recycling if available. **If cartridge is partly filled or for unused mats:** Call your local solid waste agency [or 1-800-CLEANUP] for disposal instructions. Never place unused mats down any indoor or outdoor drain.

{The following directions will be used when mats are to be used in the appliance:}

For best results, allow 10 to 30 minutes, depending upon area, for product to take effect. This product works well in outdoor areas where there is minimal air movement, such as decks, porches, patios and yards. Use one appliance per each 225 square feet (an area 15' x 15') or 15 feet in diameter. Use more appliances in larger areas. Do not expose appliance or mats to rain. Do not contaminate food. Do not leave appliance unattended or use in windy conditions.

- 1. Remove one Spira Area Mosquito Repellent mat from wrapper. One mat lasts up to 4 hours. Mat turns from pale blue to white when active ingredient has been exhausted.
- 2. Make sure the 'ON/OFF'switch on the appliance is in the 'OFF' position. Insert the mat under the appliance's black grill. To change mats, slide the 'ON/OFF' switch to 'OFF' and allow the appliance to cool completely. Push the used mat out by inserting a fresh one.
- 3. Remove the appliance cover and butane cartridge cap.
- 4. Screw the cartridge into the opening of the appliance. Make sure the cartridge is fully inserted by turning it clockwise until it stops. Replace the appliance cover. One ThermaCELL[®] butane cartridge lasts up to 12 hours {11 gm.} [up to 28 hours {26 gm}]. If your appliance fails to heat, it may be out of fuel. Check the fuel level by holding the appliance vertically and looking at the fuel gauge on the bottom. You can see the amount of butane in the cartridge. Replace if empty.
- 5. Slide the ON/OFF switch to the 'ON' position; the butane gas will begin to flow.
- 6. Wait approximately 5 to 10 seconds then depress the start button three to five times in rapid succession.
- 7. To verify the appliance is operating, pick it up and check the lens on the end of the appliance. The light at the end of the appliance glows when the appliance is heating. If the light is not glowing, check to make sure the appliance is 'ON' and cartridge is completely screwed into place; then once again depress the start button three to five times in rapid succession. Check to make sure the light is glowing.
- 8. Place the appliance on a flat, stable area, with the grill side facing up. Do not touch the grill; it will be hot after a couple of minutes. Some visible vapor will appear during use. This is normal and no cause for concern. When finished using the appliance, slide the 'ON/OFF' switch to the 'OFF' position, and allow the appliance to cool completely. Appliance is now ready for storage.

{Graphics and/or subtitles will be added to final printed labeling}

{The following directions will be used when mats are to be used in the lamp unit:}

For best results allow 10 to 30 minutes, depending upon area, for product to take effect. This product works well in outdoor areas where there is minimal air movement, such as decks, porches, patios and yards. It is great for camping. Use one lamp per each 225 square feet (an area 15' x 15') or 15' in diameter. Use more lamps in larger areas. Do not expose lamps or mats to rain. Do not contaminate food. Do not leave lamp unattended or use in windy conditions. [Features] adjustable lamp light. Automatic shut-off switch if lamp tips or is lifted. No messy wax [candles] to drip or spill. Lamp provides diffused [gentle] light as it repels mosquitoes, black flies, flying insects, bugs and biting flies. Provides up to 4 hours protection per mat. Simply turn lamp on, push the button and enjoy the outdoors in mosquito and bug-free comfort for hours.

At the highest setting each mat lasts up to 2 hours and each ThermaCELL[®] butane cartridge lasts up to 6 hours {11 gm.} [up to 14 hours {26 gm.}]. At the lowest setting each mat lasts up to 4 hours and each ThermaCELL[®] butane cartridge lasts up to 12 hours {11 gm.} [up to 28 hours {26 gm}]. Mat turns from pale blue to white when repellent has been exhausted. Some visible vapor will appear during use. This is normal and no cause for concern.

- 1. Remove one (product name) mat from wrapper.
- 2. With globe in the OFF position, insert the mat under the grill at the top of the lamp.
- 3. Remove the butane cartridge cap and screw cartridge into the opening in the lamp base by turning the cartridge clockwise until it stops. Make sure the cartridge is fully inserted.
- 4. Place the lamp on a flat stable area. Rotate the globe clockwise to the maximum setting. [Slide the ON/OFF switch to the maximum setting.] The gas will begin to flow.

- 5. Wait approximately 5 to 10 seconds then depress the start button three to five times in rapid succession.
- 6. Verify the lamp is operating (lamp will glow). If the lamp fails to glow, check to make sure the lamp is turned on and the cartridge is fully inserted. Also check the cartridge's fuel level. If the fuel level in the cartridge is empty, turn lamp off and replace the cartridge, repeating steps 3 through 6.
- 7. Adjust the light and the rate at which the repellent and butane are used by turning the globe [by sliding the ON/OFF switch].
- 8. When finished using the lamp, rotate the globe [slide the ON/OFF switch] to the OFF position. Allow the lamp to completely cool before storing.
- 9. To replace a used mat, turn off lamp and allow it to completely cool. Push the used mat out by inserting a fresh mat.

{Graphics and/or subtitles will be added to final printed labeling}

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Only for outdoor use as an insect repellent. Do not use indoors, in tents or any enclosed area. Harmful if inhaled. Avoid breathing vapors. Do not touch the grill while the appliance [lamp] is in use. The grill is hot while in use. Do not insert anything other than Spira Area Mosquito Repellent mats into the appliance [lamp].

| If Inhaled: | Move person to fresh air. | |
|---|--|--|
| | If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. | |
| | Call a poison control center or doctor for further treatment advice. | |
| Have the produ | uct container or label with you when calling a poison control center or doctor, or going for treatment. [You | |
| may also contact 1-800-xxx-xxxx for emergency medical treatment information.] | | |

{Note: The first aid statements' grid format will be used if market label space permits; otherwise a paragraph format will be used.} Physical and Chemical Hazards

Place appliance [lamp] on a flat, stable surface [with the grill facing upward]. Do not cover with any material while in use. Clean with a damp cloth only when the appliance [lamp] is cool and inactive. Cartridge contains flammable, pressurized butane. Do not use near fire or flame. Protect the butane cartridges from sunlight. Do not expose them to temperatures above 120°F (50°C). Do not pierce, break or incinerate butane cartridges, even after use. Butane cartridges other than ThermaCELL[®] cartridges will not work in this appliance [lamp]. Seller will not be held responsible for damage, injury or poor performance caused by use of other butane cartridges or repellent mats.

Environmental Hazards

This pesticide is highly toxic to fish. Do not apply directly to water. Drift from treated areas may be hazardous to organisms in adjacent aquatic sites.

{The following back/side panel format will be used when the refill mats/cartridges are to be used in either the appliance or lamp:}

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For best results allow 10 to 30 minutes, depending upon area, for product to take effect. Each mat lasts up to 4 hours and each cartridge lasts up to 12 {11 gm.} [28 {26 gm.}] hours. Mats turn from pale blue to white when repellent has been exhausted. Use one appliance/lamp for each 225 square feet or 15 feet in diameter. Use more appliance/lamps in larger areas. To change mats, make sure appliance/lamp is OFF and cool, then push used mat out by inserting fresh one. Do not contaminate food. Do not leave appliance/lamp unattended or use in windy conditions.

| ThermaCELL Mosquito Repellent Refills | ThermaCELL Mosquito Repeilent Lamp Refills |
|--|--|
| Remove one mat from wrapper. With appliance switch in "OFF" position insert mat under grill. Remove appliance in cover and butane cartridge cap. Screw cartridge into appliance and replace appliance cover. Switch appliance st to ON, wait 5 to 10 seconds then depress the start button 3 to 5 times in rapid succession. Verify appliance is heating. Place appliance on a flat, stable area. When finished, slide switch to OFF position, allow the appliance to completely cool and store. | Remove one mat from wrapper. With lamp in OFF position nsert mat under the grill. Remove butane cartridge cap and screw into lamp base opening. Place lamp on flat stable area. Rotate globe [Slide switch] to maximum setting, wait approximately 5 to 10 seconds then depress the start button 3 to 5 times in rapid succession. Verify the amp is operating. Adjust by turning the globe [sliding switch]. When finished using the lamp, rotate globe [slide switch] to the OFF position, allow the lamp to completely cool and store. |

Storage: Store unused mats in original packaging in a cool, dry place inaccessible to children and pets. Store unit and butane cartridges in a cool, dry place away from sources of heat. **Disposal:** If empty: Do not reuse empty envelopes [wrappers] or cartridges. Do not puncture or incinerate empty cartridges. Place in trash or offer for recycling if available. If cartridge is partly filled or for unused mats: Call your local solid waste agency [or 1-800-CLEANUP] for disposal instructions. Never place unused mats down any indoor or outdoor drain.

Precautionary Statements

Hazards to Humans & Domestic Animals

CAUTION: Only for outdoor use as an insect repellent. Do not use indoors, in tents or any enclosed area. Harmful if inhaled. Avoid breathing vapors. Do not touch the grill while the appliance/lamp is in use. The grill is hot while in use. Do not insert anything other than Spira Area Mosquito Repellent mats into the appliance/lamp.

First Aid

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. [You may also contact –1800-xxx-xxxx for emergency medical treatment information.]

Physical and Chemical Hazards

Place appliance/lamp on a flat, stable surface [with the grill facing upward]. Do not cover with any material while in use. Clean with a damp cloth only when the appliance/lamp is cool and inactive. Cartridge contains flammable, pressurized butane. Do not use near fire or flame. Protect the butane cartridges from sunlight. Do not expose them to temperatures above 120°F (50°C). Do not pierce, break or incinerate butane cartridges, even after use. Butane cartridges other than ThermaCELL[®] cartridges will not work in this appliance/lamp. Seller will not be held responsible for damage, injury or poor performance caused by use of other butane cartridges or repellent mats.

Environmental Hazards

This pesticide is highly toxic to fish. Do not apply directly to water. Drift from treated areas may be hazardous to ` organisms in adjacent aquatic sites.

[] Denotes alternate/optional verbiage

{ } Denotes verbiage not printed on market labeling

(Note: "Device" may be universally substituted for "appliance;" "mat slot area" may be universally substituted for "grill;" and "lantern" may be universally substituted for "lamp."}

Paul A. Keane & Associates

2455 East Miraval Primero Tucson, AZ 85718-3035 (520) 577-5165 phone/fax

> FedEx AB 8482 4867 2437

March 9, 2005

Mr. Richard Gebken, Product Manager 10 Document Processing Desk – *NOTIF* Office of Pesticide Programs - *7504C* **U.S. Environmental Protection Agency** 1801 South Bell Street Crystal Mall #2, Room 266A Arlington, VA 22202-4501

Dear Mr. Gebken:

Subject: Zobele Industrie Chimiche S.p.A. Spira Area Mosquito Repellent EPA Reg. No. 43917-7

On behalf of its client **Zobele Industrie Chimiche S.p.A.**, Paul A. Keane & Associates is submitting the attached documents as a notification of label revision per PR Notice 98-10. Paul A. Keane & Associates will act as sole agent in this endeavor.

Attached are the following:

- 1. Application for Pesticide: Other
- 2. One Reference Label (illustrates the revisions)
- 3. Two copies of the New Label (incorporates the revisions)

Our subregistrant who is marketing this product made minor revisions to the cartridge and appliance labeling. Refer to page 4 of the *Reference Label* for an illustration of these changes.

Please contact me at (520) 577-5165 if you have any questions or require additional information.

Sincerely,

Paul A. Keane, Authorized Agent

Attachments

xc: Zobele

·].•.}