

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Wash hands with soap and water after handling this product. Remove and wash contaminated clothing before reentry with this product. Do not eat or drink and do not smoke while using this product.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTION FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL:

Pesticide, spray mixture or rinse water that cannot be used according to label instruction must be disposed of according to Federal, State or local procedures.

CONTAINER DISPOSAL:

Triple rinse (or equivalent) then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

USE DIRECTIONS

Dairy Barns, Milk Sheds, Stables, Livestock Barns, Loading Sheds, Pig Pens, and Outdoor Areas: Scatter dry bait at the rate of 1/4 lb. per 1,000 sq. ft. on floor or ground areas where flies congregate. Ideal baiting sites are around doorways, feed storage rooms, alleyways, and window sills. On freshly lined floors, place treatment on waste cloth or on paper. Repeat procedure as necessary for practical fly control. Use only in areas inaccessible to food producing animals.

Caged Poultry and Turkeys on Yards: Scatter dry bait at the rate of 1/4 lb. per 100 sq. ft. on droppings beneath cages or perches. Repeat at weekly intervals.



SUGAR FLY BAIT

ATTRACTS AND KILLS HOUSE FLIES

For the control of flies around Dairy Barns, Horse Barns, Stock Barns, Pig Pens, Kennels, Outdoor Living Areas, and Milk Sheds.

ACTIVE INGREDIENTS

2,2 Dichlorovinyl dimethyl phosphate 0.48 %
Related compounds 0.02 %

INERT INGREDIENTS

99.50 %

TOTAL 100.00 %

ONLY FOR SALE TO, USE AND STORAGE BY
SERVICE PERSONS

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Wash immediately with soap and water.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

NOTE TO PHYSICIAN: 2,2-Dichlorovinyl dimethyl phosphate is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Reg. No. 43954-52
EPA Est. No. 43954 MO-01

STEWART SANITARY SUPPLY, INC.
St. Louis, MO 63110

NET CONTENTS: _____

For the control of flies around Dairy Barns, Horse Barns, Stock Barns, Pig Pens, Kennels, Outdoor Living Areas, and Milk Sheds.

For the control of flies around Dairy Barns, Horse Barns, Stock Barns, Pig Pens, Kennels, Outdoor Living Areas, and Milk Sheds.

For the control of flies around Dairy Barns, Horse Barns, Stock Barns, Pig Pens, Kennels, Outdoor Living Areas, and Milk Sheds.

For the control of flies around Dairy Barns, Horse Barns, Stock Barns, Pig Pens, Kennels, Outdoor Living Areas, and Milk Sheds.

For the control of flies around Dairy Barns, Horse Barns, Stock Barns, Pig Pens, Kennels, Outdoor Living Areas, and Milk Sheds.

WARRANTY STATEMENT

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

COPIED
JAN 23 1982

SEP 27 1982

43954-52