

d. Delete the statements:

- bury in a safe place
- buried in a safe place

e. Refer to PR Notice 83-3 for acceptable Pesticide Disposal statement.

Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

John H. Lee
 Product Manager (31)
 Disinfectants Branch
 Registration Division (TS-767C)

Enclosures

**Sanitizing of Food Processing Equipment and other Hard Surfaces
In Food Contact Locations.**

For sanitizing food processing equipment, dairy equipment, food utensils, dishes, silverware, glasses, sink tops, countertops, refrigerated storage and display equipment and other hard non-porous surfaces

Wash and rinse all articles thoroughly, then apply a solution of 1 oz. **BARQUAT 422-10** in 4 gallons of water. (200 ppm active). Surfaces should remain wet for at least one minute followed by adequate draining and air drying. Fresh solution should be prepared daily or when use solution becomes visibly dirty. For mechanical application, use solution may not be reused for sanitizing applications.

Apply to sink tops, countertops, refrigerated storage and display equipment and other stationary hard surfaces by cloth or brush. Dishes, silverware, glasses, cooking utensils and other similar size food processing equipment can be sanitized by immersion in a 1 oz./4 gallon dilution of **BARQUAT 422-10**. No Potable water rinse is required.

At 1 oz./4 gallons, **BARQUAT 422-10** has a hard water tolerance of 750 ppm of hardness calculated as CaCO₃ when evaluated by the AOAC Germicidal and Detergent Sanitizer Method against Escherichia coli and Staphylococcus aureus.

The udders, flanks, and teats of dairy cows can be sanitized by wetting with a solution of 1 oz. **BARQUAT 422-10** in 4 gallons of warm water.

Use a fresh towel for each cow. Avoid contamination of sanitizing solution by dirt and soil. Do not dip used towel back into sanitizing solution. When solution becomes visibly dirty, discard and provide fresh solution.

Precautionary Statements

Hazards to Humans and domestic animals

DANGER

Keep out of reach of children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

STORAGE AND DISPOSAL

- DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.
- OPEN DUMPING IS PROHIBITED.
- DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL

PESTICIDE OR RINSATE THAT CANNOT BE USED OR CHEMICALLY REPROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

CONTAINER DISPOSAL

TRIPLE RINSE (OR EQUIVALENT) AND DISPOSE IN AN INCINERATOR OR LANDFILL APPROVED FOR PESTICIDE CONTAINERS. OR BURY IN A SAFE PLACE.

GENERAL

CONSULT FEDERAL, STATE, OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES SUCH AS LIMITED OPEN BURNING.

SANITIZER 200-Z

Disinfectant-Sanitizer-Fungicide
Deodorizer for Hospital, Institutional,
Industrial, School, Dairy and Other
Farm Use

ACCEPTED
with
in 1
DEC 30 1966
43994-9

Active Ingredients

Alkyl (C ₁₄ , 60%; C ₁₆ , 30%; C ₁₂ , 5%; C ₁₈ , 5%)	5.0%
Dimethyl Benzyl Ammonium Chloride	
Alkyl (C ₁₂ , 68%; C ₁₄ , 32%)	5.0%
Dimethyl Ethylbenzyl Ammonium Chlorides	

Inert Ingredients

90.0%
100.0%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE LEFT PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No.

43994-6836-57

EPA Establishment No.

6836-IL-1

Net Contents

04877-11-01



- CAMCO Chemical Company -

GE
It is a vio
product i
labeling.

Apply BARG
spray device
surface mus
surfaces mu
should be pr
visibly dirty.

Disinfection
Care Institut

For disinfec
lavatories, b
other hard r

Add 4.5 oz. l
previously c

At this use-
Pseudomon

Disinfectant

For disinfec
tables, chair
hard non-pe

Add 3 oz. of
to previousl

At 3 oz /5 g
against S
choleraesui

Fungicidal
against Tric

At 8 oz /5 g
on inanima

Disinfection

Pre-cleaned
and scisso
.6 oz /gall

Disinfection
Kennels.

Poultry bro
other anim
be disinfec
solution of
with a mo
immersed i

Prior to dis
feeds must
employing a
appliances
walls and c
or other an

After disin
closed spa
employ eq
or dried

All treated
water must