PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: corrosive, may cause severe skin irritation or chemical burns to broken skin Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash atter handling. Avoid breathing vapors. Vacate poorly ventifated areas as soon as possible. Do not return until odors have dissi-

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into takes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, delergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

manufactured by

APOLLO POOL SERVICE & REPAIR, INC. 10600 66th Street North Pinellas Park, FL 33565

EPA REG. NO. 44006-1 EPA EST. NO. **NET CONTENTS**

ACCEPTED 4 4 C C C -- AUG 1 5 1980

Und t the Federal Insecticide. Pull price, and Rodenticide Art as a control for the posticide

EPP REA PAPOLLO SUPER-CHLOR

"FOR SWIMMING POOL CHLORINATION AND SANITIZING."

ACTIVE INGREDIENT SODIUM HYPOCHLORITE INERT INGREDIENTS

90 8%

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water Do NOT give vinegar or other acids. Do NOT induce vomiting Get prompt medical attention

See additional precautions on side panel

DIRECTIONS FOR USE GENERAL CLASSIFICATION

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

DIRECTIONS FOR SWIMMING POOL CHLORINATION Fir a new pool or for spring start up superchlorinate with one (1) pint (16 flui lozs) of this sod um hypochloride solution for each 2500 gallons of water. This dosage is equivalent to hippin as labe chlorine by weight.

arent to hippin as a subject choice by weight For Pool Maintenance.

A) Add manually or by a feeder device this sodium hypochlorite solution at a rate to maintain an available of former residual of 0.6 to 1.0 ppm. One-half pint (8 flui ozs.) of this sodium hypochlorite roti-tion for each 6000 gattons of water will provide 1.0 ppm available chlorine by weight. Frequency of additions to maintain 0.6 to 1.0 ppm available chlorine in 11 depend upon temperature and number of swimmers. Use test hit omake certain the pirand chlorine residual are in the propor range.

DIRECTIONS FOR DISINFECTION OF POTABLE WATER FOR HOME WELL WATER SYSTEMS

Dilute this sodium hypochlorite solution in the ratio of one part sodium hypochlorite solution to 9 parts softened water. Mix sodium hypochlorite solution and water thoroughly and begin feeding of solution with a hypochlorinator (metering pump). Maintain a free available chilorine residual of at least 0.2 ppm and no more than 0.6 ppm innoughout the distribution system as determined by a DPD chlorine test kit. Bacterorigh a samping must be conducted at a frequency no less than that prescribed by the hist linear regime. The may, Drinking Water Regulations. Check water frequently with a DPD chilorine test kit. (Contact your sonal Health Department for further details.)

DIRECTIONS FOR SANITIZING FOOD PROCESSING OR DAIRY EQUIPMENT Directions for sanitizing rood processing or daily equipment in the normal manner. Just before using rinse all surfaces theroughly with this sod um hypochlorite soful on containing 200 ppm available chlorine. Maintaile, contact is the direction from minimum of two minutes. Do not insee with water a ter-relation of this sod um hypochrorite solution. Do not soak overnight Addition of the mind oz. 12 follops, of this sod um hypochlorite solution per 4 gallons of water will clovide approximately. 200 ppm Zivilable chlorine by weight.

NGTE: This product degrades by thinge Use a chlorine test kill and increase dosage as necessary, to obtain the required level of available chlorine.

STORAGE AND DISPOSAL: Store in a cool, dry area away from direct sunlight in case of spit flood area with large quantities of water flinse enjby corea her impringibly with water and either return to manufacturer or discard by placing an tract collection in bury; to in an approved landful Product or risease that to include uses 1 sinculated with water and disposed of in a sanitary sewer. Do not contain a land of the collection of leach by \$75 age. disposal or cleaning of equipment

34