

DFC 320



DETERGENT/DISINFECTANT

CLEANER DEODORIZER VIRUCIDE+ DISINFECTANT SANITIZER DETERGENT FUNGICIDE (against Pathogenic fungi) MILDEWSTAT (on hard inanimate surfaces)

ACTIVE INGREDIENTS:

n-Alky (60% C14, 30% C16, 5% C12, 5% C18)	1.60%
d-methyl benzyl ammonium chlorides	1.60%
n-Alky (68% C12, 32% C14)	96.80%
dimethyl ethylbenzyl ammonium chlorides	1.60%
INERT INGREDIENTS	96.80%
	Total 100.0%

Effective against the following at 2 ounces per gallon dilution:

Enterobacter aerogenes	Brevibacterium ammonilagenes	Escherichia coli
Streptococcus faecalis	Klebsiella pneumoniae	Shigella dysenteriae
Salmonella choleraesuis	Staphylococcus aureus	Salmonella choleraesuis
Treponema pallidum	Vaccinia virus	Adeno virus type 2
Influenza A2	Herpes simplex	

At 3 ounces per gallon dilution it is an effective hospital disinfectant and demonstrates disinfectant activity against Pseudomonas aeruginosa in addition to the above microorganisms.

ONLY FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS

KEEP OUT OF REACH OF CHILDREN

WARNING

see side panel for additional precautionary and practical treatment statements

REFIL CHEMICALS, INC.

239M MADISON AVENUE
WARMINSTER, PA 18974

NET CONTENTS

EPA REG. NO. 44049-3
EPA EST. NO. 44049-Pa-1

This phosphate free detergent/disinfectant has been designed for use in homes, schools, hospitals, and other institutions where housekeeping is of prime importance.

DIRECTIONS: It is a violation of Federal Law to use this product for purposes not intended by the manufacturer. **DISINFECTION:** To disinfect hard inanimate surfaces (such as mechanical sprayer) so as to wet all surfaces thoroughly. Allow to dry. **DILUTION RATES:** General Disinfection - Add 2 ounces per gallon. To disinfect toilet bowl, flush toilet, add 2 ounces of detergent disinfectant to the bowl. For heavily soiled areas, a pre-cleaning step is recommended. **MILDEWSTAT:** To control mold and mildew on hard nonporous surfaces, add 4 ounces per gallon of water. Apply with a cloth, mop or sponge to surface to be treated. Repeat application at weekly intervals or when soiled. **SANITIZATION:** To sanitize previously cleaned and rinsed nonporous surfaces, add 4 ounces to 5 gallons of water. To sanitize mobile items (such as drinking glasses, eating utensils) immerse completely. **REMOVE AND RINSE THOROUGHLY WITH PLENTY OF WATER.**

PRECAUTIONARY STATEMENTS: **WARNING: KEEP OUT OF REACH OF CHILDREN.** Causes eye irritation if swallowed.

STATEMENT OF PRACTICE: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. If swallowed, drink milk, egg white or water. Call a physician.

NOTE TO PHYSICIAN: Probably mucosal damage may be confined to the respiratory depression and convulsion may be needed.

STORAGE AND DISPOSAL: - DO NOT CONTAMINATE WATER, FOOD, OR FEEDSTUFFS. - OPEN DUMPING IS PROHIBITED. - DO NOT REUSE EMPTY CONTAINER.

PESTICIDE DISPOSAL: Pesticides that cannot be used or chemically destroyed should be disposed of in a safe place.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and dispose in a safe place.

320



DISINFECTANT

(TERGENT)
FUNGICIDE (against Pathogenic fungi)
DEWSTAT (on hard inanimate surfaces)

1.60%
1.60%
96.80%
Total 100.0%

Escherichia coli
Shigella dysenteriae
Salmonella choleraesuis
Adeno virus type 2

disinfectant and demonstrates disinfectant
for the above microorganisms

BY SERVICE PERSONS

OF CHILDREN

NG

practical treatment statements

EPA REG NO 44049-3
EPA EST NO 44049-Pa-1

This phosphate free detergent-disinfectant has been designed specifically for hospitals, nursing homes, schools, food processing plants and other institutions where housekeeping is of prime importance in controlling the hazard of cross contamination.

DIRECTIONS:

General Classifications

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DISINFECTION: To disinfect hard inanimate surfaces (such as walls, floors, table tops), apply solution with mop, cloth, sponge or mechanical sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes and then let air dry.

DILUTION RATES: General Disinfection - Add 2 ounces per gallon of water. Hospital Disinfection - Add 3 ounces per gallon of water. To disinfect toilet bowl, flush toilet, add 2 ounces of detergent-disinfectant directly to the bowl water. Swab the bowl completely using a scrub brush or toilet mop, making sure to get under the rim. Let stand for 10 minutes and flush.

For heavily soiled areas, a pre-cleaning step is recommended. Prepare a fresh solution for each use.

MILDEWSTAT: To control mold and mildew on hard nonporous surfaces (such as floors, walls, table tops) clean surfaces then add 2 ounces per gallon of water. Apply with a cloth, mop or sponge to surface to be treated making sure to wet thoroughly. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth reappears.

SANITIZATION: To sanitize previously cleaned and rinsed nonporous food contact surfaces, prepare 200ppm active quaternary solution by adding 4 ounces to 5 gallons of water.

To sanitize immobile items (such as tanks, chopping blocks, counter tops), flood the area with 200ppm solution or apply with a cloth or sponge, making sure to wet all surfaces completely for at least 60 seconds. **RINSE THOROUGHLY WITH POTABLE WATER.** Prepare a fresh solution for each use.

To sanitize mobile items (such as drinking glasses, eating utensils), immerse in 200ppm solution for at least 60 seconds making sure to immerse completely. **REMOVE AND RINSE THOROUGHLY WITH POTABLE WATER.** Prepare a fresh solution daily or more frequently as soil is apparent.

PRECAUTIONARY STATEMENTS - Hazard to Human and Domestic Animals

WARNING: KEEP OUT OR REACH OF CHILDREN. Causes eye and skin irritation. Do not get in eyes, on skin or clothing. Harmful if swallowed.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN: Probably mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

STORAGE AND DISPOSAL

- DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL
- OPEN DUMPING IS PROHIBITED
- DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL: Pesticides that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide or buried in a safe place.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

ACCEPTED

OCT 01 1982

Under the Federal Insecticide, Fungicide, and Rodenticide Act

EPA Reg. No. 44049-3

320

320