

63)27.50

- d. Add the following Storage and Disposal Statement:

STORAGE AND DISPOSAL

Storage: Store in a cool dry area away from heat or open flame.

Disposal: Do not reuse empty container. Wrap container and put in trash collection.

- e. Add the following subheading and Precautionary Statement to the label.

Harmful if swallowed. Avoid breathing vapors. Avoid contact with eyes. In case of contact, immediately flush eyes with plenty of water. Obtain medical attention if irritation persists.

- f. Add the following statement immediately following the heading "Directions for Use:"

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Refer to enclosed suggested label format for further information.

- 3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Joseph M. ... 17 November 1980
 Franklin D. R. Gee
 Product Manager (17)
 Insecticide-Rodenticide Branch
 Registration Division (TS-767C) (ah03)

Enclosures

SOLAR CRAWLING INSECT SPRAY

A Pyrenone® Insecticide

Industrial Strength - Low Dosage Required

For Use in Schools, Hospitals, Institutions, Hotels, Dairies, Supermarkets, Restaurants, Driveins, Motels, Drugstores, Food Plants and Animal Quarters.

Provides Rapid Control of Flies, Mosquitoes, Flying Moths (Millers), Gnats, Wasps and accessible stages of Roaches, Ants, Water Bugs, Silverfish, Flour Beetles, Weevils, Grain Mites, and Spiders.

ACTIVE INGREDIENTS:

Pyrethrins.....	0.40%
*Piperonyl Butoxide Technical.....	2.00%
Petroleum Distillate.....	7.40%
INERT INGREDIENTS.....	90.20%
	100.00%

*Equivalent to 1.6% (butylcarbityl) (6-propylpiperonyl) ether and 0.4% related compounds

PRYRENONS: Registered trademark of Fairfield American Corporation

EPA Reg. No. 44092-3
EPA Est. No. 44092-CA-01

NET CONTENTS: 16 OZ.

Only For Sale, To Use, and Storage by Service Personnel.

Keep Out Of Reach Of Children

CAUTION

See side panel for additional precautionary statements.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE BEFORE USING AND AT INTERVALS DURING PROLONGED USE.

Hold container upright with nozzle away from you. Press valve down and spray as directed. To avoid possible staining of fabrics or surfaces, do not spray at close range.

Flies, Mosquitoes, Gnats, Wasps, and Flying Moths (Millers): Close all doors and windows and spray room at the rate of 1 second per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 10 to 15 minutes after treatment. Repeat treatment as necessary.

Roaches, Waterbugs, Silverfish, Crickets, Spiders, Centipedes, and Sow Bugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

Indian Meal Moths and Angoumo Grain Moths: Close doors and windows. Direct spray into all parts of room especially around stored food product containers, pallets and darkened areas.

Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment. Repeat application weekly or as needed.

Carpet Beetles: Spray directly on beetles, baseboards, floors, shelves and carpets. Repeat treatment as necessary.

SEE REVERSE SIDE

ACCEPTED

NOV 10 1968

10

44092-3

48017 3

Confused Flour Beetles, Saw-toothed Grain Beetles, Granary Weevils, Rice Weevils, Red Flour Beetles, Grain Mites: Spray into cracks and crevices, processing and handling equipment, around cartons or containers and other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Repeat applications as necessary.

Lice: Spray on garments, bedding, mattresses, furniture, floors, carpeting and inanimate surfaces. First spray an inconspicuous area to test for possible staining or discoloration. Inspect after drying, then proceed to spray entire area to be treated.

Hold can upright with nozzle away from you. Press button and spray surface to be treated from a distance of 10 inches. Spray each square foot for 3 seconds, directing spray into all infested surfaces until moist.

For bedding: Make sure spray is directed into corners of fitted sheets and blankets as well as inside and outside of pillow cases. In the case of garments and headgear, close attention should be given to seams, hems, cuffs, collars, and creases. After treatment, bedding and all garments must be either laundered in hot water or dry cleaned as required.

For mattresses, furniture and carpeting: Direct spray into all folds, tucks, seams, and crevices of infested areas until moist. Allow all treated surfaces to dry completely before use.

Bedbugs: Spray mattresses particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and frames. Repeat treatment as necessary.

Fleas: Spray sleeping quarters, bedding, floor and floor covering where pets are kept. Repeat as necessary. Use only a recommended pet spray on pets.

Only For Sale To, Use and Storage by Service Personnel

DISPOSAL

Wrap container and dispose of in trash. Do not incinerate.

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After space spraying in food processing plants, wash all equipment with potable water, benches, shelving, etc., where exposed food will be handled. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets and birds, and cover fish aquariums before spraying.

Buyer assumes all risks of use, storage, or handling of this material not in strict accordance with directions given herewith.