

CHLORDANE-4E

Emulsible Insecticide


ACTIVE INGREDIENTS:

Technical Chlordane
Petroleum Distillate

INERT INGREDIENTS:

SE
67
100

This Product Contains 4 lbs Technical Chlordane per Gallon



KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

- If swallowed - Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.
- If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.
- If on skin - Remove contaminated clothing and wash affected areas with soap and water.
- If in eyes - Flush eyes with plenty of water. Call a physician immediately.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET CONTENTS _____

EPA REG NO. 44215-07

EPA Est No.

MANUFACTURED BY

44715 2

CAUTION

Harmful if swallowed. Contact with skin causes toxic symptoms. Avoid breathing spray mist. In case of contact with skin, wash with soap and water. Avoid contamination of feed or food. Do not use or store near heat or open flame. Keep out of reach of children. Food utensils such as teaspoon or measuring cup should not be used for food purposes after use with pesticides.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Keep out of any body of water. Apply this product only as specified on this label. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill, or store near heat or open flame.

STORAGE AND DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection. Do not allow to freeze. Do not store next to herbicides.

PESTICIDE DISPOSAL

Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state, or local procedures.

BEST

3
1/12/15

**SUBTERRANEAN TERMITES - DIRECTIONS FOR HOMEOWNERS
TERMITE CONTROL IN EXISTING STRUCTURES
Buildings with Basements or Crawl-space**

First remove all wood trim, including baseboards, door and window casings and along foundation. Dig trenches around the structure 6 inches wide and 4 inches deep. For crawl-space, dig trenches around the structure 6 inches deep. If footing is concrete, dig trenches around the footing with a crow bar, pipe or a rod about one foot apart that extend to the trench 12 inches to the top of the footing. Make holes about 12 inches apart. **NEVER DIG BELOW THE TOP OF THE FOOTING.** Apply the emulsion or solution in the trench at a rate of 4 gallons per 10 linear feet per foot of trench. Apply half of this to the back-fill. Likewise treat about the interior foundations of crawl-space buildings. Cover treated soil with a thin layer of untreated soil.

For raised porches, terraces and patios, drill holes at one foot intervals, 6 inches from the foundation, and pour one half gallon of emulsion (or solution) into each hole. Refill holes with neat ducts or radiating heat pipes should be treated by commercial pest control operator.

The object is to establish a chemical soil barrier which will prevent termite entry. Other critical areas may also require treatment, particularly if there are inaccessible areas, basements or slabs in construction. It is suggested that you contact the Architectural Cooperative Extension Service for advice or consult a Commercial Pest Control Service.

Avoid contamination of public and private water supplies by following these precautions. Do not allow a hose or any type of faucet extension to reach into the termite chemical solution while filling or mixing this material with water. Use anti-back-flow or anti-siphonage equipment on all filling equipment. These devices can be purchased at hardware or plumbing supply stores. Use of anti-back-flow equipment will help to insure that the user of this toxic chemical will not contaminate domestic water supplies. Refer to Federal (Federal Housing Administration), state, and local specifications for safe distances of treatment areas from wells. Soil in the vicinity of wells, cisterns or ponds should not be treated if it is water saturated, subject to excessive saturation due to an accumulation of water or if the soil to be treated around the perimeter of the structure is at a grade lower than surrounding yard or property area. If this is the situation treat as follows: Do Not Apply Under Pressure. Soil should be removed to an area safe from well or domestic water contamination, treated, allowed to stand undisturbed for two to four hours then returned to the trench which has been lined with 4 mil. plastic sheeting. Be careful not to puncture the plastic sheeting when returning soil to the trench. Do not treat structures that contain cisterns or wells.

RETREATMENT RESTRICTIONS

1. Retreatment of subterranean termites should only be made when there is evidence of re-infestation subsequent to the initial treatment, or there has been a disruption of the chemical barrier in the soil due to construction, excavations, landscaping, etc.
2. Retreatments may be made to critical areas in accordance with the application techniques described above. This application should be made as a spot treatment to these areas.

Routine retreatment of the entire premises should be avoided.