

FEB 15 1984

48 instead of 24. The labels and...
instructions statements.

All of the...
...for...

Ms. Doris Watson
Kaw Valley Inc.
402 South 5th Street
Leavenworth, KS 66048

Dear Ms. Watson:

Subject: EPA Cancellation Notice of September 23, 1963
Kaw Valley EFW-4E
EPA Registration No. 44215-08
Kaw Valley EFW-2G
EPA Registration No. 44215-13
Kaw Valley EFW-4G
EPA Registration No. 44215-21
Your Letter Dated January 30, 1984

Before you release the product for shipment, submit final printed labels incorporating the following revisions for the respective registrations:

1. EPA Registration No. 44215-08, EFW-4E

a. Add the following statement:

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

b. Add the following: "For aerial applications, flagging must be by fully automated mechanical means or by humans working in totally enclosed vehicles."

c. Note the spelling of Wildlife under the section captioned "Environmental Hazards."

2. EPA Registration No. 44215 21, EFW-4G

a. As per telecommunication on February 2, 1984, between Mr. Mack of this office and Mr. Fox of your firm, a discrepancy is noted in the percent Active Ingredients. The Active ingredient must read

CONCURRENCES

SYMBOL ▶								
SURNAME ▶								
DATE ▶								

BEST AVAILABLE COPY

For Control of European Corn Borer and Corn Rootworm (Adult)

Contains 4 lbs. duPont EPN per gallon

ACTIVE INGREDIENTS:	By Weight
O-Ethyl O-p-nitrophenyl phenylphosphonothioate (EPN).....	47.4%
Aromatic Petroleum Solvent	34.0%
INERT INGREDIENTS	16.4%
	Total 100.0%

DANGER  **POISON**
KEEP OUT OF REACH OF CHILDREN

Not for Use or Storage in or Around Home.
 See Additional Cautionary Information on Side Panels.
 Study Entire Label Before Opening or Handling.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - Give tablespoonfull of salt in a glass of warm water and repeat until vomit is clear. Have victim lie down and keep quiet. Get prompt medical attention.

IF ON SKIN - Immediately remove all contaminated clothing and wash skin with soap and warm water

IF IN EYES - Flush eyes with water for 15 minutes and get prompt medical attention.

Note to attending physician - repeat therapeutic doses of atropine may be effective. Do not use morphine.

ANTIDOTE AND FIRST AID

ATROPINE IS ANTIDOTAL - CONSULT PHYSICIAN FOR EMERGENCY SUPPLY. CALL PHYSICIAN IN ALL CASES OF SUSPECTED POISONING. TWO 1/100 grain ATROPINE tablets may be given pending arrival of physician. 2-PAM is also antidotal and may be administered in conjunction with atropine. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

See poison symptoms on left panel.

EPA Reg No. 44215-08

EPA Est No.

NET CONTENTS -

ACCEPTED
with COMMENTS
In EPA Letter Dated:

FEB 14 1984

Manufactured by:



Under the Federal Insecticide,
Fungicide and Rodenticide Act
as amended by the pesticide
registered under EPA Reg. No.
44215-8

HAZARDS TO HUMANS

CAUTION - Extremely hazardous by skin contact, inhalation, or swallowing. Rapidly absorbed through skin. Repeated exposure may, without symptoms, be increasingly hazardous.

Do not get on skin, eyes, or clothing. Do not breathe vapor or spray mist. Wear clean protective clothing, goggles, and respirator approved by NIOSH or the American National Standard Institute when applying or handling, or when reentering fields within (at least 24) hours of treatment. Protective clothing worn must be lightweight, unlined, natural rubber gloves at least mid-forearm in length; a wide brimmed waterproof hat or waterproof hood; a protective suit or coveralls of a non-permeable, non-cloth material covering the body from ankles to wrists; lightweight, unlined natural rubber boots at least mid-calf in length; full-face respirators are recommended; half-face respirators and goggles are required. Aerial applicators in positive pressure cockpits and other applicators in comparable ground equipment with appropriate filters at all air intakes need not comply with these protective clothing requirements.

After applying or handling, wash hands, arms, and face thoroughly with soap and water before eating or smoking. After work, bathe at once and change all clothing. Wash clothing with soap and hot water thoroughly before reuse.

In case of any contact or the appearance of poison symptoms, apply FIRST AID measures shown on front panel.

ENVIRONMENTAL HAZARDS -

HIGHLY TOXIC TO FISH AND WILDLIFE - Do not contaminate any body of water or area not specified on label with this material, by spillage, drift, cleaning equipment, disposal of wastes, or in any other manner.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

PHYSICAL & CHEMICAL HAZARDS -

POISON - Symptoms of Poisoning - Symptoms of poisoning by any organophosphorus insecticides, including EPN, are likely to be as follows:

- 1 -- Digestive upsets; nausea, vomiting, cramps, feeling of pressure under breastbone, diarrhea.
- 2 -- Sweating and excessive salivation.
- 3 -- Restlessness, giddiness, headache.
- 4 -- Muscular tremors, twitching of facial and eye muscles.

If any of these symptoms are felt, remove victim from area and apply First Aid measures. Do not allow victim to resume operations with any organophosphorus insecticide until physician has cleared him after testing blood for organophosphorus effect.

Keep animals and unprotected humans away from area during treatment and while there is danger from drift or residues.

Do not use or store near heat or open flame. Store in cool, dry place, away from feed, foodstuffs, and domestic animals. Keep container closed. Do not contaminate feed or foodstuffs.

DIRECTIONS FOR USE -

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

DIRECTIONS FOR USE -

Apply as a spray at a rate of 1/2 to 1 pt. per acre in 400 or more gallons of water as necessary to thoroughly cover plant surfaces including leaf whorls. For airplace application use 2 to 10 gallons water per acre.

For control of EUROPEAN CORN BORER:

Sweet Corn - Make first application when 25% of plants show evidence of leaf feeding and continue at 5-day intervals as long as leaf feeding is evident. From one to three treatments may be required. For control of second brood borers, apply when eggs begin to hatch. Do not apply to corn during the pollen-shed period if bees are visiting the treatment area.

Field Corn - Apply 10 days after eggs first hatch or when 75% of plants show evidence of feeding in leaf whorls. Repeat in 7 to 10 days if new evidence of feeding is present. For control of second brood borers, apply when eggs begin to hatch.

For control of CORN ROOTWORM (ADULT) to protect silks from damage.

Field and Sweet Corn - Apply when insects appear in sufficient numbers to damage silks and prevent pollination.

Do not apply this product when weather conditions favor drift from treated area.

Note - Never apply EPN within 14 days of harvest.

WARRANTY STATEMENT - Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.