

# Screw-Worm Ear-Tick Bomb

Comments of  
EPA letter dated  
AUG 1971  
EPA REG. NO. 44215-57

**CAUTION:** Keep out of reach of children. (See other precautions on side panel)


**Active Ingredients:**

Gamma Isomer of Benzene	
Hexachloride from Lindane.....	3.0%
Xylene.....	12.5%
Mineral Oil.....	30.5%
Inert Ingredients.....	54.0%
(Propellants, Emulsifier and Dye)	
<b>TOTAL.....</b>	<b>100.00%</b>

Specially formulated to control screw-worm infestations in cattle, sheep, goats and horses  
 ...Fleece worms in sheep and goats.....  
 also an effective Ear-Tick remedy for cattle, horses, goats and sheep... and  
 a wound protectant to keep flies away and thus prevent screw-worm infestation.

NET WT.      OUNCES

EPA REG NO. 44215-  
EPA EST. NO.



May be absorbed through skin. Avoid contact with eyes. If contact occurs, wash thoroughly with water. Do not use on food and foodstuffs. Do not use in areas where food is prepared. Keep out of reach of children.

Do not use on feed or food of animals. Do not use on animals intended for slaughter. Wash hands thoroughly after use.

This product is toxic to fish. Do not use in areas where fish are present only as specified on this label.

**Precautions:**


Flammable! Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incise the container. Do not use if the container is damaged or may cause bursting.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use on or near children, pets, or livestock. Do not use in areas where collection is required.

Remove protective cap before use. Do not use if the cap is missing or damaged. Do not spray.

**BEST DOCUMENT AVAILABLE**



F


TO: [Illegible]

TO: [Illegible]  
di: [Illegible]  
Tr: [Illegible]

TO: [Illegible]  
re: [Illegible]

TO: [Illegible]  
re: [Illegible]  
fo: [Illegible]  
3 [Illegible]  
and [Illegible]

BEST DOCUMENT AVAILABLE



F

- d. A Statement of Practical Treatment must be added to the labeling. We suggest the following statement; however, if your toxicological data suggests otherwise, please submit a draft Statement of Practical Treatment for prior approval.

STATEMENT OF PRACTICAL TREATMENT

- If swallowed - Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING; vomiting may cause aspiration pneumonia.
- If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.
- If on skin - Remove contaminated clothing and wash affected areas with soap and water.
- If in eyes - Flush eyes with plenty of water. Get medical attention if irritation persists."
- e. Based upon the flash point of this product, revise the flammability precautions to read "Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting."
- f. Move the statements "Remove protective cap. Aim spray opening away from person. Push button to spray" so it appears in the beginning of the use directions, rather than after the disposal information.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(a). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca  
Product Manager (15)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767)

Enclosure