

Reg # 44215-67
PM 15
1/15

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460 NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	EPA REGISTRATION NO. 44215-67	DATE OF ISSUANCE AUG 29 1986
	TERM OF ISSUANCE Until Reregistered	
	NAME OF PESTICIDE PRODUCT LAMP 58	

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Kay Valley, Inc.
402 South 5th Street
Leavenworth, KS 66048

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit to all data required for registration/reregistration of your product under section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the following changes listed below before you release the product for shipment:

- a. Add the phrase "EPA Registration No. 44215-67."
- b. Delete "XXX of Toxic Potential" from front panel.
- c. We assume the word POISON will appear in red.
- d. Delete "Petroleum Distillate" from the active ingredient portion of this label and include it in the total percentage of inert ingredients since this component in the formulation is a solvent.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL 	DATE 8/29/86
--	-----------------

86135:Newkirk:LR-12:KENCO:7/17/86:7/29/86:sj:VO
R:88163:Newkirk:LR-12:KENCO:8/7/86:8/15/86:TAR:VO

- e. Add an asterisk to INERT INGREDIENTS and a footnote "*Contains Petroleum distillate and 1,1,1-Trichloroethane."
- f. Add "or convulsing" before "person" in the If Swallowed section.
- g. The Note to Physician should appear on the front panel. Revise it to read:

NOTE TO PHYSICIAN

POISONING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, nonreactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, Atropine Sulfate should be injected at 10-minute intervals in doses of 1 to 2 milligrams until complete Atropinization has occurred. 2-PAM is also antidotal and may be administered in conjunction with Atropine. Morphine is contraindicated. Clear chest by postural drainage. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase-regeneration has been allowed as determined by blood test.

- h. Revise the Precautionary Statements to read:

Fatal if swallowed, inhaled or absorbed through skin. Wear rubber gloves while filling, running or emptying machine. Do not get liquid in eyes. Avoid contact with skin, eyes, or clothing. Wear protective clothing. Wash hands, arms and face with soap and water after handling and before eating or smoking. Do not contaminate food products by direct contact with liquid. Wear clean natural rubber gloves, protective clothing, and goggles, face shield or equivalent. Wear a pesticide respirator jointly approved by the Mine Safety and Health Administration and by the National Institute for Occupational Safety and Health provisions of 30 CFR Part 11.

1. Revise the Storage and Disposal statement.

STORAGE: Store in a cool, dry place. Do not store near heat or open flame. Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

j. Change USE AND APPLICATION DIRECTIONS to DIRECTIONS FOR USE Continued.

k. Change "Dilute to 1%, etc." and "Dilute to 1-3%, etc." to "Dilute with oil to 1%, etc." and "Dilute with oil to 1-3%, etc."

3. Please provide the pH of the product, item 8 on the Confidential Statement of Formula.

4. Please provide viscosity data. See paragraph 7 of our letter of May 31, 1984.

5. Describe the storage conditions such as humidity, temperature, physical examination, and test methods used for your storage stability data.

6. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

0.4/5

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER**

Atropine is poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not get on skin or in eyes. Do not breathe fumes. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U. S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provision of 30 CFR Part 11.

ENVIRONMENTAL HAZARDS

Wash out if any spill of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label. Do not use or store in or around the home.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

DDVP 5% insecticide is a specially formulated insecticide designed for use in the control of exposed stages of stored products in insects infesting warehouses containing non-perishable packaged or bagged raw or processed food commodities. The term "non-perishable" means any raw or processed food not subject to rapid decay or deterioration that would render it unfit for consumption. These commodities would include: cocoa beans, field-dried beans, field-dried peas, grains and nuts. Not included are eggs, milk, meat, poultry, fresh fruit and vegetables, such as onions, parsnips, potatoes and carrots. Processed foods would include: flour, sugar, cereals, packaged goods and crackers. Not included are hermetically sealed foods or manufactured dairy products and other processed foods requiring refrigeration.

NOTE TO PHYSICIAN AND ANTIDOTE STATEMENT

NOTE TO PHYSICIAN: Atropine is the emergency antidote.

Antidote and First Aid Treatment:

ATROPINE is the emergency antidote. CALL A PHYSICIAN IMMEDIATELY in all cases of suspected poisoning.

Wash patient clean and quiet. Start artificial respiration if patient is not breathing. Transport the patient immediately to the nearest physician.

WRITE TO PHYSICIAN:

SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, no reactive pin-point pupils, salivation, sweating, nausea, etc. tremor and abdominal cramps.

NOTE: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, Atropine sulfate should be injected at 10-minute intervals, in doses of 1 to 2 milligrams until complete Atropinization has occurred. Shell is also available and may be administered in conjunction with Atropine.

Mydriasis is contraindicated. Clear chest by postural drainage. Observe patient continuously for 48 hours.

Re-exposure to cholinesterase inhibitor may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test.

NET CONTENTS: _____ 1 GALLON

DDVP 5%

ONLY FOR SALE TO, USE AND STORAGE BY PEST CONTROL OPERATORS OR TRAINED PERSONNEL

ACTIVE INGREDIENTS:	
2,2-dichlorovinyl dimethyl phosphate	4.65%
Related Compounds	0.35%
Petroleum Distillates	13.16%
INERT INGREDIENTS:	
TOTAL	100.00%

*Equivalent to DDVP 5% Insecticide.

DANGER  **POISON**

KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICAL TREATMENT

If swallowed - Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin - Remove contaminated clothing and wash affected areas with soap and water.

If in eyes - Flush eyes with plenty of water. Call a physician immediately.

SEE NOTE TO PHYSICIAN AND ANTIDOTE STATEMENT

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 44215-67

EPA EST. NO. 4215-KS1

1801 South 2nd St.
Leavenworth, KS
66048

KAW VALLEY
Inc.

USE AND

For the control of stored product insects such as flour beetles, mosquitoes, and other insects in processing and brewing areas. Cover products before application. All food should be thoroughly cleaned only when the adjusted to 1-2 grams of active ingredient per 100 lbs. Check amount to assure proper treatment. Treatment should be made in buildings free of cracks and crevices to ensure protection of workers. Do not use in unprotected areas. Repeat treatment at optimum results.

FOR USE AS

1/2 ft. of floor space. Do not use in other areas serving areas. SPACE SPRAY: gallon of space waterbugs, a device to a corner of the insect suspected of cracks, hidden. The ULV advice destroy dead.

WARRANTY

based upon control of the effect of directions or by including tion with other