

MAY 14 1988

Ms. Jody A. Fox
Kaw Valley, Inc.
1801 South 2nd Street
Leavenworth, KS 66048

Dear Ms. Fox:

Subject: MISTER II INSECT KILLER
EPA Registration No. 44215-69
Your Correspondence Dated May 5, 1988

The subject labeling, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided you make the following change on your next set of printed labels.

- The PRECAUTIONARY STATEMENTS have been updated for food processing areas. Change the statement "After space spraying in bakeries and other food processing plants, wash with potable water all equipment benches, shelving, etc., where exposed food will be handled" to read as follows:

Food contact surfaces must be washed with an effective cleaning compound followed by a potable water rinse.

A stamped copy of the label is enclosed for your records.

Submit five (5) copies of your next set of printed labels.

Sincerely yours,



Phil Button
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

50546:I:Bagley:LH-2:KENCO:6/9/89:6/21/89:rw:gj:vo:ek:rv

CONCURRENCES

SYMBOL	SURNAME	DATE						

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F. may cause bursting. Never throw container into fire or incinerator.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE DISPOSAL

STORAGE: Store in a cool dry area away from heat or open flame.

DISPOSAL: Do not re-use empty container. Wrap container and put in trash collections.

NET WEIGHT: 30 lbs.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

AUG 14 1989

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No.

44215-69

MISTER II INS

ELECTRO
AEROSOL II

**CONCENTRATED POWER, FAST
ALL PURPOSE SPRAY, SAVE
SINGLE PURPOSE**

*For use in Bakeries, Food Plants, Food
Tobacco Storage Facilities, Greenhouses,
Houses, Swine, Cattle and Horse Barns*

ACTIVE INGREDIENTS:

- Pyrethrins.....
- Piperonyl Butoxide* Technical.....
- Xylene Range Aromatic Solvent.....

INERT INGREDIENTS:

This product contains the toxic insecticide
*Equivalent to 4.0% (Butylcarbitol) (p-Propylphenol)

Keep out of Reach of Children

CAUTION

See side panel for
Warnings

1801 South 2nd Street
Leavenworth, KS 66048

3/4

DIRECTIONS FOR USE

PREPARATION OF SITE FOR TREATMENT: Mister II Insect Killer control systems can be installed only under the supervision of trained personnel. See Manufacturers Manual for installation details. Each aerosol will control listed insects in an area up to 25,000 cubic feet of space. As many as 10 units can be wired in a series and activated with the use of a single automatic timer.

The Mister II electronically timed pressurized pesticide dispensing system is preset to automatically dispense 1.25 grams per second per nozzle opening rate. The Mister II Insect Killer at 70°F. (The standard 4 opening nozzle will dispense 5 grams per second).

Recommended timing for standard 4 opening nozzle for treatment of 25,000 cubic feet.

Light Infestation	Average Infestation	Heavy Infestation
5 seconds equal 544 treatment/tank	10 seconds equal 272 treatment/tank	20 seconds equal 136 treatment/tank

Repeat application as necessary.

DIRECTIONS FOR APPLYING MISTER II INSECT KILLER

IMPORTANT: First read the precautions printed on left panel of label.

GENERAL INFORMATION: Mister II Insect Killer is an aerosol specifically formulated and designed for use with the Mister II Automatic device applied as an aerosol mist in:

- | | |
|------------------------------------|------------------------------|
| Bakeries | Greenhouses |
| Food Plants | Warehouses |
| Food Handling Plants | Poultry Houses |
| Grain & Tobacco Storage Facilities | Stalls, Cattle & Horse Barns |

FOR THE CONTROL OF ACCESSIBLE STAGES OF INSECTS:

- | | | |
|-----------------------|---------------------------|-------------------------|
| Ants | Poultry Lice | Grain Mites |
| Angoumois Grain Moths | Rice Weevils | Green Peach Aphids |
| Apilids | Red Flour Beetles | Granary Weevil |
| Beehive Bees | Roaches | Grain Mites |
| Beetles | Carpet Beetles | Saw-toothed Grain Beets |
| Brown Dog Ticks | Cheese Mites | Small Flying Moths |
| Cheese Skippers | Cucumber Beets | Spider Beets |
| Chestnut Flour Beetle | Cabbage Worm | Stink Bug |
| Crickets | Druggists Beets | Stable Flies |
| Cigarette Beets | Cock Weevils | Silverfish |
| Culicids | Dried Fruit Beets | Spiders |
| Indian Meal Moth | Dear Flies | Spinnin Ear Tick |
| Keds | Oleander Bark Moth Larvae | Scorpions |
| Lice | Earwigs | Tobacco Moths |
| Leafhoppers | Flies | Ticks |
| Leaf Tiers | Fern Flies | Wasp |
| Measurers | Foot Flies | Waterbugs |
| Moths | Flies | White Fly |
| Moths Bark Beets | Fungus Gnats | Worms |
| Mullein Flour Moth | Flies | Yellow Weevils |
| Mushroom Flies | Flies | Grubs |

7/12

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Do not apply directly to food. In commercial food handling facilities, cover and remove any food and food processing equipment during application. Do not apply while food processing is under way. After space spraying in bakeries and other food processing plants, wash with potable water, all equipment benches, shelving, etc., where exposed food will be handled. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets and birds, and cover fish aquariums before spraying.