PRECAUTIONARY STATEMENTS HAZARDS TO HUMAN AND DOMESTIC ANMALS CAUTION: May be harmful if swallowed. Do not take internally. Do not breathe dust. Avoid contact with eyes, skin or clothing. Wash contaminated clothing before re-use. Wash thoroughly after handing and before eating or smoking. Keep children and pets off treated areas until this material is washed into the soil and the grass is dry. Do not contaminate feed or foodstuffs. Do not use treated areas or clippings from treated areas for feed or forace.

ENVIROMENTAL HAZARDS

Do not contaminate water by cleaning of equipment or disposal of wastes. This product is toxic to fish, birds, and wildlife. Do not apply directly to any body of water. Do not apply where runoff is likely to occur. Use only as directed on this label. Do not use on crops used for food or forage.

STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED Call a physician or Poison Control Center immediately, Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

an unconscious or convulsing person.
IF IN EYES: Flush eyes with plenty of water. Get medical attention.
IF ON SKIN: Remove contaminated clothing and wash affected area with

soap and warm water. Wash clothing before re-use.

#F WHALED: Remove vicem to tresh air. Apply to afficial respiration if indicated. Get medical attention immediately.

NOTE TO THE PHYSICIAN: Prolonged exposure will cause cholinesterase depression. Atropine Sulfate is antidotal. 2-PAM is also

antidotal and may be administered in conjunction with atropine.

STORAGE AND DISPOSAL

Do not contaminate water, tood, or feed by storage or disposal. STOR-AGE: Store in its original container in a cool, dry, locked place out of reach of children. PESTICIDE DISPOSAL. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal lacility. CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke: HOUSEHOLD: Do not re-use empty bag. Wrap and put in trash

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

SURFACE FEEDING INSECTS

Sod Webworms are capable of destroying large areas of turf. They five through the winter as a worm and change to a moth in May. Eggs are deposited very soon throughout the lawn and new worms hetch in May. By killing this first "brood" it is possible to reduce the worm population of later broods and therefore reduce turf damage.

WHITE BOTH OF THE CONTROL OF THE CON

Contains Trichlorfon Insecticide

ACTIVE INGREDIENTS:

TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

NET WEIGHT POUNDS

STORE IN A DRY PLACE

EPA Reg. No.44215- EPA EST.No. 44215-KS-1

manufactured by

1801 South 2nd St Leavenworth, KS 66048 KAW VALLEY

HOW TO APPLY

Turf should be free of troublesome thatch which encourages insects. Pake or de-thatch the area and remove the debris to expose insect hiding places. Water the lawn and cut to proper height. Apply granules as recommended and sprinkle the area to move the insecticide down to the soil surface where insects feed.

HOW MUCH TO APPLY

For control of Sod Webworms (Lawn Moth Larvae), and Cutworms apply at the rate of 2 pounds/1,000 sq. ft. of turf. (15 lb. bag treats 7,500 sq. ft.) Refer to chart for respective spreader settings. Make sure your apreader is calibrated for this product before application.

WHEN TO APPLY

Treat in the spring (mid-Ma⁻ to June) or when your "Lawn Program, calls for a nurface insect control application. Repeat as the program indicates or as needed for control. Sod Webworm may have 3 to 4 generations of larvae in 1 year which will require additional treatments at 30 to 40 day intervals during the summer months. Therefore repeat as needed for continued protection of lawn. Lightly sprinkle the area after treatment as soon ar possible to move the insecticide into the mone of insect infestation. Do not allow children or pets on treated areas until material has been sprinkled in and the grass is dry.

WHITE GRUB LARVAE CONTROL IN THE TURF FOR ROOT FEEDING "White Grub" insect larvae of JAPANESE BEETLE, EUROPEAN CHAFER & SOUTHERN CHAFER apply 3 hts /1,000 sq. ft. of turf. Make sure your spreader is properly calibrated to apply this product. Irrigate the turf after treatment as soon as possible to wash the insecticide into the stock arms where the insects are feeding. Apply when the White Grub Larvae are young and actively feeding mear the soil surface in mid-July and early August. Consult your Agricultural Extension Service for the best time to treat for "Grubs" in your area. A second treatment at the same rate may be needed for mature large stand grubs.

HOW TO APPLY: IMPORTANT...

Do not attempt to control White Grube in terf that has over 1/2 to 3/4 inch thatch build up since heavy thatch will prevent the insecticide from penetrating down to the area where the insects are feeding. Therefore, troublesome thatch must be removed before treating for White Grubs. If thatch is not removed before treatment, poor "Grub" control will result.

Spreader	Root Feeding Insects Per 5,000 Sq. Ft. (2.0 lbs/1,000 Sq. Ft.	Surface Feeding Insects Per 7,500 Sq. Ft. (3.0 lbss./1,000 Sq. Ft.)
CYCLONE PRO	4	4.75
CYCLONE-ROTO	3	3.5
LELY B'CAST	2.5	7.9
LESCO B'CAST	Н	1
PRIZE CB-85 CBT-85	45	5
SCOTT-DROP	4	45
SCOTTS R7X	н	
SPYKER PRO	4	47

NOTICE: Buyer assumes all risk and liability of use, storage, and/or handling of this product not in accordance with the terms of this label

KAW VALLEY 1801 South 2nd Street Segvenworth, KS 66048

BEST AVAILABLE COPY

NOTE: Changes in labeling ' rmula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the . Jeral Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Recegistration is returned herewith-

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

The Product is confittionally excistered in accordance with ethan con-(), (7:0) provided that will

- 1. Subsit and/or out told data required for tradstration/reprotestion of your product or or MIEPA sec. 3(c)(5) when the Amency requires all registrants of similar products to submit such data.
- 7. Welco the labeling charges listed tolow before you release the product for shipt min
 - s. Nod the other . "'PA Remistration No. 14015-145".
 - talkey bett an "toble traces forte".
 - a. Delete "Trichedica" for vour incredict stabburch.

we prove the form of the print print of the time of the work with a contract of the specific traction and the specific tractions and committee de comment on of cinal printed labelurg.

Tillish P Miller

these conditions are not complied with, the registration will be when to the three Habita are proceedings with PIFRA sec. 8(1). Note toleast for charmons of the recourt constitutes acceptance of these conditions.

a starred copy of the latel is enclosed for your records.

FPA Form \$570-4 (Bay, 5.74)	PREVIOUS FOLLOW MAY BE 11500 HMTH ANDREW ME TO THE PROPERTY OF	
William N	maker	2/2/69
SIGNATURE OF APPROVING OFFICIAL		DATE
ATTACHMENT IS APPLICABLE	negationing_Bodentian to Pre-of	
	Product Menader	1261
	11. 1. 10.1. 11. 1. 4. 4. 4.	•