3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

William H. Miller Product Manager (16) Insecticide-Rodenticide Branch Registration Division (TS-767)

Enclosure

RD-IRB:JOB-86696:RD85-08:Miller:Kendrick:898-1270:3/28/85:del.4/4/85:EK



4-1.

BANNER ROACH + ANT KILLER

ORTHOBORIC ACID 100% ACTIVE INGREDIENT INERT INGREDIENT

TOTAL

1

100%

. 0%

KILLS ROACHES-ANTS-WATERBUGS-PALMETTO BUGS ODORIESS- --- NON-STAINING

KEEP OUT OF REACH OF CHILDREN CAUTION SEERSCE PANEL FOR ADDITIONAL CAUTIONS

STATEMENT OF PRACTICAL TREATMENT IMMEDIATELY CONTACT PHYSICIAN OR POISON CONTROL CENTER IF SWALLOWED. IF EYE CONTACT OCCURS, FLUSH EYES WITH PLENTY OF WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS.

> This product may be used in homes, restaurants, and other food and feed handling establishments, markets schools, warehouses, factories, offices, hotels, . motels, hospitals, nursing homes, garages, grocery stores, apartment buildings, new construction, industrial plants, theatres, ships, boats, trains, trucks yachte, camps, mobile homes, buses, zoos, kennels, military bases, libraries, utilities and severs.

> > NET WEIGHT 100 lb. (45.35 kg)

EPA REG. NO. 1624-117 EPA EST. NO. 44230-NJ-1

Manufactured by BANNER CHEMECUL CORP. DRANGE, N.J. MOS.

BEST AVAILABLE COPY

Care should be taken to avoid depositing the product onto exposed food and feed processing, preparation and serving surfaces or introducing the material into the air. Avoid contamination of food or feed processing surfaces.

APPLYCATIONS OF THIS PRODUCT IN THE FOOD AND FEED AREAS OF FOOD MANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TRAT-MENT, ARE NOT FERMITTED.

SERVING AREAS- Facilities where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held.

Apply as a spot treatment to selective surfaces such as baseboards, under elements of construction into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed).

NON-FOOD AREAS- Includes garbage rooms, lavatories, floor drains (to sever entries and vestibules), offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling.)

Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

STORAGE ANDDISPOSAL

Dυ

Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility

ACCEPTED
with COMMENTS
in EPA Letter Dated:

APR 2 1985

Under the Proceedings of the Pumphale, and the procedure Act as amended, for the processored under EPA Reg. No.

BEST WILLIAM COPY

例。

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS CAUTION

Rarmful if swallowed. May cause eye irritation. Avoid eye contact. Wash thoroughly after handling.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To control cockroaches, ants and silverfish, apply liberally, scattering under and behind refrigerator, stove, sink, dishwasher, washing machine and dryer, tubs; into openings arous drains, severs, manholes, water pipes and electrical conduits; in cracks and crevices along baseboards and in corners of cabinets, cupboards, and closets. Remove all lower drawers inkitchen and bathroom cabinets, bedroom dressers and chests of drawers, then scatter liberally in drawer wells.

Reapply as necessary. Any powder visible after application must be brushed into cracks and crevices or removed. Apply only in areas inaccessible to children and pets. Avoid contamination of feed and foodstuffs.

Directions for applying in New Construction to Control Cockroaches. When treating large areas, such as wall voids, soffit and subcabinet voids in new and existing construction, dust liberally using dusting application equipment.

Directions for Applying as a Mop Solution to Control Cockronches.

Add 1 cup of powder to each gallon of rinse water. Apply to
floor areas only. Make only enough for each application.

Directions for Applying in Sewers to Control Cockronches
Apply 1 lb. per sewer manhole of product in sewer using
dusting application equipment.

CRACK AND CREVICE TREATMENT

FOOD AND FEED HANDLING ESTABLISHMENTS-Places other than private residences in which exposed food or feed is held, processed, prepared or served. FOOD AREA-APPLICATION LIMITED TO CRACK AND CREVICE THEATMENT ONLY-Includes areas for receiving, storage, pack: g(canning, bottling, wrapping, boxing) preparing, edible waste storage and enclosed processing systems such as mills. dairies, bakeries, restaurants or anywhere food or feed is stored, processed, prepared or served. Serving areas(when food is exposed and facility is in operation also would be con sidered a food area. Apply in small amounts directly into cracks and crevices using a bulbous duster or other suitable equipment capable of applying insecticide directly into cracks and crevices in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, conduits, motor housing and electrical switch boxes where cockroaches hide.

BEST WHILIBLE COPY