

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS

DANGER

Keep out of reach of children. Corrosive. Harmful or fatal if swallowed. Causes severe eye and skin damage. Do not get in eyes, on skin or clothing. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public waters unless in accordance with a NPDES permit. For guidance, contact your Regional Office of the Environmental Protection Agency.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. If plastic, do not reuse empty container.

DISPOSAL: Pesticide or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Triple rinse (or equivalent) all containers and, for metal containers, offer for recycling or reconditioning (for plastic containers dispose in an incinerator), or dispose in landfill approved for pesticide containers or bury in a safe place. Consult federal, state or local disposal authorities for approved alternative procedures.

ACCEPTED

44282-2
OCT 06 1982

Under the Federal Insecticide, Fungicide, and Herbicide Act of 1974, this pesticide is registered under EPA Reg. No.

SWIM-WELL ALGAECIDE

ACTIVE INGREDIENTS:
R.A.K.H. (50% C14, 40% C12, 10% C16)
dimethyl benzyl ammonium chloride 10%
INERT INGREDIENTS 90%
TOTAL 100%

KEEP OUT OF REACH OF CHILDREN DANGER

STATEMENT OF PRACTICAL TREATMENT

SKIN AND EYES:

In case of contact, immediately flush eyes with plenty of water at least 15 minutes; call a physician immediately. Wash skin thoroughly with soap and water. Remove and launder contaminated clothing before re-wearing.

INGESTION:

If swallowed, and victim is conscious, give two glasses of water to drink and call a physician immediately.

NOTE TO PHYSICIAN: Acute effects may include mucous damage, severe laryngeal edema, and shock associated with corrosive agents. Alcohol can increase toxic effects. Delayed effects may include life-threatening respiratory paralysis and convulsions.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Manufactured by
SWIMWELL PRODUCTS
110 South Main Street, Taylor, Pa. 17857
Phone 582-2001

EPA Est. No. 44282-PA-01 EPA Reg. No. 44282-2

NET CONTENTS 1 GALLON

It is a
with a
1. In a
gal
wh
2. If a
20
mon
pool
cals
resp
3. If th
of 5
day
vent
4. If th
verel
conv
gill
of ad
Effective
and blue
Phon
NOTE:
For swi
pool edge
water. A
at least
mix SWW
SWIM-WE
compar
pools. LC

ACCEPTED

44282-2
OCT 06 1982

SWIM-WELL ALGAEICIDE

ACTIVE INGREDIENTS:	
Trialkyl (50% C14, 40% C12, 10% C18)	10%
dimethyl benzyl ammonium chloride	90%
INERT INGREDIENTS	80%
TOTAL	100%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

STATEMENT OF PRACTICAL TREATMENT

SKIN AND EYES:

In case of contact, immediately flush eyes with plenty of water at least 15 minutes; call a physician immediately. Wash skin thoroughly with soap and water. Remove and launder contaminated clothing before re-wearing.

INGESTION:

If swallowed, and victim is conscious, give two glasses of water to drink and call a physician immediately.

NOTE TO PHYSICIAN: Acute effects may include mucosal damage, severe laryngeal edema, and shock associated with corrosive agents. Alcohol can increase toxic effects. Delayed effects may include life-threatening respiratory paralysis and convulsions.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Manufactured by
SWIM-WELL PRODUCTS
110 South Main Street Taylor, Pa. 18512
Phone 562-3001

EPA Est. No. 44282-PA-01 EPA F. J. No. 44282.2

NET CONTENTS (1) GALLON

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

1. In freshly filled pools or pools showing no visible algae growth add one gallon SWIM-WELL Algaecide per 50,000 gallons of water to prevent algae growth.
2. If algae growth is observed, add one gallon SWIM-WELL Algaecide for each 20,000 gallons of water to kill and control those algae species most commonly found in swimming pools. When existing growth is dead, clean the pool, drain and refill if necessary, and add one gallon SWIM-WELL Algaecide per 50,000 gallons of water. If visible algae are still present or reappear, repeat this treatment procedure.
3. If the pool water treated as in (1) or (2) above is recycled, add one gallon of SWIM-WELL Algaecide per 50,000 gallons of water every five to seven days to maintain between two and five parts per million of active ingredient. See serviceman for test kit.
4. If the pool water treated as in (1) or (2) above is not recycled or not filtered it should be tested periodically to determine the active ingredient content. When necessary, one gallon SWIM-WELL Algaecide per 50,000 gallons of water should be added to maintain two to five parts per million of active ingredient.

Effective against green algae (*Arthrospira falcatus*, *Chlorella pyrenoidosa*) and blue-green algae (*Calothrix parietina*, *Nostoc* sp., *Oscillatoria* sp. and *Phormidium* sp.).

NOTE:

For maximum effectiveness distribute SWIM-WELL Algaecide dosage around pool edges or near pump where it can mix uniformly into the circulating water. Allow adequate time for thorough mixing before re-entering pool (at least ten minutes). Clean pool of debris prior to treatment. DO NOT mix SWIM-WELL Algaecide with other chemicals; add directly to pool water.

SWIM-WELL Algaecide may be used in all sizes and types of pool and is compatible with most waters and chemicals normally used in swimming pools. Does not require special equipment.