

NET WEIGHT
40 LBS (18.1 Kg)

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals
CAUTION

Harmful if swallowed, contact a physician immediately. May irritate nose, throat and skin. Avoid breathing dust. Avoid contact with skin, eyes or clothing. In case of eye contact, flush with water immediately. Wash skin thoroughly after use. Wash any contaminated clothing before reusing. Get medical attention if irritation of eyes or skin persists. Avoid contamination of food, feedstuffs and domestic water supplies.

Environmental Hazards

This product is toxic to fish. Keep out of lakes, streams and ponds. Do not apply where runoff is likely to occur.

STORAGE AND DISPOSAL

Disposal: Do Not Reuse Empty Container. Wrap Container And Put In Trash Collection.

The manufacturer makes no warranties, express or implied, concerning this product or its use which extend beyond the description on the label. All statements made concerning this product apply only when used as directed.

READ ALL DIRECTIONS CAREFULLY

PRECAUTIONS: Apply Leisure Lawn 15-4-10 with Benefin to the turf prior to the germination of weed grasses, since Leisure Lawn 15-4-10 with Benefin may thin established annual bluegrass (*Poa annua*) turfs and fine-leaved fescues at rates above 218 pounds per acre (2.0 pounds active ingredient). Leisure Lawn 15-4-10 with Benefin should not be applied in the spring to turfgrass planted the previous fall. In bermudagrass areas that have been overseeded with winter grasses, a spring application of Leisure Lawn 15-4-10 with Benefin may thin the overseeded grasses. Because of varying cultural practices, Leisure Lawn 15-4-10 with Benefin should not be used on putting greens. Leisure Lawn 15-4-10 with Benefin should not be used on dichondra. Leisure Lawn 15-4-10 with Benefin should not be applied to newly sprigged areas of bermudagrass, St. Augustinegrass or centipedegrass until these turfs are well established.

APPLICATION EQUIPMENT: Apply Leisure Lawn 15-4-10 with Benefin evenly over the turf area without skips or misses. Follow application rates carefully, do not overlap or over apply. Over application can weaken turfgrass during stress periods allowing fungus or insects to cause damage. Rotary-type spreaders should be used to apply Leisure Lawn 15-4-10 with Benefin. Calibrate application prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly.

LEISURE LAWN^(R)

15-4-10 with .92% BENEFIN
6% C.S.R.U.N. and 1.9% SULFUR

GUARANTEED ANALYSIS

Total Nitrogen (N)	15%
1.5% Ammoniacal Nitrogen	
7.5% Urea Nitrogen	
6.0% Coated Slow Release Urea Nitrogen	
Available Phosphoric Acid (P2O5)	4%
Soluble Potash (K2O)	10%
Sulfur (S)	1.9%

Primary Plant Foods derived from Diammonium Phosphate, Urea, Murate of Potash, Sulfur Coated Urea. Sulfur derived from Sulfur Coated Urea.

Potential Acidity 34 lbs Calcium Carbonate Equivalent per ton

ACTIVE INGREDIENTS: N-butyl-N-ethyl-alpha, alpha, alpha-trifluoro-2,6-dinitro-p-toluidine 0.92%

INERT INGREDIENTS: 99.08%

TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

Statement of Practical Treatment

IF SWALLOWED: Contact Physician
IF INHALED: Contact Physician
IF ON SKIN: Flush with Water
IF IN EYE: Flush with Water

LEISURE LAWN, INC.
WEST CARROLLTON, OHIO
45249

EPA Establishment No
EPA Registration No 44312-1
Lot Number NET CONTENTS

DIRECTIONS FOR USE: It is a violation of law to apply this product in a manner inconsistent with its label.

Leisure Lawn 15-4-10 with Benefin is a pre-emergent herbicide with added growth promoting fertilizer ingredients for the control of annual bluegrass, smooth and hairy crabgrass, goosegrass, crowfoot, watergrass (barnyardgrass) and yarrowgrass.

Leisure Lawn 15-4-10 with Benefin controls weeds by killing their seeds as they germinate. Apply with Benefin before these annual weeds begin to emerge. Benefin does not control established weeds.

When Leisure Lawn 15-4-10 with Benefin is applied to established turfgrass, the following established turfgrasses are tolerant: centipedegrass, fescue, bermudagrass, St. Augustinegrass. Leisure Lawn 15-4-10 with Benefin is not to be applied to established ornamental trees and shrubs. Apply Leisure Lawn 15-4-10 with Benefin to turf before the germination of weeds. General times of application are discussed in the label. Precise time of application for a specific weed is dependent on climate and individual cultural practices. Consult your local agricultural or turf authorities for additional information on specific weed germination times in your area. Any cultural practices that disturb the soil surface should be done prior to application with Benefin.

1. Annual bluegrass (*Poa annua*) control: For control of annual bluegrass (*Poa annua*) temporarily result in thin turf areas. Proper application will encourage the existing turfgrass to fill in areas formerly occupied by annual bluegrass (*Poa annua*).

2. Northern (cool season) Turfgrasses: For pre-emergent control of Leisure Lawn 15-4-10 with Benefin in the spring (Mid-July to Mid-September), or in spring prior to (*Poa annua*) seed germination.

3. Crabgrass, goosegrass, watergrass, and yarrowgrass (cool season) Turfgrasses: For pre-emergent control of Leisure Lawn 15-4-10 with Benefin in the spring (Mid-July to Mid-September), or in spring prior to (*Poa annua*) seed germination. In the Southern States, Indiana, and all points south, apply 40 pounds active ingredient per acre in the spring prior to grass seed germination.

RESEEDING: Chemicals that effectively control weeds may also affect new desirable turfgrass seed germination. Be delayed for at least 6 weeks after application with Benefin.

BEST AVAILABLE

STATEMENTS

and Domestic Animals
UTION
physician immediately May irritate
thing dust Avoid contact with skin,
eye contact, flush with water
oroughly after use Wash any
reusing Get medical attention if
sts Avoid contamination of food,
upplies

ntal Hazards
out of lakes, streams and ponds
ely to occur

ND DISPOSAL
Container. Wrap Container And Put
warranties, express or implied,
s use which extend beyond the
statements made concerning this
is directed.

TIONS CAREFULLY
awn 15-4-10 with Benefin to the turf
grasses, since Leisure Lawn 15-4-10
ed annual bluegrass (Poa annua)
ates above 218 pounds per acre (2 0)
e Lawn 15-4-10 with Benefin should
rgrass planted the previous fall. In
en overseeded with winter grasses,
awn 15-4-10 with Benefin may thin
se of varying cultural practices,
efin should not be used on putting
th Benefin should not be used on
with Benefin should not be applied
mudagrass, St Augustinegrass or
are well established.

Apply Leisure Lawn 15-4-10 with
a without skips or misses Follow
not overlap or over apply. Over
ss during stress periods allowing
e Rotary-type spreaders should be
15-4-10 with Benefin. Calibrate
g to the manufacturer's directions
quipment is working properly and

LEISURE LAWN[®]
15-4-10 with .92% BENEFIN
6% C.S.R.U.N. and 1.9% SULFUR

Covers 8,000 Sq Ft

GUARANTEED ANALYSIS

Total Nitrogen (N)	15%
15% Ammoniacal Nitrogen	
7.5% Urea Nitrogen	
6.0% Coated Slow Release Urea Nitrogen	
Available Phosphoric Acid (P205)	4%
Soluble Potash (K2O)	10%
Sulfur (S)	1.9%
Primary Plant Foods derived from Diammonium Phosphate, Urea, Murate of Potash, Sulfur Coated Urea Sulfur derived from Sulfur Coated Urea	
Potential Acidity: 34 lbs Calcium Carbonate Equivalent per ton	
ACTIVE INGREDIENTS: N-butyl-N-ethyl-alpha, alpha, alpha-tri-fluoro-2,6-dinitro-p-toluidine 0.92%	
INERT INGREDIENTS: 99.08%	
TOTAL 100.00%	

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling

Leisure Lawn 15-4-10 with Benefin is a pre-emergence herbicide with added growth promoting fertilizer ingredients which is applied to established turf for the control of annual bluegrass (Poa annua), smooth and hairy crabgrass, goosegrass (silver crabgrass or crowfoot) watergrass (barnyardgrass) and yellow and green foxtail

Leisure Lawn 15-4-10 with Benefin controls these annual weeds by killing their seeds as they germinate. Apply Leisure Lawn 15-4-10 with Benefin before these annual weeds begin to germinate since it does not control established weeds

When Leisure Lawn 15-4-10 with Benefin is applied as directed, the following established turfgrass are tolerant: perennial ryegrass, centipede grass, fescue, bermudagrass, St Augustine grass, and bahiagrass. Leisure Lawn 15-4-10 with Benefin will not harm nearby established ornamental trees and shrubs. Apply Leisure Lawn 15-4-10 with Benefin to turf before the germination of annual grass weeds. General times of application are discussed below for each type of weed. Precise time of application for a specific area will vary because of climate and individual cultural practices. Consult local agricultural or turf authorities for additional information regarding specific weed germination times in your area

Any cultural practices that disturb the soil, such as aeration or verticulating should be done prior to applying Leisure Lawn 15-4-10 with Benefin

KEEP OUT OF REACH OF CHILDREN
CAUTION
Statement of Practical Treatment
IF SWALLOWED: Contact Physician
IF INHALED: Contact Physician
IF ON SKIN: Flush with Water
IF IN EYE: Flush with Water

1 Annual bluegrass (Poa annua) control. In areas of heavy infestation of annual bluegrass (Poa annua) its elimination will temporarily result in thin turf areas. Proper fertilization and irrigation will encourage the existing turfgrass to fill in these thin areas formerly occupied by annual bluegrass (Poa annua).

2 Northern (cool season) Turfgrasses: For pre-emergence control apply 40 pounds to 8000 sq. ft. (2 pounds active ingredient per acre) of Leisure Lawn 15-4-10 with Benefin in late summer to early fall (Mid-July to Mid-September), or in spring prior to annual bluegrass (Poa annua) seed germination.

3 Crabgrass, goosegrass, watergrass, and foxtail control: Northern (cool season) Turfgrasses: For pre-emergence control apply 30 to 40 pounds to 8000 sq. ft. (1.5 to 2 pounds active ingredient per acre) of Leisure Lawn 15-4-10 with Benefin in the spring prior to annual weed grass seed germination. In the Southern half of Ohio, Illinois, and Indiana, and all points south, apply 40 pounds to 8000 sq. ft (2 pounds active ingredient per acre) in the spring prior to annual weed grass seed germination.

RESEEDING: Chemicals that effectively control annual weed seed may also affect new desirable turfgrass seedlings. Reseeding should be delayed for at least 6 weeks after applying Leisure Lawn 15-4-10 with Benefin.

LEISURE LAWN, INC.
WEST CARROLLTON, OHIO
45149

EPA Establishment No
EPA Registration No. 44312-1
Lot Number NET CONTENTS

BEST QUALITY AVAILABLE