US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) **WASHINGTON, DC 20460** 

44313-19 TERM OF ISSUANCE

EPA REGISTRATION NO.

NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION

(Under the Federa' Insecticide, Fungicide, and Rodenticia - Act, as amended)

NAME OF PESTICIDE PRODUCT

Hedran Boltl Best

NAME AND ADDRESS OF REGIST PANT (Include 21P code)

R-value, Inc. F.G. 1 ax 2235 Smyrna, GA 30081

16/ 220,871

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named personal to be roby Registered/Reregistered under the Federal Inscaticide, Fungicide, and Rogenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protoct health and the environment, the Administrator, on his motion; may at air, time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Acris not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

11 E 111

a. Add the

The same "" to the same

provide timal contra

TATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

William H. Miller Product Manager (16)

Insecticide-Rodenticide Branch Registration Division (TS-767C)

Enclosures

Kills Darkling Beetles and Hide Beetles and Their Larva Stages

REDZONE
BEETLE BAIT

ACTIVE INGREDIENT:
ORTHO BORIO ACID
INERT INGREDIENTS
100%

TOTAL

100%

NET WT. 10 lbs.

KEEP OUT OF THE REACH OF CHILDREN

#### - CAUTION -

#### STATEMENT OF PRACTICAL TREATMENT

IMMEDIATELY CONTACT PHYSICIAN OR POISON CONTROL CENTER IF SWALLOWED IF EYE CONTACT OCCURS FLUSH EYES WITH PLENTY OF WIJTER GET MEDICAL ATTENTION IF IRRITATION PERSISTS

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS

EPA RE

• MFG. BY

RIALLEINO

P.O. BOX 2235 • SMYRNA, GA 30081-2235 • U.S.A. • (404) 434-0842

# HAZARDS TO HUMANS AND DOMESTIC ANIMALS PRECAUTIONARY STATEMENTS CAUTION

HARMFUL IF SWALLOWED WASH HANDS THOROUGHLY AFTER HANDLING MAY CAUSE EYE IRRITATION AVOID EYE CONTACT WEAR A DUST MASK OR RESPIRATOR

#### DIRECTIONS FOR USE

## STORAGE AND DISPOSAL

Do not contaminate water, good or feed by storage or disposal

STORAGE. Store in a dry place to null store where children or anim. Is may give access PESTICIDE DISPOSAL. Wastes resulting from the use of this product may be disposed of onsite or at an approved waste disposal facility.

CONTAINER DISPOSAL. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landful or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke

### APPLICATION INSTRUCTION

For dirt-floored grow out houses. Apply Redzone D.B.C. dry's directly to solvat the rate of two pounds per 100 square feet whe has been removed. Reapply annually at the rate of one pound play warm season apply Redzone at the two pound rate to the surrour under eaves. For interior sidewalls mix Redzone at the rate of water. Using a pressure sprayer, saturate dement sidewalls, too play into cracks and crevices around installation. 150 gallions of fact house. Reapply spray annually or after each time a house results, allow house to remain empty for at least two to four day dust mask or a respirator and goggles when applying dust. Do the fitter.

For layer houses and cement-floored grow out houses; Mix Figer three gations of water. Using a pressure sprayer, saturate straining. Spray mix into cracks and crevices around insulation. A Redzine ithree gations of mix) for each 100 square feet of treated treat a 30,000 square foot house. Redzine must be applied after dardisan fation procedures have been completed. Do not apply dithe warm shason apply Redzine as a dust to the two freet outside rate of two pounds per 100 square feet.