

**ENVIRONMENTAL HAZARDS**

**PRECAUTIONS IN USING:** "This product is toxic to fish and wildlife," "Birds and other wildlife in treated areas may be killed," "Keep out of lakes, streams, or ponds," "Do not apply where runoff is likely to occur," "Do not apply when weather conditions favor drift from areas treated," "Do not contaminate water by cleaning of equipment, or disposal of wastes," "Apply this product only as specified on this label."

**BEE CAUTION:** This product is toxic to bees and should not be applied when bees are actively visiting the area.

**RESTRICTIONS**

**USE PRECAUTIONS:** Do not apply to or allow to drift onto varieties of sorghum which are sensitive to phosphates. To do so may cause burning of the sorghum or milo. Do not use on other crops used for food or forage. Use only according to label directions. Application at rates above those shown may result in illegal crop residues. Do not treat food crops grown in the greenhouse.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

**RECOMMENDATIONS**

Crop	Insect	Rate/Acre	Details of application and comments
Beans (Dry & snap)	Cricket Saltmarsh caterpillar Western bean cutworm Variegated cutworm Surface feeding cutworms (including black cutworm) granulate cutworm	30 lb	Apply as a band over the row around the base of plants or as a broadcast treatment. Apply before or just after planting fields with a history of surface feeding cutworm damage and to those fields suspected of being infested. Do not apply within 14 days of harvest. Do not use treated vines as food for dairy or meat animals.

10F3  
PM 16  
44717-26

**TIFC  
CUTW  
CRICKE**

Contains:

**ACTIVE INGREDIENT:**

Dimethyl (2,2,2-trichloro-1-Hydroxyethyl) Phosphonate

**INERT INGREDIENTS**

Total

DYLOX is a Reg. TM of Farbenfabriken Bayer

**KEEP OUT OF RE**

**CAUTION**

May be harmful if swallowed, in contact with skin. Do not breathe. Wash with warm water after handling. Wash water before re-use. Do not continue poisoning, obtain prompt medical attention. TO P 2-Pam is also antidotal and me atropine.

Manuf

**TIFTON CHEM**

P. O. Box 5, TII

**NET CONT**

EPA Est. No. 10873-GA-1

toxic to fish and wildlife,"  
 killed," "Keep out of lakes,  
 is likely to occur," "Do not  
 reas treated," "Do not con-  
 osal of wastes," "Apply this

toxic to bees  
 n bees are

**DNS**  
 flow to drift onto varieties of sor-  
 do so may cause burning of the  
 used for food or forage. Use only  
 if rates above those shown may  
 r food crops grown in the green-

# TIFCHEM CUTWORM & CRICKET BAIT

Contains 5% **DYLOX**

**ACTIVE INGREDIENT:**

Dimethyl (2,2,2-trichloro-1-hydroxyethyl)  
 Phosphonate† ..... 5.00%

**INERT INGREDIENTS** ..... 95.00%

**Total** ..... 100.00%

**DYLOX** is a Reg. TM of the Parent Company of  
 Farbenfabriken Bayer GmbH, Leverkusen.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

May be harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin. Do not breathe dust. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before re-use. Do not contaminate food or food. If misuse results in poisoning, obtain prompt medical aid. Prolonged exposure will result in cholinesterase depression. **TO PHYSICIAN:** Atropine sulfate is antidotal. 2-Pam is also antidotal and may be administered in conjunction with atropine.

Manufactured By:

**TIFTON CHEMICAL COMPANY**

P. O. Box 5, Tifton, Georgia 31794

**NET CONTENTS 50 LBS.**

**EPA Est. No. 10873-GA-1**

**EPA REG. NO. 10873-29**

Lima Beans
Cabbage
Cauliflower
Peppers
Collards & Lettuce
Tomatoes
Crop
Corn
Cowpeas (black-eyed)
crowder pea
southern pea
Tobacco
Peanuts

**NOV**  
 Under the I  
 provide  
 solvent of  
 registered  
 EPA Reg.  
 Sell  
 prod  
 and  
 to fr

1/Acre	Details of application and comments
10 lb	Apply as a band over the row around the base of plants or as a broadcast treatment. Apply before or just after planting fields with a history of surface feeding cutworm damage and to those fields suspected of being infested. Do not apply within 14 days of harvest. Do not use treated vines as food for swine or small animals.

3073

# HEM RM & BAIT

Lime Beans	<i>Amy worm</i> <i>Saltmarsh caterpillar</i> <i>Cricket</i> <i>Surface feeding cutworms</i> <i>Western bean cutworm</i>	30 lb	Apply as a band over the row, around the base of plants or as a broadcast treatment. Apply before or just after planting fields with a history of surface feeding cutworm damage and to those fields suspected of being infested. Do not apply within 30 days of harvest. Do not apply more than twice per season.
Cabbage Cauliflower Peppers	<i>Amy worm</i> <i>Saltmarsh caterpillar</i> <i>Cricket</i> <i>Surface feeding cutworms</i>	20 lb	Apply as a band over the row, around the base of plants or as a broadcast treatment. Apply before or just after planting fields with a history of surface feeding cutworm damage and to those fields suspected of being infested. Do not apply within 21 days of harvest.
Collards & Lettuce Tomatoes	<i>Amy worm</i> <i>Cricket</i> <i>Saltmarsh caterpillar</i> <i>Surface feeding cutworms</i>	20 lb	Apply as a band over the row, around the base of plants or as a broadcast treatment. Apply before or just after planting fields with a history of surface feeding cutworm damage and to those fields suspected of being infested. Do not apply within 28 days of harvest.

Crop	Insect	Rate/Acre	Details of application and comments
Corn	<i>Amy worm</i> <i>Cricket</i> <i>Saltmarsh caterpillar</i> <i>Surface feeding cutworms</i>	20 lb	Apply as a band over the row, around the base of plants or as a broadcast treatment. Apply before or just after planting fields with a history of surface feeding cutworm damage and to those fields suspected of being infested. Do not apply within 40 days of harvest. Do not apply more than once per season.
Cowpeas (black-eyed peas, crowder peas, southern peas)	<i>Amy worm</i> <i>Cricket</i> <i>Saltmarsh caterpillar</i> <i>Surface feeding cutworms</i>	30 lb	Apply as a band over the row, around the base of plants or as a broadcast treatment. Apply before or just after planting fields with a history of surface feeding cutworm damage and to those fields suspected of being infested. Do not apply within 14 days of harvest. Do not apply more than twice per season. Do not feed treated vines to dairy or meat animals.
Tobacco	<i>Amy worm</i> <i>Cricket</i> <i>Saltmarsh caterpillar</i> <i>Surface feeding cutworms</i>	20 lb	Apply as a band over the row, around the base of plants or as a broadcast treatment. Apply before or just after planting fields with a history of surface feeding cutworm damage and to those fields suspected of being infested. Do not apply after plants are 2 feet tall.
Peanuts	<i>Amy worm</i> <i>Cricket</i> <i>Saltmarsh caterpillar</i> <i>Surface feeding cutworms</i>	20 lb	Apply as a band over the row, around the base of plants or as a broadcast treatment. Apply before or just after planting fields with a history of surface feeding cutworm damage and to those fields suspected of being infested. Make up to 3 applications before digging. One additional treatment may be made between digging and harvest.

..... 5.00%  
..... 95.00%  
..... 100.00%

Parent Company of  
Leverkusen.

OF CHILDREN

absorbed through the skin. Avoid  
wash thoroughly with soap and  
soiled clothing with soap and hot  
water or food. If misuse results in  
prolonged exposure will result in  
illness. Atropine sulfate is antidotal.  
Administered in conjunction with

COMPANY  
Georgia 31794

OLBS.

EPA REG. NO. 10873-29

ACCEPTED  
NOV 14 1975  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 10873-29

4431726  
NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

SEE FOR