

Reg # 44325-4

PM-15

12/1

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS **CAUTION**

Harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing dusts. Avoid contact with eyes, skin and clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Keep out lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry place.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed on site or at an approved waste disposal facility.

PAPER AND PLASTIC BAG DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

NOTICE: Seller's guarantee shall be limited to the terms of the label and subject thereto the buyer assumes any risk to persons or property arising out of misuse or improper handling and accepts the product on these conditions.

CO-RAL® is a Reg. 7 of the parent company of Fairbairn, Bayer, GmbH, Leverkusen.



BEEF and DAIRY CATTLE DUST

Contains CO-RAL® (coumaphos)

FOR CONTROL OF LICE AND HORN FLIES ON BEEF AND DAIRY CATTLE

ACTIVE INGREDIENTS:

Diethyl O-[3-chloro-4-methyl-2-oxo-(2H)-1H-benzopyran-7-yl] phosphorothioate	1%
INERT INGREDIENTS	99%
	100%

REGISTERED
ACCEPTED
NOV - 6 1987
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 11849-12 AA

KEEP OUT OF REACH OF CHILDREN **CAUTION**

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED - Remove victim to fresh air. Apply artificial respiration if indicated. Get medical attention if victim displays signs of poisoning.

IF ON SKIN - Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES - Flush eyes with plenty of water. Call a physician immediately.

TO PHYSICIAN: Prolonged exposure will result in cholinesterase depression. Atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

See side panel for additional precautionary statements.

EPA Reg No. 11849-12 AA EPA Est. No. 11849-1A-2

NET WEIGHT 12 1/2 LBS.

Manufactured By
WHB SPECIALTY PRODUCTS CO.
P.O. Box 231 • Alton, Iowa 51003

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

LICE and HORN FLY CONTROL: Suspend Zip 'N Fill Dust Bags in areas frequented by cattle or in gateways or lanes through which the animals pass daily for water, feed or mineral. Bags may also be suspended in loafing sheds or in front of protected mineral feeders. For lactating dairy cows Zip 'N Fill Dust Bags may be suspended in the exit through which cows leave the milking barns. In all cases, the bags should be adjusted so that the bottom of the bag will hang four to six inches below the topline of the cattle.

INSTALLATION: Suspend Zip 'N Fill Dust Bags by inserting rope, chain or wire through grommets or loops at the top of the bag and attaching to an overhead structure or by hooking grommets or loops into hooks fastened to a stationary overhead 2 x 4 at the heights recommended for lice and horn fly control. In areas of frequent or heavy rainfall, dust bags should be protected from the weather.

Install as many Zip 'N Fill Dust Bags as necessary in lanes or other openings to assure proper dusting of the animals. When dust bags are provided on a free-choice basis with proper management, allow one 25 lb Duster per 25-50 animals, one 12 1/2 Duster per 12 - 25 animals.

USE RESTRICTIONS: For external insecticidal use only on above-specified animals. Do not contaminate food or feed, troughs, water or water utensils. Provide thorough ventilation while dusting. Do not apply to sick, stressed or convalescent animals. Do not hang duster over feed, mineral or water troughs.

LOT NO _____

HP 1295