

<p align="center">U.S. ENVIRONMENTAL PROTECTION AGENCY <small>OFFICE OF PESTICIDE REGISTRATION</small></p> <p>NOTICE OF PESTICIDE <small>Registration</small></p>	<p>EPA REGISTRATION NUMBER: 2016 19 104</p> <p>TERM OF REGISTRATION:</p>
<p>NAME AND SCENE OF PESTICIDE: L</p>	
<p>NOTE: All labels and labels for all containers of the pesticide that accepted in connection with this registration must be identical to the label accepted for registration and must appear on the label in connection. In any correspondence on this pesticide always refer to the above EPA registration number.</p>	
<p>On the basis of the information furnished by the registrant, the following pesticide is hereby Registered/Registered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p>	
<p>A copy of the label for this pesticide, as registered, with the Registration/Registration number returned herewith.</p>	
<p>Registration is not valid until it has been approved or disapproved by the Agency. In order to protect health and the environment, the Administrator will suspend the registration of a pesticide if necessary under the Act. The suspension of registration will terminate the registration of a pesticide under this Act. The name of the pesticide, as registered, must include the name of the pesticide as it has been marketed by the registrant.</p>	
<p align="center">BEST COPY AVAILABLE</p>	
<p><input type="checkbox"/> A FURTHER NOTICE</p>	<p>DATE</p>
<p>SIGNATURE AND TITLE</p>	<p>DATE</p>

MBC 160

ACCEPTED
WITH COMMENTS
BY EPA REGION 4

AUG 22 1983

44392-5

ACTIVE INGREDIENT:

Poly[oxyethylene (dimethyliminio) ethylene-
(dimethyliminio) ethylene dichloride] 60.0 %

INERT INGREDIENT 40.0 %

This product contains 5.76 lb. of active ingredient per gallon and weighs 9.6 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

BEST DOCUMENT AVAILABLE

GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

MBC 160 is used to control algae, bacteria, and fungi in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime, and other deposits. An initial slug addition of 0.9 to 2.2 fluid ounces of MBC 160 per 1000 gallons of water to provide a concentration of 8 to 20 parts per million of MBC 160, based on the total weight of water in the system, is recommended. Repeat initial dosage until control is evident.

Subsequent slug additions of 0.2 to 2.2 fluid ounces of MBC 160 per 1000 gallons of water (2 to 20 parts per million of MBC 160) should be employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

MBC 160 is used to control bacteria in industrial air-washing systems that maintain effective mist eliminating components. Prior to its use, systems should be cleaned to remove bacterial slime and other deposits. An initial slug dose of 3.33 to 5.55 fluid ounces of MBC 160 per 1000 gallons of water is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 2.25 to 5.55 fluid ounces of MBC 160 per 1000 gallons of water should be employed each 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the bacterial problem. Slug additions may be made to the sump or to the water collection trays of the airwash system.

STORAGE & DISPOSAL: Keep container closed when not in use. Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment. Rinsate that cannot be used or reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Open dumping is prohibited.

- METAL CONTAINERS:** Triple rinse and offer for recycling, reconditioning, or disposal in an approved landfill or bury in a safe place.
- PLASTIC CONTAINERS:** Do not reuse empty container. Triple rinse and incinerate or dispose of in an approved landfill or bury in safe place.

Manufactured by:

EPA REG. NO. _____ EPA EST. NO. _____

NET CONTENTS _____