

# HAWK MULTI-KILL RESIDUAL FORMULA 2

**KILLS:** Houseflies, mosquitoes, gnats, wasps, roaches, earwigs, grasshoppers, sowbugs, spiders, centipedes, ants, biting flies, aphids (plant lice), leafhoppers, exposed trips, adult whiteflies, plant bugs, Japanese beetles, spittlebugs.

**DOUBLE ACTION INSECT KILLER:** This is a dual purpose formulation that can be used as a contact spray against flying and crawling insects and as a residual insecticide providing up to 3 to 4 weeks control of roaches.

**For use in non food areas:** homes, motels, institutions, restaurants and food processing plants.

## ACTIVE INGREDIENTS

- \* \* Reamethrin (5-(phenylmethyl-3-furanyl)-methyl-2-dimethyl-3-(2-methyl-1-propenyl)cyclopropane carboxylate) 0.350%
- Related compounds 0.048%

## INERT INGREDIENTS

- 99.602%
- \* Cis/trans isomers ratio: max 30% (p: cis) and min 70% (p: trans)
- + U.S. Patent Nos. 3,465,007 and 3,542,926
- \* Penick's SBP-1362 (H) brand of reamethrin insecticide
- Penick Corp., 1050 Wall Street West, Lyndhurst, N.J. 07037

**KEEP OUT OF REACH OF CHILDREN**

## CAUTION

See Additional Precautionary Statements on Back Panel

Manufactured By  
**HAWK SALLS**

**HOUSTON, TX. 77090**

**NET WEIGHT 13 OUNCES**

EPA Reg. No. 44446-8

EPA Est. 44446-TX-1

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

May be absorbed through the skin. Avoid contact with eyes. Do not get in eyes. Wash thoroughly with water if contact occurs. Remove clothing if contact occurs. Avoid contact with mucous membranes and food preparation surfaces. Remove pets, birds, and cover fish aquariums before spraying. Avoid contamination of food and food stuffs. Food should be removed or covered during treatment. All food preparation surfaces should be covered during treatment or thoroughly cleaned before use. When using the product in these areas, apply only when the facility is not in operation. In case of contact, immediately flush eyes and skin with plenty of water for at least 15 minutes. For skin and eye contact, consult a physician.

## PHYSICAL OR CHEMICAL HAZARDS

Do not use under pressure. Do not put in a container that has been used for other liquids. Do not use in areas where heat or flame exists. Exposure to temperatures above 130°F may cause bursting.

## ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Keep out of lakes at sensitive ponds. Do not contaminate water by disposal of wastes. Apply the product only as specified on the label.

## DIRECTIONS FOR USE

This is a violation of Federal Law to use the product in a manner inconsistent with the label. **SHAKE WELL BEFORE EACH USE.** Remove protective cap, aim spray opening away from persons, animals and pets to spray.

**FOR FLYING INSECTS: MOSQUITOES AND GNATS: HOUSEFLIES AND COCKROACHES:** Use outdoors as follows: Hold nozzle close to direct the spray in all parts of the room, especially in areas of light sources and in areas where insects fly. Treat room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

**FOR REDUCING ANNOYANCE FROM FLYING INSECTS OUTDOORS:** Reduce mosquitoes, gnats, midges, houseflies, deer flies and flying moths (moths) by spraying the treated areas. For a precautionary area above, hold container 18 to 24 inches from shrubs, bushes and grassy areas. Spray these areas with a slow sweep motion at the rate of from 1 to 3 seconds per foot. Move slowly while moving away from the treated area. To reduce annoyance from flying insects, treat lawn, porch and patio areas in a similar manner. Spray only when the air is still. Allow spray to dry before occupying the treated area. Repeat as necessary.

**FOR HOUSEFLIES, EARWINGS, GRASSHOPPERS, SOUBUGS, SPIDERS AND CENTIPEDES:** **INDOOR SPRAY:** Spray thoroughly in areas such as cracks, crevices, musty areas, openings around pipes and bricks, under the refrigerator, baseboards and storage areas. Spray in all areas where insects are possible. Repeat as necessary. **OUTDOOR SPRAY:** Spray baseboards, eaves, window sills, doorways, lawns, patios and other areas such as porches, decks and under awnings. Do not spray directly into the air. Do not spray in areas where children play. Do not spray in areas where pets are kept. Do not spray in areas where food is stored. Do not spray in areas where food is prepared. Do not spray in areas where food is served. Do not spray in areas where food is consumed. Do not spray in areas where food is stored. Do not spray in areas where food is prepared. Do not spray in areas where food is served. Do not spray in areas where food is consumed.

**FOR WASPS:** Application should be made in the evening when the insects are most active. Apply to the nesting and breeding places, contacting as many bees as possible. Repeat as necessary.

**FOR TICKS AND SPIDERS:** Apply to cracks and around door and window frames, cluttered areas where animals enter.

**ENVIRONMENTAL PRECAUTIONS:** Do not spray in areas where children play, do not spray in areas where pets are kept, do not spray in areas where food is stored, do not spray in areas where food is prepared, do not spray in areas where food is served, do not spray in areas where food is consumed.

Do not spray in areas where children play, do not spray in areas where pets are kept, do not spray in areas where food is stored, do not spray in areas where food is prepared, do not spray in areas where food is served, do not spray in areas where food is consumed.

Do not spray in areas where children play, do not spray in areas where pets are kept, do not spray in areas where food is stored, do not spray in areas where food is prepared, do not spray in areas where food is served, do not spray in areas where food is consumed.

## STORAGE AND DISPOSAL

Do not store in areas where children play, do not store in areas where pets are kept, do not store in areas where food is stored, do not store in areas where food is prepared, do not store in areas where food is served, do not store in areas where food is consumed.