

ACCEPTED
 AUG 20 2003
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 as amended for the pesticide
 registered under
 Reg. No. 44446-8

DUEL

Flying & Crawling Insect Killer

Double Action Insecticide Residual & Contact Spray

KILLS: Houseflies, Mosquitoes, Gnats, Wasps, Roaches, Earwigs, Grain Mites, Sowbugs, Ants, Biting Flies, Aphids (Plant Lice), Fleas, Leafhoppers, Adult Whiteflies, Plant Bugs, Japanese Beetles, Spiders, Centipedes, Exposed Thrips and Spittlebugs.

FOR USE IN NON-FOOD AREAS IN HOMES, INSTITUTIONS, RESTAURANTS AND FOOD PROCESSING PLANTS

ACTIVE INGREDIENTS:
 * + Resmethrin (5-(phenylmethyl)-3-furyl)methyl 2, 2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate 0.350%
OTHER INGREDIENTS: 99.65%
 * Cis/trans isomers ratio: max. 30% (±) Cis and min 70% (±) trans
 + U.S. Patent NOs. 3,465,007 and 3,542,928
 ° Penick's SBP-1392® brand of resmethrin insecticide
 Penick Corp., 1050 Wall Street West Lyndhurst, NJ 07071

EPA Reg. No. 44446-8 EPA Est. No. 44446-TX-1

KEEP OUT OF REACH OF CHILDREN
CAUTION:
 See Additional Precautionary Statements on Back Panel

NET WT. 15 OZ. (425 g)

Manufactured By
QUEST
 CHEMICAL CORPORATION
 Houston, Texas 77041

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through the skin. Avoid contact with eyes, skin or clothing. Cover or remove exposed foods. Avoid contamination of cooking utensils & food preparation surfaces. Remove pets, birds & cover fish aquariums before spraying. Avoid contamination of food & foodstuff. In commercial food handling facilities, cover or remove any food during treatment. All food processing surfaces should be thoroughly cleaned with an effective cleaning compound followed by a potable water rinse before using. When using the product in these areas, apply only when the facility is not in operation.

PHYSICAL OR CHEMICAL HAZARDS
 Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

FIRST AID

<p>If inhaled:</p> <ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
<p>If on skin or clothing:</p> <ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
<p>If in eyes:</p> <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
<p>If swallowed:</p> <ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment.</p>

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Drift and runoff from treated sites may be hazardous to fish in adjacent water.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. SHAKE WELL BEFORE EACH USE. Remove protective cap, aim spray opening away from persons. Push button to spray. TO KILL HOUSEFLIES, MOSQUITOES & GNATS: INDOORS: Close all doors & windows. Point nozzle upwards, direct the spray mist to all parts of the room especially windows & other light sources which attract these insects. Fill the room with mist, then

leave the treated area. Keep the room closed for at least 15 minutes. Ventilate room when treatment is completed. TO REDUCE ANNOYANCE FROM FLYING INSECTS: OUTDOORS: Reduce mosquitoes, gnats (midges), houseflies, deer flies & flying moths (millers) by spraying their resting areas. Follow precautions listed above. Hold container 14 to 18 inches from shrubs, bushes & grassy areas. Spray these areas with a slow sweeping motion at the rate of 1 to 3 seconds per cubic feet of space while moving away from the treated areas. To reduce annoyance from these flying insects, treat open porches & patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary. TO KILL: Roaches, Earwigs, Grain Mites, Sowbugs, Spiders, Fleas & Centipedes: CONTACT SPRAY: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes & sinks, under refrigerators, baseboards & storage areas. Spray directly on insects where possible. Repeat as necessary. RESIDUAL SPRAY: Spray baseboards, cracks, crevices, lower walls, dark places. Spray at the rate of 3 to 4 seconds per linear foot at a distance of 12 to 14 inches from the surface. Repeat as necessary. TO KILL WASPS: Applications should be made in the late evening when insects are at rest. Spray liberally into hiding & breeding places, contacting as many insects as possible. Repeat as necessary. TO KILL ANTS: Apply to ant trails & around door sills, window frames & other places where ants may enter. ORNAMENTAL PLANT PESTS: Kill aphids, exposed thrips, leafhoppers, plant bugs, Japanese beetles on smaller evergreens, deciduous trees & shrubs, such as, rhododendrons, pines, spruces, hemlock, yews, arborvitae, junipers, holly, podocarpus, boxwood, laurel lilac, spirea, dogwood, palm tree, toyon, viburnum, maples, locust, forsythia, althea & roses; also kills mimosa webworm larvae on mimosa & oakworm larvae on oaks. Kill aphids, exposed thrips, adult whiteflies, leafhoppers, plant bugs, spittlebugs, Japanese beetles on flowering plants such as peonies, iris, zinnia, snapdragons, ageratum, chrysanthemums, nasturtiums, daisy, geraniums, marigolds, daphne, fatsyhedera, ivy, tobira, queen sago, broadleaf acacia. Direct spray on insects by holding the container 12 to 18 inches from the infested plants. Spray in short burst of 1 to 3 seconds or spray at the rate of one linear foot of growth per second. Direct spray to all sides, covering foliage until slightly moist. Avoid heavy wetting. Repeat applications as necessary. USE WITH CAUTION on the foliage of Flowering Quince, Juniper, Cypress, Mulberry, Ash, Coleoneaster, Rose, Camellia, Azalea, Pyracantha & Caenothus, as certain varieties have shown some leaf browning.

STORAGE AND DISPOSAL

Do not store near heat or open flame. Do not reuse empty container. Wrap container & put in trash collection. Never throw container into fire or incinerator. WARNING: This product contains chemical(s) known to the State of California to cause birth defects or other reproductive harm.

CONTAINS (CAS#): Water (7732-18-5), Propane-isobutane (68476-85-7), Resmethrin (10453-86-8), Polyglycerol (9007-48-1), Fragrance Oil (N/A). HAZARD Ratings: Health - 2, Flammability - 1, Reactivity - 1, Personal - A.

For MSDS or additional product information:
www.questchemicalcorp.com

ITEM 451

44446-8

08/20/2003

1/1