

411146-14

F11 15

11/2/13

181

**PRECAUTIONARY STATEMENTS
HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. May be absorbed through the skin. Do not breathe spray mist. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling & before eating or smoking. Avoid contamination of food & feed. For spot treatment only. Do not use as a space spray.

**PHYSICAL OR CHEMICAL HAZARDS
Do not use or store near heat or open flame.
DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. **PESTICIDE DISPOSAL:** Pesticide spray mixture or residue that cannot be used or chemically processed should be disposed of in a landfill approved for pesticide or buried in a safe place away from water supplies. **CONTAINER DISPOSAL:** Triple rinse, or equivalent & offer for recycling, reconditioning or disposal in approved landfill, or bury in a safe place. **GENERAL:** Consult Federal, State or Local disposal authorities for approved alternative procedures. **NOTE:** RESIDUAL INSECTICIDE #2 is not recommended for use in conduits, motor housing, junction or switch boxes because of shock hazard. **NON-FOOD AREAS:** Includes garbage rooms, lavatories, floor drains (in sewer lines), restrooms & vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets & storage (after canning or bottling).

DIRECTIONS FOR USE (continued)

Apply 1/2% Diazinon as a coarse spray or apply with a paint brush to baseboard areas, around water pipes, surfaces behind & beneath sinks, lockers, stables, pallets & similar areas where insects hide or through which they may enter. **NOTE:** The solvent used in this formulation is a petroleum distillate which may stain certain plastic, rubber & asphalt materials such as tiles & floor coverings. Do not treat such materials. When used in dwellings, care should be taken to avoid deposits which could be frequently contacted by children. Do not allow children in treated areas until surfaces are dry. Do not contaminate food, food containers, or cooking utensils. **COCKROACHES (Waterbugs), ANTS, & SILVERFISH:** Make spot applications of 1/2% Diazinon as a coarse spray or apply with a paint brush to baseboards, areas around water pipes, cracks & crevices, surfaces behind & beneath cabinets, refrigerators, sinks, stoves, & similar areas where these insects hide. **CARPET BEETLES:** Apply a 1/2% Diazinon spray in spot application along baseboards & edges of carpeting under carpeting & rugs & furniture, in closets & on shelving, & wherever these insects are seen or suspected. **SPIDERS & SCORPIONS:** Apply a 1/2% Diazinon spray around windows, doors, & along baseboards. Make spot applications to other areas over which these pests may crawl. **PANTRY PESTS—EXPOSED STAGES (Saw-Toothed Grain Beetles, Flour Beetles, Rice Weevil, Cigarette Beetle, Longhorn Beetle, Indian Meal Moth):** Apply a 1/2% Diazinon spray to shelves & cupboards where food containers suspected of being infested are stored. Remove all food & shelving paper before spraying. Do not replace the food packages until spray has dried. Cover shelves with shelving paper. This treatment is supplemental to good housekeeping, since it will have no effect on insects breeding within food packages. Infested food packages should be destroyed. **BROWN DOG TICKS IN BUILDINGS:** Make thorough application of a 1/2% Diazinon spray to infested areas around baseboards, windows & door frames, wall cracks, sleeping quarters of household pets, & localized areas of floors & floor covering. Fresh bedding should be replaced in animal quarters following treatment. Do not treat animals with this formulation.

1-EM 488

RID OF

RESIDUAL INSECTICIDE SPRAY

(Contains 0.5% Diazinon)
FOR INDOOR USE ONLY

FOR USE IN: Homes, Hotels, Motels, Offices, Warehouses, Institutions, Restaurants, Industrial Plants

ACTIVE INGREDIENTS

O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate

INERT INGREDIENTS

Diazinon registered trademark of Ciba Geigy Corporation

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Additional Precautionary Statements On Back Panel

STATEMENT OF PRACTICAL TREATMENT*

IF SWALLOWED: Call a physician immediately. If gastric lavage is deemed appropriate, do not take if material was taken internally. Do not induce vomiting unless no other treatment is available. Vomiting may cause aspiration pneumonia. If necessary, induce vomiting give 1 or 2 glasses of water & insert finger in back of throat. Repeat until vomit fluid is clear. **IF INHALED:** Remove victim to fresh air & apply respiration of indicated. **IF ON SKIN:** Wash promptly with soap & water. Rinse thoroughly. **IF IN EYES:** Rinse eyes for at least 15 minutes with water & call a physician immediately. **NOTE TO PHYSICIAN:** 2-PAM is antidote & may be administered in conjunction with Atropine Sulfate.

EPA Reg. No. 44446-14

LPA EST 44446-TX-1

NET CONTENTS: 1 QUART

Manufactured By **QUEST** Chemical Corporation
Houston, Texas 77041



Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.