

Manufactured By
Owens Chemical Corporation
Houston, Tx. 77041

RID OF

**RESIDUAL INSECTICIDE SPRAY
PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed, inhaled or absorbed through skin. Do not breathe spray mist. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling & before eating or smoking. May cause contact sensitization following repeated contact with skin in susceptible individuals. Avoid repeated contact with skin if sensitization reactions result, contact a physician. Avoid contamination of food & feed. For spot treatment only. Do not use as a space spray.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. **PESTICIDE DISPOSAL:** Pesticide, spray mixture or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides, or buried in a safe place away from water supplies. **CONTAINER DISPOSAL:** Triple rinse, or equivalent & offer for recycling, reconditioning or disposal in approved landfill, or bury in a safe place. **GENERAL:** Consult Federal, State or Local disposal authorities for appropriate disposal procedures. **NOTE:** RID OF is not recommended for use in conduits, motor housing, junction or switch boxes because of shock hazard.

DIRECTIONS

It is a violation of Federal Law to use this product in any manner inconsistent with its labeling.

USE DIRECTIONS: Not for use in USDA meat and poultry plants. Do not use in the food/feed areas of food/feed processing plants, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. In the home cover or remove all exposed food.

Commercial food/feed areas where the product cannot be used include areas for receiving, serving, storage (dry, cold frozen, raw), packaging (cleaning, slicing, cooking, grinding), edible waste storage, enclosed processing systems (mills, driers, edible oils, syrups).

Commercial non-food/feed areas where the product can be used are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets & storage (after canning or bottling).

Do not use this product indoors as an overall surface spray or as a space spray. Take care not to introduce this product into the air during application. Use only in well ventilated areas. If clothing is sprayed during application, remove clothing immediately after spraying and launder before wearing again. Do not apply this product in occupied patient rooms or in any room while occupied by the elderly or infirm. Do not apply to classrooms when in use. Do not apply where children are likely to frequently contact treated surfaces. Do not treat pets or plants with this product. Remove pets and cover fish bowls before spraying. Do not apply when other persons are in the immediate area. Do not allow children or pets in treated areas until spray has dried.

Apply RID OF as a coarse spray to baseboard areas, around water pipes, surfaces behind & beneath sinks, lockers, tables, pallets & similar areas where insects hide or through which they may enter.

NOTE: The solvent used in this formulation is a petroleum distillate which may stain certain plastic, rubber, & asphalt materials such as tile & floor coverings. Do not treat such materials.

COCKROACHES (Waterbugs), ANTS, & SILVERFISH: Make spot applications of RID OF as a coarse spray to baseboards, areas around water pipes, cracks & crevices, surfaces behind & beneath cabinets, refrigerators, sinks, stoves etc. Do not spray inside cabinets where food is stored. Discard infested food packages. Do not spray across top of stove or near pilot lights. Do not use in conduits, motor housings, or electrical switch boxes. **CARPET BEETLES:** Apply RID OF spray in spot application along baseboards & edges of carpeting, under carpeting & rugs & furniture, in closets & on shelving, & wherever these insects are seen or suspected. **SPIDERS & SCORPIONS:** Apply RID OF spray around windows, doors, & along baseboards. Make spot applications to other areas over which these pests may crawl. **PANTRY PESTS—EXPOSED STAGES:** (Saw-Toothed Grain Beetles, Flour Beetles, Rice Weevil, Cigarette Beetle, Drugstore Beetle, Indian-Meal Moth): Apply RID OF spray to shelves & cupboards where food containers suspected of being infested are stored. Remove all food & shelving paper before spraying. Do not replace the food packages until spray has dried. Cover shelves with shelving paper. This treatment is supplemental to good housekeeping, since it will have no effect on insects breeding within food packages. Infested food packages should be destroyed. **BROWN DOG TICKS IN BUILDINGS:** Make thorough applications of a RID OF spray to infested areas around baseboards, windows & door frames, wall cracks, sleeping quarters of household pets, & localized areas of floor & floor covering. Fresh bedding should be placed in animal quarters following treatment. Do not treat animals with this formulation.

ITEM 468

RESIDUAL INSECTICIDE SPRAY (Contains 0.5% Diazinon)

FOR INDOOR USE ONLY

FOR USE IN: Home Offices and the Non-Food/Feed Areas of Hotels, Motels, Warehouses, Institutions, Restaurants and Industrial Plants

ACTIVE INGREDIENTS:

O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate 0.50%
INERT INGREDIENTS 99.50%

*Diazinon registered trademark of Ciba-Geigy Corporation


CAUTION:
KEEP OUT OF REACH OF CHILDREN
See Additional Precautionary Statements On Back Panel

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician immediately. If gastric lavage is deemed necessary, undertake if material was taken internally. Do not induce vomiting unless no other treatment is available. Vomiting may cause aspiration pneumonia. If necessary to induce vomiting, give 1 or 2 glasses of water & insert finger in back of throat. Repeat until vomit fluid is clear. **IF INHALED:** Remove victim to fresh air & apply respiration of indicated. **IF ON SKIN:** Wash promptly with soap & water. Rinse thoroughly. **IF IN EYES:** Flush with plenty of water. Call a physician if irritation persists. **NOTE TO PHYSICIAN:** This product contains an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal & may be administered but only in conjunction with atropine. This product contains petroleum distillate solvent which may present an aspiration hazard. Gastric lavage may be indicated if product was taken internally.

EPA Reg. No: 44446-14

EPA Est. NO: 44446-TX-1



BEST AVAILABLE COPY