

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. Avoid contact with eyes, skin and clothing. Avoid breathing vapors or spray mist. Keep away from food, feedstuffs and domestic water supplies. Wash thoroughly after handling. If swallowed, do not induce vomiting. Call a physician immediately.

Do not allow children or pets to contact treated surfaces until spray has dried.

Do not spray air in rooms or use on plants. Apply as a surface spray only as specified on this label.

Thoroughly wash dishes and food handling utensils if contaminated with this product.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician immediately. If gastric lavage is deemed necessary, undertake if material was taken internally. Do not induce vomiting unless no other treatment is available. Vomiting may cause aspiration pneumonia. If necessary to induce vomiting, give 1 or 2 glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Contains a cholinesterase inhibitor. Atropine Sulfate is antidotal.

IF INHALED: Remove victim to fresh air and apply respiration if indicated.

IF ON SKIN: Wash promptly with soap and water. Rinse thoroughly.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE Do not smoke while using. Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill or by other approved State and local procedures.

**HAWK
STAKILL RTU
w/DURSBAN*****



Provides Flushing Action and Fast Knockdown.

Controls cockroaches, ants, silverfish, spiders, crickets, earwigs and brown dog ticks and fleas.

Use in and around homes, apartments, garages, similar residential structures, institutions, restaurants and food processing plants.

Use outdoors as an aid in reducing annoyance from flies and mosquitoes entering the home.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

ACTIVE INGREDIENTS

Pyrethrins	0.052%
* Piperonyl butoxide, technical	0.260%
** Chlorpyrifos (0, 0-diethyl 0-(3, 5, 6-trichloro-2-pyridyl) phosphorothioate)	0.500%
Petroleum distillate	98.736%

INERT INGREDIENTS 0.452%

- * Equivalent to 0.208% (butylcarbityl)(6-propylpiperonyl) ether and 0.052% related compounds
- ** U.S. Patent No. 3,244,586
- *** DURSBAN - Trademark of The Dow Chemical Company

KEEP OUT OF REACH OF CHILDREN

CAUTION

Harmful or fatal if swallowed

Read Side Panel For Additional Precautionary Statements

44446-18

Manufactured By

HAWK SALES
HOUSTON, TX. 77090

NET CONTENTS - GALLONS

EPA Reg No. 44446-18

EPA Est. 44446-TX-1

DIRECTIONS

For use in garages, entries and vestibules, boiler rooms, gas bottling) Apply behind and beneath where insects find treatment as required. **BROWN DOG TICK** treatment to infest nearby cracks and door frames where these insects placed in animals with this product prior to reentry.

FLIES AND MOSQUITOES outside surfaces where these pests and localized restrooms and in garages and mosquitoes. Repeat treatment.

COCKROACHES, FISH, SPIDERS and crickets in stream of insect construction, between voids and hollow conduits, motor application de-allow time for on switches in "ON" position the product onto the air. Avoid contact.

FOOD AREAS - CREVICE TREATMENT storage, packing, edible waste storage, dairies, edible containers exposed and facing **SERVING AREAS** dining rooms, but or held, apply as baseboards, under crevices. Avoid treatment. (Do not apply where

HAWK STAKILL RTU w/DURSBAN***



PESTS DOMESTIC ANIMALS

Wash skin and clothing
away from food.
Wash thoroughly after
use. Call a physician
if treated surfaces until
safe as a surface spray
on utensils if contami-

Provides Flushing Action and Fast Knockdown
Controls cockroaches, ants, silverfish, spiders, crickets, earwigs and brown
dog ticks and fleas.
Use in and around homes, apartments, garages, similar residential
structures, institutions, restaurants and food processing plants.
Use outdoors as an aid in reducing annoyance from flies and mosquitoes
entering the home.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD
HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND
CREVICE TREATMENT ARE NOT PERMITTED.

ACTIVE INGREDIENTS

Pyrethrins	0.052%
* Piperonyl butoxide, technical	0.260%
** Chlorpyrifos (0, 0-diethyl 0-(3, 5, 6- trichloro-2-pyridyl) phosphorothioate)	0.500%
Petroleum distillate	98.736%
INERT INGREDIENTS	0.452%

- * Equivalent to 0.208% (butylcarbityl)(6-propylpiperonyl) ether and 0.052% related compounds.
- ** U.S. Patent No. 3,244,586
- *** DURSBAN - Trademark of The Dow Chemical Company

KEEP OUT OF REACH OF CHILDREN

CAUTION

Harmful or fatal if swallowed

Read Side Panel For Additional Precautionary Statements
44446-18

Manufactured By
**HAWK SALES
HOUSTON, TX. 77090**

NET CONTENTS GALLONS

EPA Reg No. 44446-18

EPA Est. 44446-TX-1

DIRECTIONS FOR HOUSEHOLD AND OUTDOOR USE IN NON-FOOD AREAS

Apply to garbage rooms, lavatories, floor drains (to sewers),
bathrooms and vestibules, offices, locker rooms, machine rooms,
bullet rooms, garages, mop closets and storage (after canning or
bottling). Apply to baseboard areas, around water pipes, surfaces
behind and beneath sinks, lockers, tables, pallets and similar areas
where insects hide or through which they may enter. Repeat
treatment as required.

BROWN DOG TICKS AND FLEAS. Apply thoroughly as a spot
treatment to infested areas such as pet beds and resting quarters,
nearby cracks and crevices along and behind baseboards, window
and door frames and localized areas of floor and floor covering
where these insects may be present. Fresh bedding should be
placed in animal quarters following treatment. Do not spray pets
with this product. Treat pets with registered flea control product
prior to reentry.

FLIES AND MOSQUITOES. Use only on outdoor surfaces. Spray
outside surfaces of windows and door frames and other areas
where these pests may enter the home. Also spray dark corners
and localized resting areas such as under eaves, porches, parti-
tions and in garages where these insects may congregate. Flies
and mosquitoes coming to rest on treated surfaces will be killed.
Repeat treatment when effectiveness diminishes.

**COCKROACHES, ANTS, EARWIGS, WATERBUGS, SILVER-
FISH, SPIDERS and CRICKETS:** Apply in small amounts directly
into cracks and crevices using equipment capable of delivering a
pin stream of insecticide, in points between different elements of
construction, between equipment and floors, openings leading to
voids and hollow spaces in walls, equipment legs and bases, in
conduits, motor housing, junction or switch boxes. Prior to
application de-energize electrical equipment. After application
allow time for oil to evaporate before starting motors or placing
switches in "ON" position. Care should be taken to avoid depositing
the product onto exposed surfaces or introducing the material into
the air. Avoid contamination of food or food processing surfaces.

**FOOD AREAS - APPLICATION LIMITED TO CRACKS AND
CREVICE TREATMENT ONLY:** Includes areas for receiving,
storage, packing (canning, bottling, wrapping, boxing) preparing,
edible waste storage and enclosed processing systems (mills,
dairies, edible oils, syrups) and serving areas (when food is
exposed and facility is in operation).

SERVING AREAS: Facilities where foods are served such as
dining rooms, but excluding areas where foods may be prepared
or held, apply as a spot treatment to selective surfaces, such as
baseboards, under elements or construction and into cracks and
crevices. Avoid treating surfaces likely to be contacted by food.
(Do not apply when facility is in operation or foods are exposed.)

TREATMENT

If gastric lavage is
taken internally. Do
not use if available.
Necessary to induce
emesis. Insert finger in back of
throat to induce vomiting.
Apply respiration if
necessary. Rinse
with water. Get medical atten-

PRECAUTIONS

Protect wildlife. Do not
use on water by cleaning

APPLICATION

Use in a manner
that does not contaminate

DISPOSAL

Wash container or disposal,
rinse thoroughly. Rinse
water must be disposed
of under the
applicable regulations.
Offer for collection in
a sanitary landfill.