

44446-18 1/2

IENTS  
STIC ANIMALS

s, skin and clothing  
p away from food.  
sh thoroughly after  
ng Call a physician

eated surfaces until  
ly as a surface spray

utensils if contami-

REATMENT  
ly If gastric lavage is  
aken internally Do  
tment is available  
necessary to induce  
ert finger in back of  
ains a cholinesterase

I apply respiration if  
o and water Rinse  
with water and call a

RDS  
wildlife Do not apply  
r by cleaning

HAZARDS  
Do not use pour  
llame

roduct in a manner

AL  
orage or disposal

iture or rnsate that  
s must be disposed  
cedures under the

quivalent) and offer  
in a sanitary landfill  
res

# STAKILL RESIDUAL INSECTICIDE SPRAY w/DURSBAN\*\*\* USDA ACCEPTED

Provides Flushing Action and Fast Knockdown  
Controls cockroaches, ants, silverfish, spiders, crickets, earwigs and brown dog ticks and fleas.  
Use in and around homes, apartments, garages, similar residential structures, institutions, restaurants and food processing plants.  
Use outdoors as an aid in reducing annoyance from flies and mosquitoes entering the home

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

ACTIVE INGREDIENTS

|   |         |
|---|---------|
| Pyrethrins . . . . .  | 0.052%  |
| * Piperonyl butoxide, technical . . . . .   | 0.260%  |
| ** Chlorpyrifos (0, 0-diethyl 0-(3, 5, 6-trichloro-2-pyridyl) phosphorothioate) . . . . . | 0.500%  |
| Petroleum distillate . . . . .  | 98.736% |
| INERT INGREDIENTS . . . . .   | 0.452%  |

- \* Equivalent to 0.208% (butylcarbityl)(6-propylpiperonyl) ether and 0.052% related compounds
- \*\* U.S. Patent No. 3,244,586
- \*\*\* DURSBAN - Trademark of The Dow Chemical Company

KEEP OUT OF REACH OF CHILDREN

CAUTION

Harmful or fatal if swallowed

Read Side Panel For Additional Precautionary Statements

Manufactured By



QUEST CHEMICAL CORPORATION  
1502 SOMMERSETT  
HOUSTON, TEXAS 77041

NET CONTENTS GALLON

EPA Reg. No. 44446-18

EPA Est. 44446-TX-1

Item No. 469

## DIRECTIONS FOR HOUSEHOLD AND OUTDOOR USE IN NON-FOOD AREAS

For use in garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter. Repeat treatment as required.


**BROWN DOG TICKS AND FLEAS:** Apply thoroughly as a spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices along and behind baseboards, window and door frames and localized areas of floor and floor covering where these insects may be present. Fresh bedding should be placed in animal quarters following treatment. Do not spray pets with this product. Treat pets with registered flea control product prior to reentry.

**FLIES AND MOSQUITOES:** Use only on outdoor surfaces. Spray outside surfaces of windows and door frames and other areas where these pests may enter the home. Also spray dark corners and localized resting areas, such as under eaves, porches, partitions and in garages where these insects may congregate. Flies and mosquitoes coming to rest on treated surfaces will be killed. Repeat treatment when effectiveness diminishes.

**COCKROACHES, ANTS, EARWIGS, WATERBUGS, SILVER-FISH, SPIDERS AND CRICKETS:** Apply in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream of insecticide, in joints between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, in conduits, motor housing, junction or switch boxes. Prior to application de-energize electrical equipment. After application allow time for oil to evaporate before starting motors or placing switches in "ON" position. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

**FOOD AREAS APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY:** Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing) preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups) and serving areas (when food is exposed and facility is in operation).

**SERVING AREAS:** Facilities where foods are served such as dining rooms, but excluding areas where foods may be prepared or held, apply as a spot treatment to selective surfaces, such as baseboards, under elements or construction and into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed.)



BEST AVAILABLE COPY

**BEST AVAILABLE COPY**

44446-18 2.2

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

Harmful if swallowed. Avoid contact with eyes, skin and clothing. Avoid breathing vapors or spray mist. Keep away from food, feedstuffs and domestic water supplies. Wash thoroughly after handling. If swallowed, do not induce vomiting. Call a physician immediately.

Do not allow children or pets to contact treated surfaces until spray has dried.

Do not spray air in rooms or use on plants. Apply as a surface spray only as specified on this label.

Thoroughly wash dishes and food handling utensils if contaminated with this product.

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED:** Call a physician immediately. If gastric lavage is deemed necessary, undertake if material was taken internally. Do not induce vomiting unless no other treatment is available. Vomiting may cause aspiration pneumonia. If necessary to induce vomiting, give 1 or 2 glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Contains a cholinesterase inhibitor. Atropine Sulfate is antidotal.

**IF INHALED:** Remove victim to fresh air and apply respiration if indicated.

**IF ON SKIN:** Wash promptly with soap and water. Rinse thoroughly.

**IF IN EYES:** Rinse eyes for at least 15 minutes with water and call a physician immediately.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

**PHYSICAL OR CHEMICAL HAZARDS**

**COMBUSTIBLE:** Do not smoke while using. Do not use near open flame, spit or stove.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE DISPOSAL:** Pesticide spray mixture or residue that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill or by other approved State and local procedures.

**STAKILL  
RESIDUAL INSECTICIDE SPRAY**

**w/DURSBAN\*\*\*  
USDA ACCEPTED**

Provides Flushing Action and Fast Knockdown

Controls cockroaches, ants, silverfish, spiders, crickets, earwigs and brown dog ticks and fleas.

Use in and around homes, apartments, garages, similar residential structures, institutions, restaurants and food processing plants.

Use outdoors as an aid in reducing annoyance from flies and mosquitoes entering the home.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

**ACTIVE INGREDIENTS**

- Pyrethrins ..... 0.052%
- \* Piperonyl butoxide, technical ..... 0.260%
- \*\* Chlorpyrifos (0, 0-diethyl 0-(3, 5, 6-trichloro-2-pyridyl) phosphorothioate) ..... 0.500%
- Petroleum distillate ..... 98.736%

**INERT INGREDIENTS ..... 0.452%**

- \* Equivalent to 0.208% (butylcarbityl)(16-propylpiperonyl) ether and 0.052% related compounds
- \*\* U.S. Patent No. 3,244,586
- \*\*\* DURSBAN - Trademark of The Dow Chemical Company

KEEP OUT OF REACH OF CHILDREN

**CAUTION**

Harmful or fatal if swallowed

Read Side Panel For Additional Precautionary Statements

Manufactured By



QUEST CHEMICAL CORPORATION  
15102 SOMMERMEYER  
HOUSTON, TEXAS 77041

NET CONTENTS GALLON

EPA Reg. No. 44446 18

EPA Est. 44446 TX 1

**DIRECTIONS FOR USE**

For use in garbage entries and vestibules, boiler rooms, garbage bottling. Apply to baseboards, under electrical outlets, behind and beneath wall coverings where insects hide. Repeat treatment as required. **BROWN DOG TICKS:** Apply treatment to infested quarters, nearby baseboards, window sills, floor and floor coverings. Fresh bedding should be changed. Do not use in areas where registered flea control is used.

**FLIES AND MOSQUITOES:** Apply to outside surfaces of buildings where these pests may enter and localized resting places and in garages and basements. Repeat treatment when necessary. **COCKROACHES, ANTSPIDERS AND SILVERFISH:** Apply into cracks and crevices, under baseboards, pin stream of insecticide into construction, between studs, voids and hollow spaces, under conduits, motor housings. Allow time for oil to penetrate. Turn switches in "ON" position. Do not use the product onto exposed surfaces. Avoid contact with food.

**FOOD AREAS - APPLIANCES:** Apply to storage, packing (cardboard), edible waste storage, dairies, edible oils, exposed and facility serving areas, dining rooms, but exterior surfaces. Do not apply to baseboards, under electrical outlets, or in crevices. Avoid treatment of food. (Do not apply when food is present.)

**ACCEPTED**  
APR 12 1984  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 44446-18