

FOR THE NATIONAL BURN CENTER
HASTINGS, MINN. 55113
CAUTION

STATEMENT OF PRAT & TREATMENT

PHYSICAL OR CHEMICAL HAZARDS

DIRECTIONS FOR USE

STORAGE & DISPOSAL

CLINE-BUCKNER INC.



CLINE-BUCKNER

PURGE

wasp & hornet

pesticide

KILLS WASPS, HORNETS,
YELLOW JACKETS
AND BEES IN BUILDINGS


FOR USE IN
BUILDINGS
AND
OUTDOOR AREAS
WHERE
WASPS, HORNETS,
YELLOW JACKETS
AND BEES ARE
A PROBLEM

CAUTION

KEEP OUT OF REACH OF CHILDREN

For more information, contact your local health department.
See label for first aid instructions.





BEST DOCUMENT AVAILABLE

**BULLSEYE
WASP & HORNET SPRAY
DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For control of yellow jackets, wasps, hornets and bees: Application should be made in late evening when insects are at rest. Remove protective cap. Point spout-type nozzle toward nest, crevice or hole where infestation or insects are known to be inside. Press center of valve top all the way down and spray area until saturated with insecticide. User should always use this product with the wind at the user's back. To prevent insects from falling on skin and clothing, do not stand directly under nest.

Use only out of doors.

This product will provide residual control of insects which return to the nest for up to 24 hours.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
CAUTION**

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Contact with skin, eyes, or clothing should be avoided. In case of contact, wash immediately with soap and water. Wash thoroughly after using. Avoid contamination of feed and foodstuffs. Atropine Sulfate is antidotal.

STATEMENT OF PRACTICAL TREATMENT

If inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

If on the skin: Remove contaminated clothing and wash affected areas with soap and water.

If in eyes: Flush eyes with plenty of water. Call a physician immediately.

PHYSICAL & CHEMICAL HAZARDS

Contents under pressure. Do not use near fire, sparks, or flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

EPA Reg. No. 44446-20

EPA Est. No. 44446-TX-2

ITEM 446

BULLSEYE

Wasp & Hornet Spray

**Jet Stream Action
Kills: Wasps, Hornets, Yellow
Jackets & Bees
Non-Conducting-29,000 Volt Dielectric
Residual Killing Action**

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

**See Additional Precautionary Statements
on Back Panel**

ACTIVE INGREDIENTS:
O-isopropoxyphenyl methylcarbamate 0.50%
Pyrethrin 0.10%
Technical Piperonyl Butoxide 0.20%
(Consists of 0.180% (butyl carbityl) (6-propylpiperonyl)
ether & 0.040% related compounds)
N-Octyl bicycloheptene dicarboximide 0.33%
INERT INGREDIENTS 98.87%

NET WT. 14 OZ.


Manufactured By

QUEST Chemical Corporation
15102 Sommermeyer
Houston, Texas 77041


1041

**DANGER - POISON - PRECAUTIONS**

CROP	INSECT	RATE RECOMMENDED PER ACRE	APPLICATION DIRECTIONS AND LIMITATIONS
Beans (Dry, green)	Aphids Armyworms (up to third instar) Flea Beetles Leafhoppers Lygus bug Mites	1-1/3 pints	Do not apply within 21 days of harvest.
Beans (Dry, green)	Darting Ground Beetle Mexican Bean Beetle Peanut Aphid Soybean Leafminer Soybean Webworm Thrips Tomato Fruitworm Two-Spotted Mite	1-1/3 pints	
Soybeans	Chinching Caterpillars	3/4 pint	Use restricted to the southeast.
	Stinkbugs Velvetbean Caterpillar	1 pint	Do not make more than 2 applications during the growing season.
	Aphids Blister Beetle Cotton Bollworm Garden Webworm Mexican Bean Beetle Three Corned Alfalfa Hopper Two-spotted Spider Mite	1-3/8 pints	Do not harvest or graze or feed forage from treated fields to livestock within 21 days after the last application.
	Cabbage Looper Corn Earworm Green Caterpillars	2 pints	
	Fall Armyworm (up to third instar)	2-2/3 pints	
Tomatoes	Potato Aphid Soybean Leafminer Southern Armyworm Tomato Fruitworm	1-1/3 to 1-1/2 pints	Do not apply within 21 days of harvest.
	Mites Phytophthora Russet Mite Sugar Beet Armyworm Thrips Two-spotted Mite Yellow Striped Armyworm	2-2/3 pints	
	Flea Beetle Cabbage Looper	2-2/3 pints	



POISONOUS IF SWALLOWED—This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT—Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



POISONOUS IF BREATHED—Breathing vapors spray mist or dust may be fatal.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS



DANGER

Poisonous if swallowed, inhaled or absorbed through the skin. Rapidly absorbed through the skin or eyes.

Do not get in eyes, on skin or on clothing. Do not breathe the spray mist or vapor. Repeated inhalation or skin contact may, without symptoms, progressively increase susceptibility to poisoning.

Clothing wet with this material must be removed immediately.

Exposed persons must receive prompt medical attention or they may die.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

Wear clean, heavy duty, natural rubber gloves, waterproof pants, coat, hat, rubber boots or rubber overshoes and safety goggles when handling, mixing or applying this product. Wear a pesticide respirator (jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR PART II).

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to a Methyl Parathion-EPN combination and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF
SUSPECTED POISONING.

FIRST AID PROCEDURES, ANTIDOTES AND
PHYSICIAN'S INSTRUCTIONS.

POISON SIGNS (Symptoms)

WARNING SYMPTOMS include weakness, headache, tightness in the chest, labored respiration, blurred vision, nausea, abdominal cramps, diarrhea, sweating, vomiting, salivation and reactive pinpoint pupils.

FIRST AID TREATMENT

IF SWALLOWED—Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

INHALATION—Remove victim from contaminated atmosphere.

SKIN—In case of contact, immediately remove patient from the vicinity of insecticide. Remove contaminated clothing and immediately wash skin thoroughly with soap and water.

EYES—In case of contact, immediately remove victim from the vicinity of the pesticide. Flush eyes immediately with water for at least 15 minutes.

IF WARNING SYMPTOMS (See Above) OCCUR—

Keep victim prone and quiet. Start artificial respiration if victim is not breathing. Transport victim to nearest hospital immediately.

ANTIDOTE: ATROPINE is the specific antidote for Methyl parathion poisoning. Obtain emergency supply of atropine 1/100 grain tablets from your physician. Keep on hand.

INFORMATION FOR PHYSICIAN

Give 2 to 4 mg (1/30 to 1/15 grain) of atropine, immediately, preferably by intravenous injection, and repeat at 5 to 10 minute intervals until signs of atropinization appear (dry, flushed skin, dilated pupils, rapid pulse). Maintain full atropinization and give 1 mg (adult dosage) Protopon (2-PAM) intravenously, slowly, to restore normal erythrocyte cholinesterase levels. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Methyl Parathion and EPN are strong cholinesterase inhibitors.

(continued on right panel)

MARK RECOMMENDATIONS FOR CATION

This product may be tank mixed with Galenon 4E*, Fundal 4EC*, Fundal 4SP*, Lannate*, Lannate L*, Mudin 1 B* or Mudin 90*. When using these products in a tank mix observe all limitations and precautions which appear on the labels. Use the rate recommendations and application timings for the insect pest that is to be controlled as stated on these labels.

*Galenon 4E is a trademark of the Ciba-Gieley Corp.

*Fundal 4E and Fundal 4SP are trademarks of Schering A.E. Corp. Bismarck and distributed by NOR-AM Agricultural Products, Inc.

*Lannate and Lannate L are trademarks of E.I. DuPont de Nemours & Co., Inc.

*Mudin 1 B and Mudin 90 are trademarks of Shell Chemical Company.

NOTICE: Because Air-Chem Inc. has no control over storage, handling, and conditions of use, which are of critical importance, Air-Chem Inc. makes no representation or warranty either express or implied, for results or residues greater than any tolerance which may be established by appropriate governmental agencies, due to misuse, improper handling or storage of this material. Nor does Air-Chem Inc. assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of this material.

ACCEPTED

FEB 4 1962

U.S. DEPT. OF AGRICULTURE
NATIONAL ANIMAL
INDUSTRY BOARD