BEST AVAILABLE COPY

RIGHTSIDE UP

BUG BAN PLUS
DOUBLE STRENGTH INSECT REPELLENT
PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed May cause eye irritation Avoid contact with eyes, lips or open cuts. Do not expose treated skin or clothing to fire, sparks or flame until liquid has evaporated. Do not allow children to rub eves if hands have been treated.

PHYSICAL HAZARDS EXTREMELY FLAMMABLE: Contents under pressure. Do not use near fire, heated surface, sparks, or flame. Do not puncture or incinerate container. Expo e to temperatures above 130° F. may cause bursting. . . ly damage some plastics, varnished or painted surfaces. May be used on Nylon, Orlon, Wool or Cotton, DO NOT USE on Rayon, Spandex or Dynet

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Remove protective cap, and spray from a distance of 8-12 inches from surface to be protected. Slightly moisten surfacesaturation is not necessary. Use slow sweeping motion. FOR EXPOSED SKIN AREAS, to repet files, grats and mosquitoes use as directed above. AVOID CONTACT WITH EYES OR MOUTH. For treating face, spray in palm of hand, rub palms together and rub on face FOR CLOTHING, to repet ticks, fleas and chipgers (see CAUTION) -- Make liberal application along all openings of clothing, such as inside the neck band, the fly and cuffs of trousers, tops of socks, eyelets of shoes and areas of clothing which may contact the ground, weeds or other

growth. Avoid contact with plastics, such as eyeglass frames, and such fabric as acetate rayon.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry area away from heat or open flame. DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. Do not inclinerate or

EPA Red. No: #4446-46 EPA Est. No: 44446-TX-2

ITEM 458

BUG BAN PLUS

Double Strength Insect Repellent

Repels Mesquitoes, Biting Files Chines S.,
Ticks & other Flying Insects, Sicipality Ress
on exposed skin surrects

APR

N. N. diethyt in-toluamide.

Other isomers.

*N-Octyl Bicycloheptene Dicarboximide.

*Din-propyl isocinchomeronate.

INERT INGREDIEMTS. musical synergist in the property of the prope

STATEMENT OF PRACTICAL TREATMENT IF SWALLOWED Call a physician or Poison Control Center immediately IF IN EYES: Flush with plenty of water Get medical attention if trittation paralets.

NET WI 65 0Z

Manufactured By

QUEST Chemical Corporation Houston, Texas 77041

..... 225 The Federal Inserticite Act


OMPANY 1550 UMBE. 1550 RU. UCT

ABEL PPROVAL 4-11-C ATE

ERIAL NO

ELITE

SHARPENING CENTER, INC.
BARBER, BEAUTY, PET
EQUIPMENT, SUPPLIES, SALES & REPAIRS
1303 State Road 7 (441), Pompano Beach, Fig. 33063



OUST® HERBICIDE

EPA REG. NO. 352-401

FOR WEED CONTROL UNDER ASPHALT AND CONCRETE PAVEMENTS IN STATES OF MONTANA, WYOMING, COLORADO, NEW MEXICO, ARIZONA, UTAH, IDAHO, WASHINGTON, OREGON, NEVADA AND CALIFORNIA

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION

Du Pont "Oust" Herbicide is recommended for weed control under asphalt and concrete pavement to extend the useful life of the surfacing material by preventing weeds from emerging through it.

"Oust" should be used only where the area to be treated has been prepared according to good construction practices. If rhizomes, tubers or other vegetative parts are present in the site, they must be removed.

"Oust" will not control woody vegetation such as small trees, brush or woody vines. Roots of these species must be grubbed and removed from the site prior to application.

HOW TO USE

"Oust" may be applied to the ground before laying asphalt or concrete such as used on parking lots, highway shoulders, median strips, roadways and other industrial sites. "Oust" must be applied just prior to the asphalt or concrete coating to avoid possible lateral movement of the herbicide by rainfall or mechanical means.

"Oust" should be applied uniformly to the final grade of base rock or native soil just prior to the paving operations. Apply "Oust" at the rate of 10-12 ounces per acre. Use the higher rates for hard to control weeds and long term control. "Oust should be applied in sufficient water to insure uniform coverage. Continuous agitation is required to keep "Oust" in suspension

"Oust" is not recommended for use under pavement in residential properties such as driveways, or in recreational areas, jogging or bike paths, tennis courts, or golf cart paths.

Avoid drift of spray into planters or ornamental bedding areas in or adjacent to the treated area as injury may result. Injury of desirable plants may result if their roots extend into treated areas.

IMPORTANT

BEFORE USING "OUST", READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instruction6 for use of this product which may not appear on the package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

Liphon Money with

PER PRIKATES AND

012489

021191(replaces H-15727)

4 13 89

© 1991 E.I. DU PONT DE NEMOURS AND COMPANY, AGRICULTURAL PRODUCTS, WILMINGTON, DELAWARE

H - 32306

COMPANY 35/2 NUMBER 25/2

PRODUCT SERIAL NO.

LABEL APPROVAL4691
DATE