DEC 3 2003

Mitch Whitney Quest Chemical Corporation 12255 FM 529 Houston, TX 77041

Subject: Revised Label For:
Stomp Wasp & Hornet Spray
EPA Registration No. 44446-54
Application dated September 30, 2003

Dear Mr. Whitney:

The proposed amendment to the registration of the product cited above under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended revising the label in accordance with PR Notices 2001-1 and 2001-6 is acceptable subject to the comment listed below: A stamped copy of the draft label is enclosed for your records.

Since this product contains petroleum distillates, change the First Aid Statement for If Swallowed to read:

#### IF SWALLOWED:

\* Immediately call a poison control center or doctor.

\* Do not induce vomiting unless told to do so by a poison control center or doctor.

\* Do not give any liquid to the person.

\* Do not give anything by mouth to an unconscious person.

Submit two copies of the finished label before the product is released for shipment under this revised label.

Sincerely,

Linda Arrington

Acting Product Manager 10

Insecticide Branch

Registration Division (7505C)

# **STOMP**

## Wasp & Hornet Spray

Can Be Used Both Indoors and Outdoors on Hornet, Wasp and Yellow Jacket Nests Shoots a Stream 15-20 Feet Dielectric Strength 40,100 Volts Fast knockdown, shoots into nests, eaves and crevices For Indoor and Outdoor Use Dielectric Strength 40,100

#### **ACTIVE INGREDIENTS:**

EPA Reg. No. 44446-54

EPA Est. No. 44446-TX-1

### KEEP OUT OF REACH OF CHILDREN CAUTION:

See Additional Cautions on Back Panel.

NET WT. 12 OZ. (340 g)

Manufactured By



Houston, Texas 77041

ACCEPTED
with COMMENTS
In EPA Letter Dated:

DEC 3 2003

Under the Federal Insectivite, Fungicide, and Rodenticine Act, as amended, for the pesticide registered under EPA Reg. No.

#### STOMP WASP & HORNET SPRAY

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Do not breathe vapors or spray mist. Causes slight eye irritation. Do not get in eyes. Avoid contact with skin and clothing, Wash contaminated skin promptly with soap and warm water. Avoid contamination of feed and food stuffs.

Do not use in commercial food processing, preparation, food storage or serving areas. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Exposed food should be covered or removed.

Remove pets, birds, and cover fish aquariums before spraying.

#### **FIRST AID**

#### If Inhaled:

- · Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

#### if on skin or clothing:

- · Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- · Call a poison control center or doctor for treatment advice.

#### If in eyes:

- . Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

#### if swallowed:

- Call poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow
- Do not induce vorniting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish and other aquatic invertebrates. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

#### PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or inclinerate container. Exposure to temperatures above 130°F may cause bursting.

#### **DIRECTIONS FOR USE**


It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.


For Control of Homets, Wasps and Yellow Jackets: It is preferable to apply this product in the evening after all the insects have returned to the nest. Aim valve opening at the nest and depress button, continuing to spray until the nest is soaked with the spray. Repeat as necessary.

#### STORAGE AND DISPOSAL

STORAGE: Do not store near heat or open flame. CONTAINER DISPOSAL: Do not incinerate or puncturel IF EMPTY: Place in trash or offer for recycling if available. IF PARTLY FILLED: Call your local solid waste age: Lcy of 1-800-CLEANUP for disposal instructions.

CONTAINS (CAS#): Isoparaffinic Hydrocarbon (64742-47-8); Carbon Dioxide (124-38-9) [Isoparaffinic Hydrocarbon (64742-47-8), Petroleum Distillates (64741-44-2), 1,1,1,2-tetrafluoroethane (8 11-47-2)].





[ ] - Contains alternate text

ITEM 439