ACCEPTED

SEP 14 2001

Under the Federal Insecticide. Fungicide, and Rodenticide Act, as amended, for the pesticide registered under RPA Reg. No.

ON TIME - METERED INSECTICIDE PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Avoid direct breathing of vapors or spray mist. Avoid contact with skin and eyes.

In commercial food handling facilities, cover (or empty) any food and food processing equipment during application. Do not apply while food processing is under way. After application in food processing areas, all food processing surfaces should be thoroughly cleaned with an effective cleaning compound, followed by a potable water rinse, before using. Do not install directly over any food handling or dispensing area. Do not use in nurseries or rooms where infants, ill or aged persons are confined. Cover or remove fish bowls and aquariums when in

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. FIRST AID

IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting because of aspiration pneumonia hazard. IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before reuse. Wash skin with soap and warm water. Get medical attention if irritation persists. IF IN EYES: Hold eyes open and flush with plenty of water. Get medical attention if irritation persists. IF INHALED: Remove victim to fresh air and apply artificial respiration if indicated. DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

TO INSTALL: Use 12 feet or more from exposed foods. Install at a distance of seven (7) feet from the floor and where air currents will carry spray throughout room. One unit will treat up to 6,000 cubic feet of air space (a room 30 x 20 x 10) for 30 days, 24 hours a day

TO OPERATE: Remove protective cap and place can in dispenser. Turn on dispenser. The automatic dispenser will dispense 100 mg. of insecticide every 15 minutes. Its effectiveness will be noticeable one hour after activation.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Keep container closed. DISPOSAL: Replace cap and discard container in trash. Do not incinerate or puncture.

CONTAINS (CAS#): Propane-Isobutane (68476-85-7), Petroleum Distillate (8002-05-9), Insecticide Synergist (113-48-4), Piperonyl Butoxide (51-03-6), Pyrethrins (8003-34-7)

HMIS RATING: HEALTH-2, FLAMMABILITY-2, RE-ACTIVITY-1 PERSONAL-1

For MSDS or additional product information: www.questchemicalcorp.com

ITEM 432

ON TIME

Metered Insecticide

KILLS: FLIES, MOSQUITOES AND GNATS - This time released aerosol is to be used only in commercial food service and preparation areas of milk houses, hospitals, hotels, motels, factories, stores, ships, clubs, restaurants, schools.

ACITYE INGREDIENTS:	
Pyrethrins	0.90%
*Piperonyl butoxide, Technical **N-Octyl bicycloheptene dicarboximide	1.80%
**N-OctvI bicycloheptene dicarboximide	3.00%
***OTHER INGREDIENTS:	94.30%
*Equivalent to 1 44% (hutylearhity) (6 propylaineropyl)	100.00%

*Equivalent to 1.44% (butylcarbityl) (6-propylpiperonyl) ether and 0.36% related compounds.

**MGK® 264, Insecticide Synergist

***Contains petroleum distillate

PYROCIDE, MGK® - Registered trademarks of McLaughlin Gormley King Co.

EPA Reg. No. 44446-56

EPA Est. No. 44446-TX-1

KEEP OUT OF REACH OF CHILDREN **CAUTION:**

See Additional Precautionary Statements on Back Panel

NET WT. 6.5 OZ. (184 g)

Manufactured By: QLEST Chemical Corporation

Houston, Texas 77041