44 446 - 56



ON TIME

Metered Insecticide

KILLS: FLIES, MOSQUITOES AND GNATS — This time released aerosol is to be used only in commercial food service and preparation areas of milk houses, hospitals, hotels, motels, factories, stores, ships, clubs, restaurants, schools

ACTIVE INGREDIENTS:

Pyrethrins	0.90%
*Piperonyl butoxide, Technical	
**N-Octyl bicycloheptene dicarboximide	3.00%
***OTHER INGREDIENTS:	
	100 00%

- *Equivalent to 1.44% (butylcarbityl) (6-propylpiperonyl) ether and 0.36% related compounds.
- **MGK® 264, Insecticide Synergist
- ***Contains petroleum distillate

PYROCIDE, MGK® - Registered trademarks of McLaughlin Gormley King Co.

EPA Reg. No. 44446-56

EPA Est. No. 44446-TX-1

KEEP OUT OF REACH OF CHILDREN CAUTION:

See Additional Precautionary Statements on Back Panel

NET WT. 6.5 OZ. (184 g)

Manufactured By:
QUEST CHEMICAL CORPORATION
Houston, Texas 77041

ACCEPTED

FEB 2.6 For MSDS or additional product information:

Under the Federal Insecticide, Funglaide, and Rodenticide Act, as amended, for the pesticide Federal under

ITEM 432

2/26/2004

Pege 121

ON TIME – METERED INSECTICIDE PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Avoid direct breathing of vapors or spray mist. Avoid contact with skin and eyes. Do not use in nurseries or rooms where infants, the ill or aged persons are confined. In commercial food handling facilities, cover (or empty) any food and food processing equipment during application. Do not install directly above or within 12 feet of any food handling or food dispensing area. Metering devices must be timed not to dispense while food processing is underway. Foods must be removed or covered during treatment. All food processing surfaces must be covered during treatment or thoroughly washed with an effective cleaning compound followed by a potable water rinse before using. Do not install within three feet of air ducts.

Do not use in public places while customers or workers are present. Timers must be set to dispense only during non business hours.

Carefully follow directions for the dispenser unit when installing the dispenser and replacing cans or conducting maintenance.

Cover or remove fish bowls and aquariums when in use.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

FIRST AID

If Inhaled:

- · Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- · Call a poison control center or doctor for further treatment advice.

If on skin or clothing:

- . Take off contaminated clothing.
- · Rinse skin immediately with plenty of water for 15-20 minutes.
- . Call a poison control center or doctor for treatment advice.

If in eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- · Call a poison control center or doctor for treatment advice.

If swallowed:

- · Call poison control center or doctor immediately for treatment advice.
- · Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- · Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

TO INSTALL: Use 12 feet or more from exposed foods. Install at a distance of seven (7) feet from the floor and where air currents will carry spray throughout room. One unit will treat up to 6,000 cubic feet of air space (a room 30 x 20 x 10) for 30 days, 24 hours a day.

TO OPERATE: Remove protective cap and place can in dispenser. Turn on dispenser. The automatic dispenser will dispense 100 mg. of insecticide every 15 minutes, its effectiveness will be noticeable one hour after activation.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Keep container closed. DISPOSAL: Do Not Puncture or Incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

CONTAINS (CAS#): Propane/n-Butane (68476-86-8), isoparaffinic Hydrocarbon (64742-47-8), Insecticide Synergist (113-48-4), Pipe onyl Butoxide (51-03-6), Pyrethrins (8003-34-7).

HMIS RATING: HEALTH-2, FLAMMABILITY-2, REACTIVITY-1, PERSONAL-A