01-29-2019



44446-62

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mr. Mitch Whitney Product Registration Quest Chemical Corporation 12255 FM 529 Northwoods Industrial Park West Houston, TX 77041

JAN 29 2010

SUBJECT: Application for Pesticide Notification (PRN 98-10) Request General Label Change (Marketing Language) PA Reg. No. 44446-62 Application Dated December 22, 2009

 $(\overline{})$ 

Dear Registrant:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 12/22/09 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

			(				
Please read instructions on reverse before comple	ting form.			Form App	oroved. OMB No. 2070-006		
SEPA Environment Wat	\gency	An	gistration nendment her	OPP Identifier Number			
	Application f	or Pesticide	- Section I				
1. Company/Product Number 44446-62		2. EPA Prod George LaR	u <mark>ct Managa</mark> r locca	3. P	roposed Classification		
4. Company/Product (Name) Multi-Purpose Insect Spray		<b>PM#</b> 13	None Restricted				
5. Name and Address of Applicant <i>(Include ZIP</i> Quest Chemical Corporation 12255 FM 529 Houston, TX 77041	Code)	•	roduct is similar c	veiw. In accordance with FIFRA Section 3(c)(3) is similar or identical in composition and labeling			
Check if this is a new address		Product N	lame				
	\$	Section - II					
Amendment - Explain below.	Find Agr *M	al printed labels in r ency letter dated e Too" Application.					
X Notification - Explain below.		Oth	er - Explain below.	J	an 2 9 2010		
penalties under sections 12 and 14 of FIFRA	S	ection - III					
Material This Product Will Be Packaged In:  Child-Resistant Packaging  Unit Packaging	W	ater Soluble Packa		Type of Container			
Yes X No * Certification must be submitted	No. per If	Yes ( No "Yes" N	lo, per onteiner	X Metal Plastic Glass Paper	Specity)		
. Location of Net Contents Information	4. Size(s) Retail Co	l	5. Location	n of Label Directio	ons		
X Label Container	16, 20 oz aeros	sol cans	[x -]				
6. Manner in Which Label is Affixed to Product        x      Lithograph      X      Other      Silkscreen        Stenciled      Stenciled      Stenciled      Stenciled      Stenciled							
	Se	ection - IV					
. Contact Point (Complete items directly below	for identification of in	ndividual to be con	tacted, if necessar	y, to process this	application for		
<sup>ame</sup> Mitch Whitney	Title Vice	-President		Telephone No. (Include Aree Code) 713-896-818&ໍ້			
I certify that the statements I have made of a cknowledge that any knowlingily false of both under applicable law.					6. Date Application Resained c (Stamped)		
Signature	3. ти Vic	• e-Presider	ıt	οι <u>ο</u> ίο οιοιοι			
Typed Name	5. Dat	······································					

.

Yellow - Applicant Copy

2/4-



December 22, 2009

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504C) U.S. Environmental Protection Agency Room 266A, Crystal Mall 2 1921 Jefferson Davis Highway Arlington, VA 22202-4501

## FED EX: 8710 2439 0009

RE: EPA Reg. No. 44446-62 Multi-Purpose Insect Spray Notification per PR Notice 98-10

Enclosed you will find a Notification for the addition of several optional marketing language statements on the front panel for the above referenced product registration. The optional marketing language is enclosed within brackets [].

If you should need any further information, please don't hesitate to contact me via e-mail to mitchw@questchemicalcorp.com or at extension 123.

Sincerely,

# **QUEST CHEMICAL CORPORATION**

Mitch Whitney

MW/mac Enclosures

LLOCL



# **Multi-Purpose Insect Spray**

- CONTAINS THE SYNTHETIC PYRETHROID PERMANON ON ON ON CONTROLS NAMED RESIDENTIAL, INDUSTRIANS GARDEN
  INSECTS
  FOR USE ON DOGS AND ON PREMISES TO CONTROL & E2010
  AND TICKS
  AN AQUEOUS STABLE MICROFMULISION

AN AQUEOUS STABLE MICROEMULSION

- CONTROLS PESTS FOR UP TO FOUR WEEKS
- NOT FOR USE ON HUMANS
- FOR USE ON LIVESTOCK AND THEIR PREMISES
- · CONTROLS FLEAS AND TICKS ON DOGS FOR 14 DAYS
- I. CONTAINING MICROEMULSIFIED PERMETHRIN
- CONTROLS WHITEFLIES, APHIDS, RED SPIDER MITES ON ROSES, ORNAMENTALS, AND OTHER PLANTS
- CONTROLS COCKROACHES, MOSQUITOES, CRICKETS, SPI-DERS. SCORPIONS, AND MANY OTHER LISTED INSECTSI

#### ACTIVE INGREDIENT:

*Permethrin		 •••	 	 0.25%	,
OTHER ING	REDIENTS:	 	 	 99.75%	
				100.00%	

1(3-phenoxyphenyl)methyl (+/-) cis/trans 3-(2,2-dichloroethenyl)-2, 2-dimethylcyclopropanecarboxylate

(Cls/Trans ratio: Min. 35% (+/-) cis and max. 65% (+/-) trans.) PERMANONE - Registered Trademark of AgrEvo Environmental Health, Inc.

EPA REG. NO. 44446-62 EPA EST. NO. 44446-TX-1

## **KEEP OUT OF REACH OF CHILDREN** CAUTION

See Side Panel For Additional Precautionary Statements

## NET WT. 11 OZ. (312 g)

[] Brackets indicate optional marketing text

Manufactured by



#### READ ENTIRE LABEL BEFORE EACH USE FOR PET USES: USE ONLY ON DOGS PRECAUTIONARY STATEMENTS Hazards To Humans & Domestic Animals CAUTION

Harmful if absorbed through skin. Avoid inhalation of sprav mist. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse. Avoid contamination of feed and food stuffs.

ANIMALS: Do not spray directly in/on eyes, mouth or genitalia of pets. Use only on dogs. Do not use on cats or kittens. Do not use on puppies less than twelve (12) weeks old. Consult a veterinarian before using this product on debilitated, aged, pregnant, medicated or nursing animals. Sensitivities may occur after using any pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

#### Environmental Hazards

This product is toxic to fish. Do not apply to any body of water. Do not contaminate water when disposing of equipment washwaters. FIRST AID

## If inhaled:

Move person to fresh air.

If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

If on skin or clothing:

Take off contaminated clothing.

- Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- if in eves:

Hold eve open and rinse slowly and gently with water for 15-20 minutes

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eve.

Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

#### **Physical Or Chemical Hazards**

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard. **DIRECTIONS FOR USE** 

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### STORAĞE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Do not store near heat or open flame. Store in cool dry area away from children. DISPOSAL: Do Not Puncture or Incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds.

Do not use in the edible product areas of food/feed processing plants, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. Not for use in

Federally Inspected Meat and Poultry Plants.

In the home, cover all food handling surfaces and cover or remove all food and cooking utensils, or wash thoroughly after treatment. Exposed food should be covered or removed.

NONFOOD AREAS: Multi-Purpose Insect Spray may be applied in nonfood/feed areas. Nonfood/feed establishment areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, bolle? rooms, mop closets and storage (after canning or bottling). SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray from 2 -

distance of 12 to 15 inches. Remove birds and cover fish aquariums before spraving.

Spray until surface is just damp, but not to the point of wetness or run-off. Avoid excessive application.

Keep children and/or pets out of treated areas during treatment. Do not apply this product to or near children's toys. Vacate room after treatment and ventilate before reoccupying. Cover or remove fishbowls

HOUSEFLIES, FRUIT FLIES, MOSQUITOES, GNATS, BLACK FLIES, SKIPPER FLIES, BLOW FLIES AND SMALL FLYING MOTHS: Close all doors and windows and spray room at the rate of 2 to 3 seconds per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Upon reentry, open windows and ventilate for at least 2 hours. Repeat treatment once a month.

COCKROACHES, WATERBUGS, PALMETTO BUGS, SILVER-FISH, FIREBRATS, CRICKETS, SCORPIONS, SPIDERS, MILLI-PEDES, CENTIPEDES, SOWBUGS AND PILLBUGS: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray when ever possible. Upon reentry, open windows and ventilate for at least 2 hours. Repeat treatment once a month. ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat treatment once a month.

INDIAN MEAL MOTHS, ANGOUMOIS GRAIN MOTHS: Close doors and windows, direct spray into all parts of room especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment. Upon reentry, open windows and ventilate for at least 2 hours. Repeat treatment once a month.

EXPOSED STAGES OF CONFUSED FLOUR BEETLES, SAW-TOOTHED GRAIN BEETLES. RED FLOUR BEETLES. RICE WEEVILS, GRANARY WEEVILS, GRAIN MITES; Sprav into cracks and crevices, processing and handling equipment, around cartons or containers or other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Upon reentry, open windows and ventilate for at least 2 hours. Repeat treatment once a month. Intested stored food products in the home should be disposed of.

CARPET BEETLES: Spray directly on beetles, floors, baseboards, shelves and carpets. Repeat treatment once a month.

BEDBUGS: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. Allow all spraved articles to dry thoroughly before reuse. After mattress is dry cover with mattress cover and sheet. Do not use mattress without cover. Repeat treatment once a month.

TO CONTROL CLOTHES MOTHS AND CARPET BEETLES on wool and other proteinaceous fibers: Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining. Allow all sprayed articles to dry thoroughly before use.

IN ANIMAL QUARTERS AND MILK ROOMS: For rapid control of House Flies, Mosquitoes, Gnats, and Small-Flying Moths. Remove animals prior to application. Close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraving. Do not remain in treated area and ventilate after treatment is completed. Upon reentry, open windows and ventilate for at least 2 hours. Repcat treatment once a month.

TO TREAT 2IVESTCCK: To protoct beet camle, dairy cattle, sheep, hogs and borses from adacks of Stable Flics, Horse Flies, Deer Flics, Face Flian Hours Flies, Hom Files, Mosquitoes, and Gnats. Spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly. To protect from Face Flies, spray the face and head, but do not spray into eyes. Repeat treatment when fless are troublesome?

FOR SWINE: Bo not ship animals for slaughter within 5 days of last treatmeril. 000

FOR CONTROL OF BEDBUGS AND MITES IN POULTRY HOUSES, spray crevices of roost poles, cracks in walls, and cracks in nests where the bedbugs and mites hide.

FLEAS AND TICKS (ADULTS AND LARVAE); Remove and thoroughly clean or destroy pet bedding. Spray pet sleeping guarters, bed, entire floor and floor covering, with special attention to cracks and crevices around baseboards, and window and door frames. Infested upholstered furniture may also be treated with this product. A test application should be made to upholstery or drapery fabrics in an inconspicuous place before use.

TO CONTROL FLEAS AND TICKS ON DOGS. Starting at the tail, stroke against the lay of the hair, spraying the parted fur in short bursts, directly behind the hand to insure penetrating the coat. Dampen the fur up to the head. Repeat application every two weeks if necessary.

FOR THE CONTROL OF GARDEN INSECTS: For use on roses. dahlias, asters and other ornamentals to kill Japanese Beetles hit by spray, as well as Whiteflies, Aphids, exposed Thriips, Spiders, Red Mites and Leafminers.

May be used on plants, as well as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English ivy, eunonymus, fuschia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against Whiteflies, Aphids, Spider and Red Mites, exposed Thrips, Lady Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Army Worms. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

Notice: Buyer assumes all responsibility for safety and use not in accordance with directions.

INGREDIENTS (CAS#): Water (7732-18-5), Propane-Isobutane (68476-85-7), Petroleum Distillate (8002-05-9), Permethrin (52645-53-1).

HMIS RATINGS: HEALTH - 1, FLAMMABILITY - 2, REACTIVITY - 1. PERSONAL - A.

1209