

JAN 5 2004

Mitch Whitney
Quest Chemical Corporation
12255 FM 529
Houston, TX 77041

Subject: Revised Label For:
Cycle Stop Home & Carpet Flea & Tick Fogger
EPA Registration No. 44446-69
Application dated October 7, 2003

Dear Mr. Whitney:

The Proposed amendment to the registration of the product cited above under The Federal Insecticide, Fungicide and Rodenticide Act, as amended revising the label in accordance with PR Notices 2001-1 and 2001-6 is acceptable subject to the comment listed below. A stamped copy of the draft label is enclosed for your records.

Since this product contains petroleum distillates, change the First Aid Statement for If Swallowed to read:


IF SWALLOWED:

- * Immediately call a poison control center or doctor.
- * Do not induce vomiting unless told to do so by a poison control center or doctor.
- * Do not give **any** liquid to the person.
- * Do not give anything by mouth to an unconscious person.

Submit two copies of the finished label before the product is released for shipment under this revised label.

If you have any questions please contact Joseph Tavano at (703) 305-6411.

Sincerely,



Linda Arrington
Acting Product Manager 10
Insecticide Branch
Registration Division (7505C)





CYCLE STOP

HOME AND CARPET FLEA AND TICK FOGGER

**KILLS AND BLOCKS THE LIFE CYCLE OF ADULT
AND PREADULT FLEAS, INCLUDING FLEA EGGS,
FOR 210 DAYS! ALSO KILLS DEER TICKS THAT
MAY CARRY AND TRANSMIT LYME DISEASE**

One Unit Treats An Average Room Of Up To 6,000
Cubic Feet Of Unobstructed Space 20' x 30' x 10'

ACTIVE INGREDIENTS:

†2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine	0.100%
Pyrethrin	0.050%
*N-Octyl bicycloheptene dicarboximide	0.400%
Permethrin [**3-Phenoxyphenyl)methyl(+ or-) cis-trans-3-(2,2 dichloroethenyl)2,2-dimethylcyclopropanecarboxylate]	0.400%
Related Compounds	0.035%
INERT INGREDIENTS	99.015%
	100.000%

†NYLAR®, Insect Growth Regulator

*MGK® 264, Insecticide Synergist

**Cis-trans isomers ratio: Max 65% (+ or-) cis and Min. 35% (+ or-) trans
NYLAR®, MGK®, Registered trademark of McLaughlin Gormley King Co.

EPA Reg. No. 44446-69

EPA Est. No. 44446-TX-1

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Side Panels For Additional Precautions

NET WT. 9 OZ. (255 g)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors or spray mist. Avoid contact with skin or eyes. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs. Do not use in food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed. Non-food areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Not for use in USDA Meat and Poultry Plants. Remove pets, birds and cover fish aquariums before spraying.

FIRST AID

<p>If inhaled:</p> <ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
<p>If on skin or clothing:</p> <ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
<p>If in eyes:</p> <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
<p>If swallowed:</p> <ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment.</p>

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry area away from heat or open flame.
DISPOSAL: Do Not Puncture or Incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. **READ ALL DIRECTIONS COMPLETELY BEFORE USE.** For use only when building has been vacated by human beings and pets. Ventilate area for 30 minutes before re-entry. For best results, treat all infested areas. Use one fogger for each 5,000 cubic feet (approximately 20'x30'x10' ceiling) of unobstructed area. Use additional units for remote rooms or where the free flow of fog is not assured.

NOTE: Do not use this unit in a cabinet or under a counter or table. Do not use this unit in an area less than 100 cubic feet.

FOR HOME AND KENNEL USE:

**THIS PRODUCT KILLS AND CONTROLS INSECTS
INCLUDING ADULT FLEAS, PREADULT FLEAS,
TICKS AND COCKROACHES.**

PREPARATION: Remove or cover exposed food, dishes, utensils, surfaces and food handling equipment. Shut off fans and air conditioners. Put out all flames and pilot lights. Close outside doors and windows. Remove pets and birds but leave pet's bedding as this is a primary hiding place for fleas and must be treated for best results. Cover waxed wood floors and waxed furniture in the immediate area surrounding the fogger. Newspapers may be used.

FOR FLEA AND TICK CONTROL, THOROUGHLY VACUUM ALL CARPETING, UPHOLSTERED FURNITURE, ALONG BASEBOARDS, UNDER FURNITURE AND IN CLOSETS. PUT VACUUM BAG INTO A SACK AND DISPOSE OF IN OUTSIDE TRASH. MOP ALL HARD FLOOR SURFACES.

READ ALL DIRECTIONS

AND CAUTIONS BEFORE USING.

TO START FOGGING: SHAKE FOGGER WELL BEFORE USING: Hold can at arm's length with top of can pointing away from face and eyes. Push down on finger pad until it locks. This will start fogging action. Set canister in an upright position on a table, stand, etc. (up to 30 inches in height in the center of the area) and place several thickness of newspaper under the canister to prevent marring of the surface. Treat the whole dwelling using multiple units in homes with more than one level and numerous rooms. Leave the building at once. **DO NOT RE-ENTER BUILDING FOR TWO HOURS:** After two hours, open all outside doors and windows, turn on air conditioner and/or fans and let treated area air for 30 minutes before reoccupying. If additional units are used for remote rooms or where free flow of fog is not assured, increase airing-out time accordingly.

Manufactured By

QUEST CHEMICAL CORPORATION

Houston, Texas 77041

ITEM 453

**ACCEPTED
with COMMENTS
In EPA Letter Dated:**

JAN 5 2004

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.

44446-69

3/3