



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

August 19, 2026

Craig Bernard, PhD
Regulatory Compliance Manager
QuestSpecialty Corporation
P.O. Box 624
Brenham, TX 77834
C.Bernard@QuestSpecialty.com

Subject: Label Amendment - Registration Review Mitigation for Permethrin
Product Name: Eradicator II Multi-Purpose Insect Spray
EPA Registration Number: 44446-80
Case Number: 472158
Application Dates: 03/01/2021

Dear Craig Bernard:

The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Permethrin Interim Decision, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. You must

submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact Michelle Nolan via email at nolan.michelle@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read 'Steve Peterson', with a stylized flourish at the end.

Steven Peterson, Team Leader
Risk Management & Implementation Branch 2
Pesticide Re-Evaluation Division
Office of Pesticide Programs

ENCLOSURE: Stamped label

ERADICATOR II MULTI-PURPOSE INSECT SPRAY

- *[Contains the Synthetic Pyrethroid Pramex®*
- *Controls Residential and Garden Insects*
- *For Treatment of Clothing, Nets, Sleeping Bags & Backpacks*
- *Kills & Repels Mosquitoes and Ticks*
- *Controls Ticks that Can Cause Lyme disease*
- *Repels Ticks that Can Cause Lyme disease*
- *One Clothing [Fabric] Treatment Lasts 2 Weeks!*
- *For Use on Dogs and on Premises to Control Fleas and Ticks*
- *Controls Fleas and Ticks on Dogs for 14 Days*
- *A Water-Based Aerosol*
- *Controls Pests for Up to Four Weeks*
- *For Bedding and Furniture [Product Name][this product] is Effective in the Control of Dust Mites*
- *Kills Screw Worms on Beef Cattle, Horses, and Sheep*
- *Kills Lice and their Eggs on Mattresses, Furniture, Car Interior and Other Non-Washable Items*
- *Kills House [Helps Control] Dust Mites in Carpets, Curtains and on Upholstery and Mattresses*
- *Controls [Helps Control] House Dust Mites (Dermatophagoides spp.) for Up to 8 Weeks [2 Months, 60 Days] in Carpets, Curtains and on Upholstery*
- *Controls House [Helps Control] Dust Mites that may Cause Asthma, Hay Fever, Rhinitis, Watery Eyes, Sneezing*
- *Home Lice Control Spray*
- *For Bedding and Furniture*
- *1-2-3 Lice Control System*
- *Step 3*
- *Clear*
- *Kills: House Flies, Fruit Flies, Mosquitoes, Gnats, Black Flies, Skipper Flies, Blow Flies, Lady Bugs [Beetles] and Small Flying Moths*
- *Kills: Cockroaches, Waterbugs, Palmetto Bugs, Silverfish, Firebrats, Crickets, Scorpions, Spiders, Millipedes, Centipedes, Sowbugs and Pillbugs*
- *Kills Ants*
- *Kills: Indian Meal Moths and Angoumois Grain Moths*
- *Kills: exposed stages of Confused Flour Beetles, Sawtoothed Grain Beetles, Red Flour Beetles, Rice Weevils, Granary Weevils, Grain Mites*
- *Kills Carpet Beetles*
- *Kills Bed Bugs*
- *Kills Fleas & Ticks (adults and larvae)*
- *Odorless*
- *Will not stain water-safe fabrics and surfaces]*

ACTIVE INGREDIENT:

Permethrin*	0.50%
OTHER INGREDIENTS**	99.50%
	100.00%

*Cis/trans ratio: Max. 55% (+/-) cis and Min. 45% (+/-) trans.

**Contains petroleum distillate.

[Pramex® is a registered trademark of McLaughlin Gormley King Company.]

[PRECAUCION AL CONSUMIDOR: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. **(TO THE USER:** If you cannot read English, do not use this product until the label has been fully explained to you.)]

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back [Side] Panel for Additional Precautions

FIRST AID	
IF ON SKIN OR CLOTHING:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF IN EYES:	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	• Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-255-3924 [INSERT EMERGENCY NUMBER].	
NOTE TO PHYSICIAN	
Contains petroleum distillate - vomiting may cause aspiration pneumonia.	

Manufactured by:
QuestSpecialty Corporation
P.O. Box 624
Brenham, TX 77834

EPA Reg. No. 44446-80

EPA Est. No. 44446-TX-1

Net Weight: oz. (g)

Homeowner/Residential

Page 1 of 14

ACCEPTED

Aug 19, 2026

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 44446-80

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

[Products used exclusively indoors may omit the Environmental Hazards Statement.]

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to or near water. Drift and runoff may be hazardous to fish in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwater, or rinsate. See Directions for Use for additional precautions and requirements.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.]

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F (54°C) may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product
in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE EACH USE

For both indoor and outdoor use

Use Restrictions

- Do not apply as a broadcast treatment to indoor surfaces at residential sites, including nurseries, day care centers, schools, hospitals, and nursing homes.
- Except when applying to [pets] [livestock] [clothing], do not allow adults, children, or pets to enter until vapors, mists and aerosols have dispersed, and the treated area has been thoroughly ventilated.
- Except when applying to [pets] [livestock] [clothing], do not allow adults, children, or pets to enter the treated area until sprays have dried.
- In the home, cover all food processing surfaces and utensils during treatment or thoroughly wash before use. Cover or remove exposed food.
- Remove pets, birds and cover any water inhabited by fish (such as aquariums and ornamental fish ponds) before application. Turn off aquarium filtering systems before spraying and wait approximately 15 minutes after application before turning the filter back on.
- **This product is not for use on humans.** If lice infestations should occur on humans, use a product labeled for use on humans.
- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
- Spot treatments must not exceed two square feet in size (for example, 2 ft. by 1 ft. or 4 ft. by 0.5 ft.).
- Do not allow to enter indoor or outdoor drains. *No permita la entrada a desagües internos o externos.*



• *[Alternate text – outdoor application:*

- For soil or foliar applications, do not apply by ground within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds.
- Do not apply the product into fish pools, ponds, streams, or lakes.
- Do not apply directly to sewers or storm drains, or to any area like a drain or gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur.
- Do not make applications during rain. Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours).
- Rainfall within 24 hours after application may cause unintended runoff of pesticide application.
- Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios except as a spot or crack-and-crevice treatment
- Do not apply or irrigate to the point of runoff.
- Do not water the treated area to the point of runoff.
- Do not apply when the wind speed is greater than 15 mph.

- All outdoor spray applications must be limited to spot or crack-and-crevice treatments only except for the following permitted uses:
 1. Application to pervious surfaces such as soil, lawn, turf, and other vegetation;
 2. Perimeter band treatments of 7 feet wide or less from the base of a man-made structure to pervious surfaces (e.g., soil, mulch, or lawn);
 3. Applications to underside of eaves, soffits, doors, or windows permanently protected from rainfall by a covering, overhang, awning, or other structure;
 4. Applications around potential exterior pest entry points into man-made structures such as doorways and windows, when limited to a band not to exceed one inch;
 5. Applications to vertical surfaces (such as the side of a man-made structure) directly above impervious surfaces (e.g., driveways, sidewalks, etc.), up to 2 feet above ground level;
 6. Applications to vertical surfaces directly above pervious surfaces, such as soil, lawn, turf, mulch or other vegetation) only if the pervious surface does not drain into ditches, storm drains, gutters, or surface waters.

[*Alternate text* - For pet care: Do not apply to pets less than 12 weeks old. Consult a veterinarian before apply this product on medicated, debilitated, aged, pregnant or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Application of product on pets must only be done indoors.

[We recommend that those with asthma or severe allergies consult their doctor before using this product and have someone else apply this product.]

SHAKE WELL BEFORE USING

Remove protective cap, hold container upright [with nozzle away from you.] [Depress valve] and spray from a distance of [12 to 15 inches for baseboards, moldings & floors or (8 to 10 inches for clothing, furniture and bedding)]. Test product on an inconspicuous area before applying [to check for possible staining or discoloration]. [Inspect again after drying.] [Spray until surface is slightly wet, but not to the point of runoff.] OR [Spray to the point of dampness but not runoff.] Over application may cause damage. Will not stain surfaces or fabrics where water alone causes no damage.

For Crack and Crevice Treatments:

Treat surfaces to ensure thorough coverage but avoid runoff. To treat insects harbored in voids and cracks-and-crevices, applications must be made in such a manner to limit dripping and avoid runoff onto untreated structural surfaces and plants.

House Flies, Fruit Flies, Mosquitoes, Gnats, Black Flies, Skipper Flies, Blow Flies and Small Flying Moths: Close all doors and windows and spray room at the rate of 2 to 3 seconds per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources, which attract these insects. Keep nozzle in constant motion. Re-treat if infestation occurs, but not more than once every two weeks.

Cockroaches, Waterbugs, Palmetto Bugs, Silverfish, Firebrats, Crickets, Scorpions, Spiders, Millipedes, Centipedes, Sowbugs and Pillbugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards, around drains and plumbing, hitting insects with spray whenever possible. Use to treat floors as a spot treatment only, hitting insects with spray whenever possible. Spray to the point of dampness but not runoff. Re-treat if infestation occurs, but not more than once every two weeks.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Re-treat if infestation occurs, but not more than once every two weeks.

Asian Lady Bird Beetles (Lady Bugs): Spray insects directly around doors, windows and areas where insects can enter the home.

Indian Meal Moths, Angoumois Grain Moths: Close doors and windows, direct spray into all parts of room especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment. Spray to the point of dampness but not runoff. Re-treat if infestation occurs, but not more than once every two weeks.

EXPOSED STAGES OF **Confused Flour Beetles, Sawtoothed Grain Beetles, Red Flour Beetles, Rice Weevils, Granary Weevils, Grain Mites:** Spray into cracks and crevices, around cartons or containers or other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Spray to the point of dampness but not runoff. Re-treat if infestation occurs, but not more than once every two weeks. Infested stored food products in the home should be disposed of.

Carpet Beetles: Spray directly on beetles, floors, baseboards, shelves, and carpets. Apply to floors and carpets as a spot treatment only. Spray to the point of dampness but not runoff. Re-treat if infestation occurs, but not more than once every two weeks.

Bed Bugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. After mattress is dry, cover with mattress cover and sheet. Do not use mattress without cover. Re-treat if infestation occurs, but not more than once every two weeks.

TO CONTROL **Clothes Moths and Carpet Beetles** on wool and other proteinaceous fibers: Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. Spray to the point of dampness but not runoff. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining.

To Control [Kill] [Helps Control] **House Dust Mites (*Dermatophagoides spp.*)**: [This Product][Product Name] controls [Helps Control] house dust mites that may cause asthma, hay fever, rhinitis, watery eyes and sneezing. [One treatment lasts for up to 8 weeks [2 months, 60 days].] On upholstered furniture, carpets and curtains - test fabric in an inconspicuous area to insure dyes will not bleed. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray all fabric surfaces until damp. Do not use on delicate fabrics. Allow furniture to dry thoroughly before using. **On Carpets** - [One treatment lasts 1 week.] Spray over entire carpet until damp. Hold the nozzle approximately 12 to 18 inches from the carpet surface and apply as a spot treatment. Use an overlapping pattern to insure total coverage. After application, brush the surface of the carpet with a broom or brush to insure deep penetration. Allow carpet to dry thoroughly before reentering the treated area. Drying time can be accelerated by using a fan. **On Mattresses** - spray the top, bottom and sides of mattresses until damp, paying particular attention to tufts and seams. Allow to dry thoroughly before using. After mattress is dry, cover with mattress cover and sheet. Do not use mattress without cover. Vacuum entire area once dry. Since vacuuming stirs dust up in the air those with allergies should have another person vacuum or should wear a dust mask and use vacuum with a high efficiency particulate (HEPA) filter.

Fleas and Ticks (Adults and Larvae): Remove and thoroughly clean or destroy pet bedding. Spray pet sleeping quarters, bed, with special attention to cracks and crevices around baseboards and window and door frames. Spot treat floors and floor coverings if necessary. Infested upholstered furniture may also be treated with this product. Spray to the point of dampness but not runoff. A test application should be made to upholstery or drapery fabrics in an inconspicuous place before use.

[This product][Product name] is Step 3 in the [Company name's] Lice Control System.

Step 1: Kill lice with [Product Name][This Product]. Re-apply in 10 days.

Step 2: Comb out eggs & nits with [Product Name].

Step 3: Clean home. Use [Product Name][This product] for non-washable items. Washables should be washed in hot water and dried in high heat.

To kill **Lice and Louse Eggs**: [Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to] spray entire area to be treated. *Spray only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Do not use on sheets or pillowcases. Spray each square foot for three seconds. Allow all sprayed articles to dry thoroughly before use.

FOR DIRECT APPLICATION TO DOGS (OVER 12 WEEKS OF AGE):

TO CONTROL Fleas, Ticks, and Lice:

Hold the container upright. Spray at a distance of 8-12 inches. Starting at the tail, spray over entire hair coat while moving the dispenser rapidly; making sure the coat is thoroughly wetted to the skin. While spraying, fluff the hair so the spray will penetrate to the skin. Make sure spray wets ticks thoroughly. Spray against the lay of the hair, roughing the hair on long-haired dogs. Do not spray into the eyes, face or genitalia. For best results in killing ticks, spray directly on the tick. Allow dog to air dry or blow dry. Do not towel dry. Do not reapply more than once every 14 days.

Wear barrier laminate, nitrile rubber, neoprene rubber, or viton gloves. DO NOT USE ON CATS OR KITTENS.

CLOTHING TREATMENT:

Clothing treatment only - do not apply to skin.

For protection against **Ticks** (including those which may carry Lyme disease) **and Mosquitoes**, apply product as directed below. For further protection, use in conjunction with an insect repellent registered for direct application to the skin and utilize the following primary preventive measures. Avoid areas where the pests are found, wear appropriate protective clothing (light-colored, long-sleeved shirt and long pants tucked into socks) and inspect body daily for ticks. Pant cuffs should be worn inside the socks or footwear to ensure full protection against ticks.

Initial Treatment Instructions:

1. Select a well-ventilated outdoor area protected from wind and lay out the clothing to be treated (as complete outfit; shirt, trousers and socks).
2. Hold can upright about 6 to 8 inches from surface of the clothing and spray with a slow sweeping motion to lightly moisten the surface of the fabric.
3. Continue spraying over entire outfit, until a total treatment time of 60 seconds has elapsed and the outer surface of the fabric is moist enough to cause a slight color change or darkening. Pay special attention to socks, trouser cuffs and shirt cuffs.
4. Turn the clothing over and treat the other side as described in Steps 2 & 3.
5. Hang the treated clothing and allow to dry for at least 2 hours (4 hours under humid conditions) before wearing.
6. One can will treat one [two] complete outfit(s). Do not exceed label spraying times.

Re-treatment Instructions:

This product contains an active ingredient which actually binds to the fabric being treated, providing residual protection which lasts a minimum of two weeks, and hold up through several machine washings. DO NOT RE-TREAT CLOTHING MORE THAN ONCE EVERY TWO WEEKS. LAUNDRER CLOTHING AT LEAST ONCE BEFORE RE-TREATING. For re-treatment, follow instructions for initial treatment.

TREATMENT OF NETS, TENTS, SLEEPING BAGS AND BACKPACKS:

Initial Treatment Instructions: Do not treat inside of sleeping bag. Spray exterior surfaces of tent only.

Select a well-ventilated outdoor area protected from wind and lay out article to be treated. Hold can upright about 6 to 8 inches from surface of the article and spray with a slow sweeping motion to lightly moisten the surface of the fabric. Continue spraying over entire article, until the outer surface of the article is moist enough to cause a light color change or darkening. Turn the article over and treat the other side as described in steps 2 and 3 above for clothing treatment. Hang the treated article and allow to dry for at least 2 hours (4 hours under humid conditions) before using.

Re-treatment Instructions:

This product contains an active ingredient which actually binds to the fabric being treated, providing residual protection which lasts a minimum of two weeks. DO NOT RE-TREAT ARTICLES MORE THAN ONCE EVERY TWO WEEKS. For re-treatment, follow instructions for initial treatment.

IN ANIMAL QUARTERS: For rapid control of **House Flies, Mosquitoes and Small Flying Moths**, close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying. Do not remain in treated area and ventilate after treatment is completed. Do not contaminate animal feed or water during application.

Resistance-Management Recommendations

For resistance management, [Eradicator II Multi-Purpose Insect Spray][this product][“Product Name”] contains a Group 3A insecticide. Any insect/mite population may contain individuals naturally resistant to [Eradicator II Multi-Purpose Insect Spray][this product][“Product Name”] and other Group 3A insecticides. The resistant individuals may dominate the insect/mite population if this group of insecticides are used repeatedly in the same application. Appropriate resistance-management strategies should be followed.

To delay insecticide/acaricide resistance, take the following steps:

- When repeated treatments are necessary, consider rotating (name of product) with an effective insecticide having a different mode of action. Do not apply this product more frequently than once every two weeks.
- [Use tank mixtures with insecticides from a different group that are equally effective on the target pest when such use is permitted. Do not rely on the same mixture repeatedly for the same pest population. Consider any known cross-resistance issues (for the targeted pests) between the individual components of a mixture. In addition, consider the following recommendations provided by the Insecticide Resistance Action Committee (IRAC):]
 - [Individual insecticides selected for use in mixtures should be highly effective and be applied at the rates at which they are individually registered for use against the target species.]
 - [Mixtures with components having the same IRAC mode of action classification are not recommended for insect resistance management.]
 - [When using mixtures, consider any known cross-resistance issues between the individual components for the targeted pest(s).]
 - [Mixtures become less effective if resistance is already developing to one or both active ingredients, but they may still provide pest management benefits.]
 - [The insect resistance management benefits of an insecticide mixture are greatest if the two components have similar periods of residual insecticidal activity. Mixtures of insecticides with unequal periods of residual insecticide activity may offer an insect resistance management benefit only for the period where both insecticides are active.]
- [Adopt an integrated pest management program for insecticide use that includes scouting, uses historical information related to pesticide use, crop rotation, record keeping, and which considers cultural, biological and other chemical control practices.]
- Monitor after application for unexpected target pest survival. If the level of survival suggests the presence of resistance, consult with your local university specialist or certified pest control advisor.
- Contact your local extension specialist or certified crop advisors for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area. For further information or to report suspected resistance contact Velocity EHS at 888-255-3924 or at www.ehs.com.

TO TREAT LIVESTOCK: To protect beef cattle, dairy cattle, goats, sheep, hogs and horses from attacks of **Stable Flies, Horse Flies, Deer Flies, Face Flies, House Flies, Horn Flies, Mosquitoes and Gnats**: Spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly. To protect from **Face Flies**, spray the face and head, but do not spray into eyes. Repeat treatment when flies are troublesome.

TO KILL Screw Worms infesting beef cattle, horses, and sheep, hold can about 4 to 8 inches from area to be treated with nozzle pointed at wound. Spray the area until it is completely wet - three to ten seconds are usually enough. Also spray the area surrounding the wound. This product is not recommended for use in deep wounds. Some strains of screw worms may develop resistance to pyrethroids. This will be observed by lack of response to treatment. Where pyrethroid resistance is known or suspected, this product should not be used.

FOR SWINE: Do not ship animals for slaughter within 5 days of last treatment.

TO CONTROL Blood Sucking Lice: Apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required.

TO CONTROL Poultry Lice: Spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist. For control of **Bed Bugs and Mites** in poultry houses, spray crevices of roost poles, cracks in walls and cracks in nests where the bed bugs and mites hide. Spray to the point of dampness but not runoff.

FOR THE CONTROL OF GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill **Japanese Beetles** hit by spray, as well as **Whiteflies, Aphids, Exposed Thrips, Spider Mites, Red Mites and Leafminers**.

May be used on plants, as well as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, azaleas, begonias, camellias, carnations, chrysanthemums, delphiniums, dogwood, English ivy, euonymus, fuchsia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against **Whiteflies, Aphids, Spider and Red Mites, Exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Armyworms**. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F (32°C). Over application may cause damage. Contact insects directly whenever possible. Re-treat if infestation occurs, but not more than once every two weeks.

STORAGE AND DISPOSAL

Follow proper disposal procedures on this label. *Siga las indicaciones del etiquetado para el desecho apropiado del producto.*

PESTICIDE STORAGE: Store in a cool, dry area away from [inaccessible to] children and pets and away from heat, sparks and open flame. [Do not transport or store below 32°F (0°C)]. [Protect from freezing.] [Do not freeze.]

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Do Not Puncture or Incinerate. **If empty:** Place in trash or offer for recycling if available.

If partly filled: Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options.

[This container may be recycled in aerosol recycling centers. At present, there are only a few such centers in the country. Before offering for recycling, empty the can by using the product according to the label.]

[IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of [QuestSpecialty Corporation][Company Name]. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, [QUESTSPECIALTY CORPORATION][Company Name] MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of , [QUESTSPECIALTY CORPORATION][Company Name] is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, , [QUESTSPECIALTY CORPORATION][Company Name] disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT , [QUESTSPECIALTY CORPORATION's][Company's Name] ELECTION, THE REPLACEMENT OF PRODUCT.]

[Or alternate text

Note [Notice]: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.]

[Or Alternate Text

To the extent consistent with applicable law, purchaser assumes all responsibility for safety and use not in accordance with directions.]

[] Indicate alternate text in addition to any subset of the directions for use.

<<Optional Graphic Images & Text>>

{Note to reviewer: the following are optional proprietary language items for use on the product label; X can be any number from 1-9}

[Placeholder for customer product and/or item number: "[Product][Item] [Number] [#][XXXXXX]"

[Placeholder for customer proprietary graphic/symbol]



<<Optional Recycling Logos>>



ERADICATOR II MULTI-PURPOSE INSECT SPRAY

- [Contains the Synthetic Pyrethroid Pramex®
- Controls Residential, Industrial and Garden Insects
- For Treatment of Clothing, Nets, Sleeping Bags & Backpacks
- Kills & Repels Mosquitoes and Ticks
- Controls Ticks that Can Cause Lyme disease
- Repels Ticks that Can Cause Lyme disease
- One Clothing [Fabric] Treatment Lasts 2 Weeks!
- For Use on Dogs and on Premises to Control Fleas and Ticks
- Controls Fleas and Ticks on Dogs for 14 Days
- A Water-Based Aerosol
- Controls Pests for Up to Four Weeks
- For Bedding and Furniture [Product Name][this product] is Effective in the Control of Dust Mites
- Kills Screw Worms on Beef Cattle, Horses, and Sheep
- Kills Lice and their Eggs on Mattresses, Furniture, Car Interior and Other Non-Washable Items
- Kills House [Helps Control] Dust Mites in Carpets, Curtains and on Upholstery and Mattresses
- Controls [Helps Control] House Dust Mites (Dermatophagoides spp.) for Up to 8 Weeks [2 Months, 60 Days] in Carpets, Curtains and on Upholstery
- Controls House [Helps Control] Dust Mites that may Cause Asthma, Hay Fever, Rhinitis, Watery Eyes, Sneezing
- Home Lice Control Spray
- For Bedding and Furniture
- 1-2-3 Lice Control System
- Step 3
- Clear
- Kills: House Flies, Fruit Flies, Mosquitoes, Gnats, Black Flies, Skipper Flies, Blow Flies, Lady Bugs [Beetles] and Small Flying Moths
- Kills: Cockroaches, Waterbugs, Palmetto Bugs, Silverfish, Firebrats, Crickets, Scorpions, Spiders, Millipedes, Centipedes, Sowbugs and Pillbugs
- Kills Ants
- Kills: Indian Meal Moths and Angoumois Grain Moths
- Kills: exposed stages of Confused Flour Beetles, Sawtoothed Grain Beetles, Red Flour Beetles, Rice Weevils, Granary Weevils, Grain Mites
- Kills Carpet Beetles
- Kills Bed Bugs
- Kills Fleas & Ticks (adults and larvae)
- Odorless
- Will not stain water-safe fabrics and surfaces]

ACTIVE INGREDIENT:

Permethrin*	0.50%
OTHER INGREDIENTS**	99.50%
	100.00%

*Cis/trans ratio: Max. 55% (+/-) cis and Min. 45% (+/-) trans.

**Contains petroleum distillate.

[Pramex® is a registered trademark of McLaughlin Gormley King Company.]

[PRECAUCION AL CONSUMIDOR: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.
(**TO THE USER:** If you cannot read English, do not use this product until the label has been fully explained to you.)]

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back [Side] Panel for Additional Precautions

FIRST AID	
IF ON SKIN OR CLOTHING:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF IN EYES:	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	• Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this product (including health concerns, medical emergencies or pesticide incidents), you may call [1-800-255-3924][EMERGENCY CONTACT NUMBER].	
NOTE TO PHYSICIAN	
Contains petroleum distillate - vomiting may cause aspiration pneumonia.	

Manufactured by:
QuestSpecialty Corporation
P.O. Box 624
Brenham, TX 77834

EPA Reg. No. 44446-80

EPA Est. No. 44446-TX-1

NET Weight: oz. (g)

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

All applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks, and
- Wear barrier laminate, nitrile rubber (≥ 14 mils), neoprene rubber (≥ 14 mils), or viton (≥ 14 mils) gloves.

USER SAFETY REQUIREMENTS

- Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.
- Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- User should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

[Products used exclusively indoors may omit the Environmental Hazards Statement.]

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean watermark. Do not apply when weather conditions favor drift from treated area. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.]

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F (54°C) may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product
in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE EACH USE

For both indoor and outdoor use

Use Restrictions

- Do not apply as a broadcast treatment to indoor surfaces at residential sites, including nurseries, day care centers, schools, hospitals, and nursing homes.
- Except when applying to [pets] [livestock] [clothing], do not enter or allow others to enter until vapors, mists and aerosols have dispersed, and the treated area has been thoroughly ventilated and dried.
- Except when applying to [pets] [livestock] [clothing], do not apply this product in a way that will contact workers or other persons, either directly or through drift.
- Except when applying to [pets] [livestock] [clothing], only protected handlers may be in the area during applications
- Remove pets, birds and cover any water inhabited by fish (such as aquariums and ornamental fish ponds) before application. Turn off aquarium filtering systems before spraying and wait approximately 15 minutes after application before turning the filter back on.
- Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds.
- **This product is not for use on humans.** If lice infestations should occur on humans, use a product labeled for use on humans.
- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
- Spot treatments must not exceed two square feet in size (for example, 2 ft. by 1 ft. or 4 ft. by 0.5 ft.).
- Do not allow to enter indoor or outdoor drains. *No permita la entrada a desagües internos o externos.*



- In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.
- Do not apply when food is present.
- Do not use in food areas of food handling establishments, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held.
- This product may be applied in non-food/feed areas. Non-food/feed establishment areas are areas such as garbage rooms, lavatories, entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, mop closets and storage (after canning or bottling).
- Do not use in aircraft cabins.
- *[Alternate text – outdoor application:*
- For soil or foliar applications, do not apply by ground within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds.
- Do not apply the product into fish pools, ponds, streams, or lakes. Do not apply directly to sewers or storm drains, or to any area like a drain or gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur.
- Do not allow the product to enter any drain during or after application.
- Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios except as a spot or crack-and-crevice treatment.
- Do not apply or irrigate to the point of runoff.
- Do not make applications during rain. Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours).
- Rainfall within 24 hours after application may cause unintended runoff of pesticide application.
 - Do not water the treated area to the point of runoff.
 - Do not apply when the wind speed is greater than 15 mph.
- All outdoor spray applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:
 1. Application to pervious surfaces such as soil, lawn, turf, and other vegetation;
 2. Perimeter band treatments of 7 feet wide or less from the base of a man-made structure to pervious surfaces (e.g., soil, mulch, or lawn);
 3. Applications to underside of eaves, soffits, doors, or windows permanently protected from rainfall by a covering, overhang, awning, or other structure;
 4. Applications around potential exterior pest entry points into man-made structures such as doorways and windows, when limited to a band not to exceed one inch;
 5. Applications to vertical surfaces (such as the side of a man-made structure) directly above impervious surfaces (e.g., driveways, sidewalks, etc.), up to 2 feet above ground level;
 6. Applications to vertical surfaces directly above pervious surfaces, such as soil, lawn, turf, mulch or other vegetation) only if the pervious surface does not drain into ditches, storm drains, gutters, or surface waters.
- *[Alternate text - For pet care:* Do not apply to pets less than 12 weeks old. Consult a veterinarian before apply this product on medicated, debilitated, aged, pregnant or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Application of product on pets must only be done indoors.

[Alternate text: When used in dairy barns or facilities: Close milk bulk tank lids to prevent contamination from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.]

[We recommend that those with asthma or severe allergies consult their doctor before using this product and have someone else apply this product.]

SHAKE WELL BEFORE USING

Remove protective cap, hold container upright [with nozzle away from you.] [Depress valve] and spray from a distance of [12 to 15 inches for baseboards, moldings & floors or (8 to 10 inches for clothing, furniture and bedding)]. Test product on an inconspicuous area before applying [to check for possible staining or discoloration]. [Inspect again after drying.] [Spray until surface is slightly wet, but not to the point of runoff.] OR [Spray to the point of dampness but not runoff.] Over application may cause damage. Will not stain surfaces or fabrics where water alone causes no damage.

For Crack and Crevice Treatments:

Treat surfaces to ensure thorough coverage but avoid runoff. To treat insects harbored in voids and cracks-and-crevices, applications must be made in such a manner to limit dripping and avoid runoff onto untreated structural surfaces and plants.

House Flies, Fruit Flies, Mosquitoes, Gnats, Black Flies, Skipper Flies, Blow Flies and Small Flying Moths: Close all doors and windows and spray room at the rate of 2 to 3 seconds per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources, which attract these insects. Keep nozzle in constant motion. Re-treat if infestation occurs, but not more than once every two weeks.

Cockroaches, Waterbugs, Palmetto Bugs, Silverfish, Firebrats, Crickets, Scorpions, Spiders, Millipedes, Centipedes, Sowbugs and Pillbugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards, around drains and plumbing, hitting insects with spray whenever possible. Use to treat floors as a spot treatment only, hitting insects with spray whenever possible. Spray to the point of dampness but not runoff. Re-treat if infestation occurs, but not more than once every two weeks.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Re-treat if infestation occurs, but not more than once every two weeks.

Asian Lady Bird Beetles (Lady Bugs): Spray insects directly around doors, windows and areas where insects can enter the home.

Indian Meal Moths, Angoumois Grain Moths: Close doors and windows, direct spray into all parts of room especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment. Spray to the point of dampness but not runoff. Re-treat if infestation occurs, but not more than once every two weeks.

EXPOSED STAGES OF **Confused Flour Beetles, Sawtoothed Grain Beetles, Red Flour Beetles, Rice Weevils, Granary Weevils, Grain Mites:** Spray into cracks and crevices, around cartons or containers or other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Spray to the point of dampness but not runoff. Re-treat if infestation occurs, but not more than once every two weeks. Infested stored food products in the home should be disposed of.

Carpet Beetles: Spray directly on beetles, floors, baseboards, shelves, and carpets. Apply to floors and carpets as a spot treatment only. Spray to the point of dampness but not runoff. Re-treat if infestation occurs, but not more than once every two weeks.

Bed Bugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. After mattress is dry, cover with mattress cover and sheet. Do not use mattress without cover. Re-treat if infestation occurs, but not more than once every two weeks.

TO CONTROL **Clothes Moths and Carpet Beetles** on wool and other proteinaceous fibers: Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. Spray to the point of dampness but not runoff. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining.

To Control [Kill] [Helps Control] **House Dust Mites (Dermatophagoides spp.):** [Product Name][This product] controls [Helps Control] house dust mites that may cause asthma, hay fever, rhinitis, watery eyes and sneezing. [One treatment lasts for up to 8 weeks [2 months, 60 days].] On upholstered furniture, carpets and curtains - test fabric in an inconspicuous area to insure dyes will not bleed. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray all fabric surfaces until damp. Do not use on delicate fabrics. Allow furniture to dry thoroughly before using. **On Carpets** - [One treatment last 1 week.] Spray over entire carpet until damp. Hold the nozzle approximately 12 to 18 inches from the carpet surface and apply as a spot treatment. Use an overlapping pattern to insure total coverage. After application, brush the surface of the carpet with a broom or brush to insure deep penetration. Allow carpet to dry thoroughly before reentering the treated area. Drying time can be accelerated by using a fan. **On Mattresses** - spray the top, bottom and sides of mattresses until damp, paying particular attention to tufts and seams. Allow to dry thoroughly before using. After mattress is dry, cover with mattress cover and sheet. Do not use mattress without cover. Vacuum entire area once dry. Since vacuuming stirs dust up in the air those with allergies should have another person vacuum or should wear a dust mask and use vacuum with a high efficiency particulate (HEPA) filter.

Fleas and Ticks (Adults and Larvae): Remove and thoroughly clean or destroy pet bedding. Spray pet sleeping quarters, bed, with special attention to cracks and crevices around baseboards and window and door frames. Spot treat floors and floor coverings if necessary. Infested upholstered furniture may also be treated with this product. Spray to the point of dampness but not runoff. A test application should be made to upholstery or drapery fabrics in an inconspicuous place before use.

[Product name][This product] is Step 3 in the [Company name's] Lice Control System.

Step 1: Kill lice with [Product Name][This Product]. Re-apply in 10 days.

Step 2: Comb out eggs & nits with [Product Name].

Step 3: Clean home. Use [Product Name][This product] for non-washable items. Washables should be washed in hot water and dried in high heat.

To kill **Lice and Louse Eggs:** [Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated.] *Spray only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Do not use on sheets or pillowcases. Spray each square foot for three seconds. Allow all sprayed articles to dry thoroughly before use.

FOR DIRECT APPLICATION TO DOGS (OVER 12 WEEKS OF AGE):

TO CONTROL **Fleas, Ticks, and Lice:**

Hold the container upright. Spray at a distance of 8-12 inches. Starting at the tail, spray over entire hair coat while moving the dispenser rapidly; making sure the coat is thoroughly wetted to the skin. While spraying, fluff the hair so the spray will penetrate to the skin. Make sure spray wets ticks thoroughly. Spray against the lay of the hair, roughing the hair on long-haired dogs. Do not spray into the eyes, face or genitalia. For best results in killing ticks, spray directly on the tick. Allow dog to air dry or blow dry. Do not towel dry. Do not reapply more than once every 14 days.

DO NOT USE ON CATS OR KITTENS.

CLOTHING TREATMENT:

Clothing treatment only - do not apply to skin.

For protection against **Ticks** (including those which may carry Lyme disease) and **Mosquitoes**, apply product as directed below. For further protection, use in conjunction with an insect repellent registered for direct application to the skin and utilize the following primary preventive measures. Avoid areas where the pests are found, wear appropriate protective clothing (light-colored, long-sleeved shirt and long pants tucked into socks) and inspect body daily for ticks. Pant cuffs should be worn inside the socks or footwear to ensure full protection against ticks.

Initial Treatment Instructions:

1. Select a well-ventilated outdoor area protected from wind and lay out the clothing to be treated (as complete outfit; shirt, trousers and socks).
2. Hold can upright about 6 to 8 inches from surface of the clothing and spray with a slow sweeping motion to lightly moisten the surface of the fabric.
3. Continue spraying over entire outfit, until a total treatment time of 60 seconds has elapsed and the outer surface of the fabric is moist enough to cause a slight color change or darkening. Pay special attention to socks, trouser cuffs and shirt cuffs.
4. Turn the clothing over and treat the other side as described in Steps 2 & 3.
5. Hang the treated clothing and allow to dry for at least 2 hours (4 hours under humid conditions) before wearing.
6. One can will treat one [two] complete outfit(s). Do not exceed label spraying times.

Re-treatment Instructions:

This product contains an active ingredient which actually binds to the fabric being treated, providing residual protection which lasts a minimum of two weeks, and hold up through several machine washings. DO NOT RE-TREAT CLOTHING MORE THAN ONCE EVERY TWO WEEKS. LAUNDRY CLOTHING AT LEAST ONCE BEFORE RE-TREATING. For re-treatment, follow instructions for initial treatment.

TREATMENT OF NETS, TENTS, SLEEPING BAGS AND BACKPACKS:

Initial Treatment Instructions: Do not treat inside of sleeping bag. Spray exterior surfaces of tent only.

Select a well-ventilated outdoor area protected from wind and lay out article to be treated. Hold can upright about 6 to 8 inches from surface of the article and spray with a slow sweeping motion to lightly moisten the surface of the fabric. Continue spraying over entire article, until the outer surface of the article is moist enough to cause a light color change or darkening. Turn the article over and treat the other side as described in steps 2 and 3 above for clothing treatment. Hang the treated article and allow to dry for at least 2 hours (4 hours under humid conditions) before using.

Re-treatment Instructions:

This product contains an active ingredient which actually binds to the fabric being treated, providing residual protection which lasts a minimum of two weeks. DO NOT RE-TREAT ARTICLES MORE THAN ONCE EVERY TWO WEEKS. For re-treatment, follow instructions for initial treatment.

IN ANIMAL QUARTERS AND MILK ROOMS: For rapid control of **House Flies, Mosquitoes and Small Flying Moths**, close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying. Do not remain in treated area and ventilate after treatment is completed. Do not contaminate animal feed or water during application.

Resistance-Management Recommendations

For resistance management, [Eradicator II Multi-Purpose Insect Spray][this product][“Product Name”] contains a Group 3A insecticide. Any insect/mite population may contain individuals naturally resistant to [Eradicator II Multi-Purpose Insect Spray][this product][“Product Name”] and other Group 3A insecticides. The resistant individuals may dominate the insect/mite population if this group of insecticides are used repeatedly in the same application. Appropriate resistance-management strategies should be followed.

To delay insecticide/acaricide resistance, take the following steps:

- When repeated treatments are necessary, consider rotating (name of product) with an effective insecticide having a different mode of action. Do not apply this product more frequently than once every two weeks.
- [Use tank mixtures with insecticides from a different group that are equally effective on the target pest when such use is permitted. Do not rely on the same mixture repeatedly for the same pest population. Consider any known cross-resistance issues (for the targeted pests) between the individual components of a mixture. In addition, consider the following recommendations provided by the Insecticide Resistance Action Committee (IRAC):]
 - [Individual insecticides selected for use in mixtures should be highly effective and be applied at the rates at which they are individually registered for use against the target species.]
 - [Mixtures with components having the same IRAC mode of action classification are not recommended for insect resistance management.]
 - [When using mixtures, consider any known cross-resistance issues between the individual components for the targeted pest(s).]
 - [Mixtures become less effective if resistance is already developing to one or both active ingredients, but they may still provide pest management benefits.]
 - [The insect resistance management benefits of an insecticide mixture are greatest if the two components have similar periods of residual insecticidal activity. Mixtures of insecticides with unequal periods of residual insecticide activity may offer an insect resistance management benefit only for the period where both insecticides are active.]
- [Adopt an integrated pest management program for insecticide use that includes scouting, uses historical information related to pesticide use, crop rotation, record keeping, and which considers cultural, biological and other chemical control practices.]

- Monitor after application for unexpected target pest survival. If the level of survival suggests the presence of resistance, consult with your local university specialist or certified pest control advisor.
- Contact your local extension specialist or certified crop advisors for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area. For further information or to report suspected resistance contact Velocity EHS at 888-255-3924 or at www.ehs.com.

TO TREAT LIVESTOCK: To protect beef cattle, dairy cattle, goats, sheep, hogs and horses from attacks of **Stable Flies, Horse Flies, Deer Flies, Face Flies, House Flies, Horn Flies, Mosquitoes and Gnats**: Spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly. To protect from **Face Flies**, spray the face and head, but do not spray into eyes. Repeat treatment when flies are troublesome.

TO KILL Screw Worms infesting beef cattle, horses, and sheep, hold can about 4 to 8 inches from area to be treated with nozzle pointed at wound. Spray the area until it is completely wet - three to ten seconds are usually enough. The area surrounding the wound should also be sprayed. This product is not recommended for use in deep wounds. Some strains of screw worms may develop resistance to pyrethroids. This will be observed by lack of response to treatment. Where pyrethroid resistance is known or suspected, this product should not be used.

FOR SWINE: Do not ship animals for slaughter within 5 days of last treatment.

TO CONTROL Blood Sucking Lice: Apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required.

TO CONTROL Poultry Lice: Spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist. For control of **Bed Bugs and Mites** in poultry houses, spray crevices of roost poles, cracks in walls and cracks in nests where the bed bugs and mites hide. Spray to the point of dampness but not runoff.

FOR THE CONTROL OF GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill **Japanese Beetles** hit by spray, as well as **Whiteflies, Aphids, Exposed Thrips, Spider Mites, Red Mites and Leafminers**.

May be used on plants, as well as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, azaleas, begonias, camellias, carnations, chrysanthemums, delphiniums, dogwood, English ivy, euonymus, fuchsia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against **Whiteflies, Aphids, Spider and Red Mites, Exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Armyworms**. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F (32°C). Over application may cause damage. Contact insects directly whenever possible. Re-treat if infestation occurs, but not more than once every two weeks.

STORAGE AND DISPOSAL

Follow proper disposal procedures on this label. *Siga las indicaciones del etiquetado para el desecho apropiado del producto.*

PESTICIDE STORAGE: Store in a cool, dry area away from [inaccessible to] children and pets and away from heat, sparks and open flame. [Do not transport or store below 32°F (0°C).] [Protect from freezing.] [Do not freeze.]

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Do Not Puncture or Incinerate. **If empty:** Place in trash or offer for recycling if available.

If partly filled: Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options.

[This container may be recycled in aerosol recycling centers. At present, there are only a few such centers in the country. Before offering for recycling, empty the can by using the product according to the label.]

[IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of [MGK][Company Name]. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, [QUESTSPECIALTY CORPORATION][Company Name] MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of [QUESTSPECIALTY CORPORATION][Company Name] is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, [QuestSpecialty Corporation][Company Name] disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT [QUESTSPECIALTY'S][Company Name] ELECTION, THE REPLACEMENT OF PRODUCT.

[Or alternate text

Note [Notice]: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.]

[Or Alternate Text

To the extent consistent with applicable law, purchaser assumes all responsibility for safety and use not in accordance with directions.]

[] Indicate alternate text in addition to any subset of the directions for use.

<<Optional Graphic Images & Text>>

{Note to reviewer: the following are optional proprietary language items for use on the product label; X can be any number from 1-9}

[Placeholder for customer product and/or item number: "[Product][Item] [Number] [#][XXXXXX]"]

[Placeholder for customer proprietary graphic/symbol]



<<Optional Recycling Logos>>

