

VH - 1/10/85 PM 15 1 of 5

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (771-367) WASHINGTON, D.C. 20460 NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	EPA REGISTRATION NO. 44479-3	DATE OF ISSUANCE JAN 16 1985
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT Rabon 0.56% Oral Larvicide Premix for Swine	

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Professional Products, Inc.
 P.O. Box 487, 231 Water St.
 Sauk City, WI 53583

161 / 138933
18 / 1

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 44479-3."
 - b. Add "Feed" to the heading "Ingredients" so as to avoid confusion the the ingredients heading.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
 Product Manager (15)
 Insecticide-Rodenticide Branch
 Registration Division (TS-767)



ENCLOSURES

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL _____ DATE 1/10/85

RABON® 0.56%
ORAL LARVICIDE
PREMIX FOR SWINE

PM/5 2 of 5



To prevent the development of House Flies in the ~~nature of treated~~ swine.

ACTIVE INGREDIENT	BY WEIGHT
2-Chloro-1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphate	0.56%*
INERT INGREDIENTS	99.44%**
Total	100.00%

ACCEPTED
with COMMENTS
EPA Letter Dated

JAN 1 1985

Under the
Federal
Insecticide,
Fungicide,
and
Rodenticide
Act

44479-3

- * Each pound contains 2.54g (2540mg) of Rabon
- ** Refers only to ingredients which are not larvicidal
- Rabon is the registered trademark of Shell Oil Company

READ ENTIRE LABEL FOR DIRECTIONS AND PRECAUTIONARY STATEMENTS

INGREDIENTS

Roughage Products, Calcium Carbonate, Mineral Oil.

KEEP OUT OF REACH OF CHILDREN

12 pt. type

CAUTION

18 pt. type

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

12 pt. type

Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water for 15 minutes. If irritation persists, see a physician.

ENVIRONMENTAL HAZARDS

12 pt. type

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

12 pt. type


Do not contaminate water, food or feed by storage or disposal.

STORAGE

Store in a dry place in the original container.

DIRECTIONS FOR USE

PM15 3 of 5



44-79-3

GENERAL CLASSIFICATION

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT, IN A MANNER, INCONSISTENT WITH ITS LABELING.

Operations containing this product may be fed up to slaughter. All swine should be treated.

Start feeding RABON larvicidal feeds early in the spring before flies begin to appear and continue feeding throughout the summer and into the fall until cold weather restricts fly activity.

When fed, this product passes through the digestive system into the animal's manure where it kills fly larvae on contact shortly after fly eggs hatch.

It prevents the development of house flies in the manure of treated swine, but is not effective against existing adult flies.

In some cases, supplemental fly control measures may be needed in and around swine lots and barns to control adult house flies which can breed not only in manure but in other decaying vegetable matter or silage on the premises.

In order to achieve optimum fly control, this product should be used in conjunction with other good management and sanitation practices.

MIXING DIRECTIONS

This product will mix uniformly in feeds when standard mixing procedures are followed. Thus, usual problems that are common to all feed preparation and which cause stratification, such as excessive free fall or excessive handling are to be avoided. It is recommended that appropriate preblending techniques be employed to assure adequate distribution of this product throughout the feed mix. The premix should be preblended with ground grain, protein supplements, mineral mixes, etc., before being added to roughages, such as chopped hay or silage. Mixing time should be adequate to assure uniform dispersion. Optimum performance can be assured only if this product is dispersed uniformly with the feedstuff at the recommended level. Common feed mixing equipment (i.e., vertical mixers, horizontal blenders, mixer/feeder truck) may be used to prepare formulated feeds. Feeds prepared with this product should not be pelleted nor be mixed with feeds containing predominantly pellets. Further, this product should not be mixed in liquid feed supplements.

PM15 40F5

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Completely empty bag into mixing equipment by shaking and tapping sides and bottom to loosen clinging particles. Then dispose of bags in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Continued on Back of Label

Manufactured by
Professional Products & Services, Inc.
231 Water St., P.O. Box 487
Sauk City, WI 53583

EPA Reg. No. 44479-
EPA Est. No. 44479-WI-01

Net Wt. 40 lbs.

44479-3

RABON 0.56% ORAL LARVICIDE PREMIX FOR SWINE contains 2540 milligrams per lb. and can be used to supply 50 milligrams of Rabon per 100 lbs. of body weight in swine feeds.

Use the following table as a guide to determine the proper mixing rate:

	Lbs. of RABON 0.56% ORAL LARVICIDE PREMIX FOR SWINE per Ton of Feed
Gestation	30 lbs.
Lactation	15 lbs.
Starter, Post Weaning	10 lbs.
Grower-Developer-Finisher	10 lbs.