For sanitizing food processing equipment, dairy equipment, food utensils, dishes, silverwere, glasses, sink tops, countertops, refrigerated storage and display equipment and other hard, non-porous surfaces. Portable water rinse is required.

Wash and rinse all articles thoroughly, then apply a solution of 1 oz. Super Star Disinfectant-Senitizer Fungicide Deodorizer in 4 gallons of water (150 ppm active). Surfaces should remain wet for at least one minute. Fresh solution should be prepared daily or when used solution becomes visably dirty. For mechanical application, used solution may not be re-used for sanitiz-

Apply to sink tops, countertops, refrigerated storage and display equipment and other stationary hard surfaces by cloth or brush. A Portable water rinse is required.

Dishes, silverware, glasses, cooking utensits and other similar size food processing equipment can be sanitized by immersion in a 1 oz./4 gallon dilution of Super Star Disinfectant Senitizer Fungicide Deodorizer. A Portable water rinse is required.

Precautionary Statements

Hazards to Humans and domestic animals

Keep out of reach of children, Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of foods.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL -OPEN DUMPING IS PROHIBITED

-DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL

PESTICIDE OR RINSATE THAT CANNOT BE USED OR CHEMICALLY REPROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

CONTAINER DISPOSAL

TRIPLE RINSE (OR EQUIVALENT) AND DISPOSE IN AN INCINERATOR OR LANDFILL AP-PROVED FOR PESTICIDE CONTAINERS, OR BURY IN A SAFE PLACE.

CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED AL-TERNATIVE PROCEDURES SUCH AS LIMITED OPEN BURNING

DISINFECTANT-SANITIZER FUNGICIDE DEODORIZER

Disinfectant-Sanitizer-Fungicide Deodorizer for Hospital, Institutional. Industrial School and Home Use

Active Ingredient Didecyl dimethyl ammonium chloride Inert Ingredients

7.5% \$2.5% 100%

KFEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

> SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Establishment No. 44538-NE-1

EPA Registration No. 44538-1

Net Contents: 64 Fl. Oz.

Manufactured By: Alemanna Company • 14112 Industrial Road • Omaha, NE 68144 ACCEPTED

APR 3 0 1982

Under the Secreti Inco. Jungicide, and Bademickie Acq es amendea, for the pesticito enictared uncci

*A Reg. No. 44538

Directions for tise **GENERAL CLASSIFICATION**

It is a violation of Federal Law to use this product in a matter inconsistent with its labeling

Apply Super Star Disinfectant-Sanitizer Fungicide Deodorizer with a cloth, mop or mechanical spray device. When applied with a mechanical spray device, surface must be sprayed until thoroughly wetted Treated surfaces must remain wet for 10 minutes. Fresh solution should be prepared daily or when the used solution becomes visibly dirty.

Disinfection in Hospitals. Nursing Homes, Health Care Institutions, Schools and Homes.

For disinfecting floors, walls, countertops, bathing areas, lavatories, bedframes, tables, chairs, garbage pails and other hard non-porous surfaces.

Add 31/2 oz. Super Star Disinfectant-Sanitizen Fungicide Deodorizer to 4 gallons of water Apply to previously cleaned hard surfaces with mop or cloth.

- Disinfection in Non-Medical Institutions and Industries.

At this use-level, Super Star Disinfectant-Sanitizer Fungicide Deodorizer is effective against Pseudomonas aeruginosa.

For disinfecting floors, walls, bedframes, countertops, tables, chairs, garbage pails, bathroom fixtures and other hard non-porous surfaces.

Add 2 oz, of Super Star Disinfectant-Sanitizer Fungicide Deodorizer to 4 gattons of water Apply to previously cleaned hard surface with mop or cloth.

At 2 oz./4 gatton use-level, Super Star Disinfectant-Sanitizer Fungicide Deodorizer is effective against Staphylococcus aureus, Salmonella choleraesuis and Trichophyton interdigitale (the athlete's foot fungus)

Disinfection of Precleaned Barber Tools.

Barber tools (such as combs, brushes, razors, and scissors) can be disinfected by immersing in a 12-oz, gallon solution of Super Star Disinfectant-Sanitizer Fungicide Deodorizer.

1982