RB - WASH SANITIZER

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Highly corrosive. Causes skin and eye dame. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES Permit. For guidance contact the regional office of EPA.

PHYSICAL AND CHEMICAL HAZARDS STRONG, OXIDIZING AGENT

Strong Oxidizing Agent. Use only clean dry utensils and mix with water only. Mixing other chemicals or gross filth (urine, feces, etc.) will start a chemical reaction resulting in release of toxic gases, heat, and possibly fire. In case of decomposition, isolate container in open air if possible, and flood with large volumes of water.

ACTIVE INGREDIENT:


Sodium dichloro-s-triazinetrione dihydrate...28% (provides 15.8% available chlorine)

KEEP OUT OF REACH OF CHILDREN DANGER

PRACTICAL TREATMENT (FIRST AID)

If swallowed: Feed bread soaked in milk followed by olive oil or cooking oil. Call a physician immediately.

- If on skin: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.
- If in eyes: Flush with cold water for at least 15 minutes. Get medical attention.



EPA Reg No. 44543-5

Net Weight 100 Pounds

RB - WASH SANITIZER

ACTIVE INGREDIENT:

ſn

'n

(OF

<u>g</u>.

hg

Ŀh.

be

IS

Sodium dichloro-s-triazinetrione dihydrate. . 28% (provides 15.8% available chlorine)

•

KEEP OUT OF REACH OF CHILDREN DANGER

PRACTICAL TREATMENT (FIRST AID)

If swallowed: Feed bread soaked in milk followed by olive oil or cooking oil. Call a physician immediately.

If on skin: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.

If in eyes: Flush with cold water for at least 15 minutes. Get medical attention.

ACCEPTED 44543-5 JAN 27 1981 Under the Federal Integrit Fungicide, and Rode and a gauended. In the Provide Fungicide, and Rode and a gauended. In the Provide Fungicide, and Rode and EPA Reg. No.

EPA Reg. No. 44543-5

Net Weight 100 Pounds

RB - WASH SANITIZER

RB - WASH SANI'IZER is recommended for use in either immersion or spray machines to sanitize and clean eggs prior to sale as inculation eggs. This formulation should not be used for commercial eggs. RB - WASH SANITIZER is also recommended for use in sanitizing dishes, glasses, food processing equipment and utensits including dairy and brewery equipment and utensits.

DIRECTIONS FOR USE

- 1 For Egg Wash: Dissolve 1 or 2-oz. of RB WASH SANITIZER in 10 gal of warm (125° F) water. This provides 100 or 200 ppm of available chlorine respectively. For immersion treatment, dip a basket of eggs in the 200 ppm available chlorine solution, hold for two or three minutes, remove, rinse with potable water and dry. With a conveyor type machine, spray with the 100 ppm available chlorine solution and follow with a potable water rinse
- 2 For Dishes, Glasses, Food Processing Equipment and Utensils: Dissolve 1 or 2-oz. of RB - WASH SANITIZER per 10 gal of warm (125° F) water. This provides 100 to 200 ppm of available chlorine respectively. Clean and rinse items prior to saniti ing. Then dip the items to be sanitized in solution and hold for 2 or 3 minutes. Remove, rinse with potable water and dry. The same solution may be used in the feed tank in immersion or spray type machines providing 2 to 5 minutes contact time for sanitizing dishes, glasses, and food processing equipment and utensits. Rinse well with potable water and dry. The items are the lifeady for use.

The sanitizing solution should be used promptly after mixing If the solution is allowed to stand or is reused and lests show the level of chlorine has not been maintained, additional RB-WASH SANITIZER should be added, to mainatin a minimum concentration of 100 ppm available chlorine.

STORAGE AND DISPOSAL

Keep product dry in tightly closed container when not in use Store in a cool dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding. Place in trash collection or dispose in approved land fill area, or bury in a safe prace.

RB Chemical Co. 18 212 WOOD STREET TEXARKANA, ARKANSAS 75502

4