

# RB - DETERGENT SANITIZER

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

### DANGER

Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

## ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES Permit. For guidance contact the regional office of EPA.

## PHYSICAL AND CHEMICAL HAZARDS STRONG, OXIDIZING AGENT

Strong Oxidizing Agent. Use only clean dry utensils and mix with water only. Mixing other chemicals or gross filth (urine, feces, etc.) will start a chemical reaction resulting in release of toxic gases, heat, and possibly fire. In case of decomposition, isolate container in open air if possible, and flood with large volumes of water.

## ACTIVE INGREDIENTS:

Sodium dichloro-s-triazinetriene dihydrate 5.6%  
(provides 3.2% available chlorine)  
Sodium dodecylbenzene sulfonate ..... 4.0%  
Sodium metasilicate ..... 5.0%

INERT INGREDIENTS ..... 85.4%

## KEEP OUT OF REACH OF CHILDREN DANGER

### PRACTICAL TREATMENT (FIRST AID)

If swallowed: Feed bread soaked in milk followed by olive oil or cooking oil. Call a physician immediately.

If on skin: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.

If in eyes: Flush with cold water for at least 15 minutes. Get medical attention.

**ACCEPTED**  
44543-7  
JAN 27 1981  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
registered for the pesticide  
category No.

EPA Reg. No. 44543-7

Net Weight 100 Pounds

17

RB - D  
proce  
equipm  
and g-a

P spe  
DETER  
tion co  
tively  
es, dis  
Remo  
to ren  
solu  
potabi

The s  
spray  
sanitiz  
sils. C  
step, r  
ready

The san  
the solu  
level of  
GENT S  
centrat

Keep pr  
Store in  
flame. In  
flood wit  
discard  
fill area

# RB - DETERGENT SANITIZER



## ACTIVE INGREDIENTS:

- Sodium dichloro-s-triazinetrione dihydrate 5.6%  
(provides 3.2% available chlorine)
- Sodium dodecylbenzene sulfonate ..... 4.0%
- Sodium metasilicate ..... 5.0%

INERT INGREDIENTS ..... 85.4%

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

### PRACTICAL TREATMENT (FIRST AID)

**If swallowed:** Feed bread soaked in milk followed by olive oil or cooking oil. Call a physician immediately.

**If on skin:** Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.

**If in eyes:** Flush with cold water for at least 15 minutes. Get medical attention.

**ACCEPTED**  
44543-7  
JAN 27 1981  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.

EPA Reg. No. 44543-7

Net Weight 100 Pounds

17

## RB - DETERGENT SANITIZER

RB - DETERGENT SANITIZER is recommended for use on food processing equipment and utensils including dairy and brewery equipment and utensils. It is also recommended for use on dishes and glasses.

### DIRECTIONS FOR USE

Prepare a sanitizing solution by dissolving 4 1/4-oz. or 8 1/2-oz. RB - DETERGENT SANITIZER per 10 gal. of water. This provides a solution containing 100 ppm or 200 ppm of available chlorine respectively. Clean and rinse items prior to sanitizing. Then place glasses, dishes, equipment or utensils in solution for 2 to 5 minutes. Remove, rinse with potable water and dry. For flat surfaces clean to remove gross filth and heavy soil. Then spread the sanitizing solution and allow to stand 2 to 5 minutes and then rinse with potable water.

The same solution may be used in food tank in immersion or spray type machines providing 2 to 5 minutes contact time for sanitizing dishes, glasses, food processing equipment and utensils. Clean and rinse items prior to sanitizing. After sanitizing step, rinse well with potable water and dry. The items are then ready for use.

The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional RB - DETERGENT SANITIZER should be added, to maintain a minimum concentration of 100 ppm available chlorine.

### STORAGE AND DISPOSAL

Keep product dry in tightly closed container when not in use. Store in a cool dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area, or bury in a safe place.

**RB Chemical Co.**  
212 WOOD STREET  
TEXARKANA, ARKANSAS 75502

18

1/ 44543-7 Pm 32

# RB - FABRIC AND DIAPER SANITIZER

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

### DANGER

Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

## ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES Permit. For guidance contact the regional office of EPA.

## PHYSICAL AND CHEMICAL HAZARDS STRONG, OXIDIZING AGENT

**Strong Oxidizing Agent.** Use only clean dry utensils and mix with water only. Mixing other chemicals or gross filth (urine, feces, etc.) will start a chemical reaction resulting in release of toxic gases, heat, and possibly fire. In case of decomposition, isolate container in open air if possible, and flood with large volumes of water.


## ACTIVE INGREDIENTS:

Sodium dichloro-s-triazinetrione dihydrate 18.0%  
(provides 10.1% available chlorine)

Sodium carbonate ..... 25.0%

Sodium dodecylbenzene sulfonate ..... 2.4%

INERT INGREDIENTS ..... 54.6%



**KEEP OUT OF REACH OF CHILDREN  
DANGER**

## PRACTICAL TREATMENT (FIRST AID)

**If swallowed:** Feed bread soaked in milk followed by olive oil or cooking oil. Call a physician immediately.

**If on skin:** Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.

**If in eyes:** Flush with cold water for at least 15 minutes. Get medical attention.

EPA Reg. No. 44543-7

Net Weight 10 Pounds

## RB - FABRIC AND DIAPER SANITIZER

RB - FABRIC AND DIAPER SANITIZER is recommended for stain removal and reduction of ammonia causing bacteria in institutional and commercial laundering of fabrics and diapers.

## DIRECTIONS FOR USE

Wet fabrics or diapers should be spin dried before the sanitizer applied. Four (4) oz. of RB - FABRIC AND DIAPER SANITIZER should be added for each 16 gallon wash load. Run this solution in the pre-wash, followed by the regular wash cycle with a good detergent. The above application gives 200 ppm available chlorine in the pre-wash cycle.

The sanitizing solution should be used promptly after mixing. The solution is allowed to stand or is reused and tests show if level of chlorine has not been maintained, additional RB - FABRIC AND DIAPER SANITIZER should be added, to give 200 ppm available chlorine in the pre-wash cycle.

## STORAGE AND DISPOSAL

Keep product dry in tightly closed container when not in use. Store in a cool dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container, if possible, or flood with large amounts of water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area, or bury in a safe place.

**RB Chemical Co.**  
212 WOOD STREET  
TEXARKANA, ARKANSAS 75502