

RB - SANITIZER

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES Permit. For guidance contact the regional office of EPA.

PHYSICAL AND CHEMICAL HAZARDS STRONG, OXIDIZING AGENT

Strong Oxidizing Agent. Use only clean dry utensils and mix with water only. Mixing other chemicals or gross filth (urine, feces, etc.) will start a chemical reaction resulting in release of toxic gases, heat, and possibly fire. In case of decomposition, isolate container in open air if possible, and flood with large volumes of water.

ACTIVE INGREDIENT:

Sodium dichloro-s-triazinetriene dihydrate, 25%
(provides 14% available chlorine)

INERT INGREDIENTS 75%

KEEP OUT OF REACH OF CHILDREN DANGER

PRACTICAL TREATMENT (FIRST AID)

If swallowed: Feed bread soaked in milk followed by olive oil or cooking oil. Call a physician immediately.


If on skin: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.

If in eyes: Flush with cold water for at least 15 minutes. Get medical attention.

EPA Reg. No. 44543-9

Net Weight 100 Pounds

18



RB - SANITIZER



RB-SANITIZER

RB SANITIZER is recommended for use on hard (non-porous) surfaces, on dishes, glasses or food processing equipment or utensils, including dairy and brewery equipment and utensils.

ACTIVE INGREDIENT:

Sodium dichloro-s-triazinetrione dihydrate, 25%
(provides 14% available chlorine)

INERT INGREDIENTS.....75%

DIRECTIONS FOR USE

Prepare a sanitizing solution by dissolving 1 oz. or 2-oz. of RB SANITIZER per 10 gal. of water. This gives a solution containing 100 ppm or 200 ppm available chlorine respectively. Clean and rinse item or surface prior to sanitizing. Then place dishes, glasses, equipment or utensils in the solution or spread it over the surface to be sanitized. Let stand 2 to 5 minutes and then wipe excess away. Rinse items and surfaces with potable water prior to use.

The same solution may be used in the feed tank in immersion or spray type machines providing 2 to 5 minutes of contact time for sanitizing dishes, glasses, food processing equipment and utensils. Clean and rinse items prior to sanitizing. After sanitizing step, rinse well with potable water and dry. The items are then ready for use.

The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional RB - SANITIZER should be added, to maintain a minimum concentration of 100 ppm available chlorine.

KEEP OUT OF REACH OF CHILDREN DANGER

PRACTICAL TREATMENT (FIRST AID)

If swallowed: Feed bread soaked in milk followed by olive oil or cooking oil. Call a physician immediately.

If on skin: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.

If in eyes: Flush with cold water for at least 15 minutes. Get medical attention.


STORAGE AND DISPOSAL

Keep product dry in tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding. Place in trash collection or dispose in approved land fill area or bury in a safe place.

EPA Reg. No. 44543-9

Net Weight 100 Pounds

18



RB Chemical Co.
212 WOOD STREET
TEXARKANA, ARKANSAS 75502