PRECAUTIONARY STATEMENTS **HAZARDS TO HUMANS** AND DOMESTIC ANIMALS

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissi-

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids. detergents or other chemicals may release hazardous gases

manufactured by

CAPRI POOLS, INC. 1474 U.S. 19 South Clearwater, FL 33516

EPA REG NO. 44580-1 EPA EST. NO. **NET CONTENTS**

irritating to eyes, lungs and mucous membranes



"FOR SWIMMING POOL CHLORINATION AND SANITIZING."

ACTIVE INGREDIENT SODIUM HYPOCHLORITE INERT INGREDIENTS

9.2%

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID: If on skin wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water Do NOT give vinegar or other acids. Do NOT induce voiniting Get prompt medical attention

See additional precautions on side panel

DIRECTIONS FOR USE GENERAL CLASSIFICATION

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

DIRECTIONS FOR SWIMMING POOL CHLORINATION For a new pool of for spring start up, superchtornate with one (1) pint (16 ftu, ozs.) of this sodium hypochlorite solution for each 7500 gallons of water. This dusage is equivalent to 5 ppm available chlorine by weight.

a ent to 5 ppm available chlorine by weight.

For Pour Maintenance.

A) Adjust pool water pH to 7.6. 7.2 range and maintain.

B) Add manually or by a feeder descre this sodium hypochlorite solution at a rate to maintain an available chlorine residual of 6 to 1.0 ppm. One-half pint (8 flu loss) of this sodium hypochlorite solution for each 6000 gallons of water will provide 1.0 ppm available chlorine by weight. Frequency of additions to maintain 0 6 to 1.0 ppm available chlorine will depend upon temperature and number of swimmers. Use test kit to make certain the pH and chlorine residual are in the proper range.

DIRECTIONS FOR DISINFECTION OF POTABLE WATER FOR HOME WELL WATER SYSTEMS

FOR HOME WELL WATER SYSTEMS

Dilute this sodium hypochlorite solution in the ratio of one part sodium hypochlorite solution to 9 parts softened water. Mix is drum hypochlorite solution and water thoroughly and begin feeding of so ultion with a hypochlorinator (metering pump). Maintain a free available chlorinn residual of at least 0.2 ppm and no more than 0.6 ppm thoughout the distribution system as determined by a DPD chlorine test kit. Bacter-coole all sample gip list by contact chart frequency holes than that prescribed by the National Interim Primary (1) is not write. Regisal cash. Check water frequency with a DPD chlorine test kit.

"Contact your first Health Departs on the objective details."

DIRECTIONS FOR SANITIZING FOOD PROCESSING OR DAIRY EQUIPMENT

DIRECTIONS FOR SAMITZING FOOD PROCESSING OR DAIRY EQUIPMENT Crean equipment in the normal master. Just before using tinse all surfaces thoroughly, with this sodium hypochlor resolution containing 200 ppm available chronie. Maintain contact with disinfectant for a minimum of Leo minutes. Do not one with water after treatment with scalum hypo Nords relution. Do not soak overnight, Additioned one fluid oz. 2 Pistsps Lidthis sodio hypo Inforte solution per 4 gallons of water will proceed applications of water will proceed applications for the process of the age. Use a chorizone tis stat and increase desage as micessary, worlds, the required toyer of available. Extinded the process of the pro

STORAGE AND DISPOSAL: Strietina cool dry area away from direct swilight. In case of spill flood area with large grantities of water. Rinse empty container thoroughly with water and either retirin to manufacturer or discard by placing in frastrict fection or burying in an approved fandfill. Product or misate that cannot be used should be divel with later and disposed of in a sanifary sewer. Do not contaminate to the LD by storight approach or cleaning of equipment.