

**Precautionary Statements
Hazardous to Humans
and Domestic Animals**



POISON—POISON

POISONOUS IF SWALLOWED

If SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth if at once severe pain. Get medical attention.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eye or on clothing. Liquid goes through clothes.



POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONING SYMPTOMS

Parathion is a very dangerous poison. It rapidly enters the body by contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, accelerated breathing, the skinness, sweating, watering of eyes, drooping of eyelids, numbness of mouth and nose, muscle spasms and coma.

If a victim is exposed to this pesticide, get to a hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

NOTE TO PHYSICIAN

ANTIDOTE: administer atropine sulfate in large doses TWO to FOUR mg. intravenously or intramuscularly as soon as cramps or convulsions appear. Repeat at 5 to 10 minute intervals until signs of atropine poisoning appear. 2 P.A.M. chloride is also an antidote and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first a profuse sweating, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and later relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.** Treat symptomatically.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

Protective clothing and respirator are required for all operators and other personnel involved in mixing and transferring or otherwise handling this pesticide. Protective clothing must consist of long, impermeable gloves, rubber or synthetic rubber boots or foot covers, long sleeved shirt and long pants. Full face respirator are recommended, full face respirators are required. As partly approved by the Pesticide Enforcement and Safety Administration (formerly the U.S. Bureau of Plant and Soil Conservation) and by the National Institute for Occupational Safety and Health under the Provisions of 29 CFR Part 1.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not touch eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After treatment given see First Aid Treatment Section and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK: take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

Environmental Hazards

This product is toxic to fish, birds and other wildlife. Use of this product may be fatal to birds and other wildlife in treated areas. Do not spray over lakes, streams, ponds, tidal marshes and estuaries. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Over-spray of this product into water at application rates recommended on this label may be fatal to shrimp and crabs. Do not apply where there are important resources. Apply this product only as specified on the label.

Physical and Chemical Hazards

DO NOT USE, POOL, SPILL, OR STORE NEAR HEAT OR OPEN FLAME

Directions for Use

Refer to the accompanying directions for use that are provided with EPA emergency finding. For aerial applications, flagging must be by fully automated mechanical means or by human working in totally enclosed vehicles.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Workers entering treated fields within 48 hours must wear protective clothing.

POST-TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

READ ENTIRE LABEL USE STRICTLY IN ACCORDANCE WITH DANGER STATEMENTS AND DIRECTIONS AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS

KEEP PESTICIDE IN ORIGINAL CONTAINER

MIXING AND SPRAYING

Add the concentrate to the spray tank while filling with water, and mix thoroughly either by means of a tank agitator or pump by pass. For best results, thoroughly cover all surfaces to be treated with spray.

The following dosage rates are to be used in sufficient water to cover the specified area. For application by air, add the desired amount of concentrate per acre to 1 to 3 gallons of water. For application by ground equipment add the desired amount of concentrate per acre to 3 to 10 gallons of water.

Storage and Disposal

Do not contaminate water, feed or feed by storage or disposal. Open dumping is prohibited.

Prohibit Disposal: Pesticide spray mixture or clean water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.

Container Disposal: Triple-rinse (or Equivalent). Then offer for recycling or reconditioning, or purchase and dispose of in a secondary container, or by other approved state and local procedures.

RESTRICTED USE PESTICIDE

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION

STOP—READ LABEL BEFORE USING!

POISON

See Side Panels for Antidote & Precautions



DANGER

Keep Out of Reach of Children


Safe, distribution or use is permitted only after a showing of emergency conditions to EPA by a Federal or State agency and issuance by EPA of a finding that an emergency condition exists, and only as permitted by that EPA finding.

KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICAL TREATMENT

Remove patient from 6-3 Exposure
ESSENTIAL:
If swallowed, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.
If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.
EXTERNAL:
If on skin, immediately flush with plenty of water while removing contaminated clothing and shoes. See doctor immediately.
If in eyes, immediately flush with copious of water. See doctor immediately.



AIR-CHEM 6-3

EMULSIFIABLE CONCENTRATE INSECTICIDE

1 gallon of SIX THREE contains 6 pounds Toxaphene and 3 pounds Methyl Parathion per gallon

ACTIVE INGREDIENTS:

*Toxaphene	52.56%
**O, O-Dimethyl O-p-nitrophenyl phosphorothioate	71.88%
Related Compounds	1.38%
Xylene Range Aromatic Solvent	10.88%

INERT INGREDIENTS:

TOTAL 100.00%

*Technical Chlorinated Camphor (67% 69% Chlorine)
**Otherwise known as Methyl Parathion

**DO NOT RE-USE THIS CONTAINER FOR ANY PURPOSE
NOT FOR HOME USE**

**DIRECTIONS FOR USE ON COTTON,
CORN, AND SMALL GRAINS ONLY**

For control of army worms, cutworms or grasshoppers Use 1 to 1 1/2 Quarts per acre of this material in sufficient water to give good coverage.

Care should be taken that this material is not allowed to drift onto neighboring crop or non-crop areas.


POISON SIGNS (Symptoms):

Parathion is a very dangerous poison. It rapidly enters the body by contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, accelerated breathing, the skinness, sweating, watering of eyes, drooping of eyelids, numbness of mouth and nose, muscle spasms and coma.

NOTICE OF WARRANTY

WARRANTY AND LIMITATIONS OF DAMAGES. AIR-CHEM, INC. warrants that this material conforms to the chemical description on the label and to approximately 90% for the purposes referred to in the Directions for Use and Conditions of Sale, subject to the inherent risks referred to therein. AIR-CHEM, INC. makes no other expressed or implied warranty, including any other expressed or implied warranty of FITNESS or MERCHANTABILITY, and no agent of AIR-CHEM, INC. is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or value, etc.



DEALERS SHOULD SELL IN ORIGINAL PACKAGES ONLY.

NOT FOR HOME USE.

EPA Reg No 44605-4

EPA Estab No 44605-AL-01

METHYL PARATHION MIXTURE LIQUID

AIR-CHEM., INC.

SKY HARBOR AIRPORT
SELMA, ALABAMA 36701

NET CONTENTS:

U.S. GALLONS

BEST AVAILABLE COPY