- ** will control algae and bacterial slimes found in recirculating cooling tower waters, oil field virter flood and crude oil pipelines and storage facilities
- ## helps clean and loosen some dobns from cooling and flooding system surfaces. When used in diag dores, no other microbiocide is required
- 泰泰 is economical to use because it is concentrated. It should be handled with care.

Precautionary Statements

Hazards to Humans and domestic animals

DANGER:

Keep Out of Reach of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply in marine and/or estuarine oil fields. Do not discharge treated effluent into lakes, streams, ponds, or public waters unless in accordance with a NPDES permit. For guidance contact your Regional Office of the Environmental Protection Agency.

PHYSICAL HAZARDS

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

STORAGE AND DISPOSAL

- -DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL. -OPEN DUMPING IS PROHIBITED
- -DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL

PESTICIDE THAT CANNOT BE USED, OR CHEMICALLY REPROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES

CONTAINER DISPOSAL

DISPOSE OF IN AN INCINERATOR OR LANDFILL APPROVED FOR PESTICIDE CONTAINERS. BURY IN A SAFE PLACE OR RETURN TO DRUM RECONDITIONER

CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE **PROCEDURES**

** HPI 7910

HPI 791C

Water Treatment Microbiocide for the effective control of a broad spectrum of microorganisms in building and industrial recirculating cooling towers, oil field flood or salt water disposal systems and crude oil pipelines and stores facilities

Active Ingredient

1-Hydroxyethyl-1-benzyl-2-alkyl* Imidazolinium chloride :- ->

50%

Inert Ingredients

50%

100%

*Alkyl as in latty acids of occorut of 4616-9 KEEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No.

44616

EPA Establishment No.

44616-MO 55 gals

Net Volume

HPI, Inc.

417 So. 4th St. + St. Joseph, MD 64501

ICH SALE FOR USE AND COUNTY

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

Environment (1) and the protection of performing the formation of the for

- Recirculating Cooling Towers in the source 7 fluid durings per 1000 do in the sted (25 gp mactive quillernary). Te ct material te
- Should the above dosage not give satisfactory results, use 10 fluid cunces per 1000 gallons of water
- Repeat the initial dose every seven days or increase the frequency if needed
- 2. When the above treatment, evel is successful, use 3 to 4 fluid dunces per 1000 gallons of water to maximize efficiency Receat weekly as needed

Should stime develop again, go back to initial dosage

Recursivating copied tower waters that are inherently fow in argae growth and bacteria count may be adequately controlled by the lower range of these dosages, stug feed every seven days

Dilute the appropriate amount of ** in 1 or 2 gallons of water then add to the sumplicithe tower. Note this product weighs 7.76 ibs pergation at 20 C)

Sircula tower tie tiezy is fouled a preclear-no is required. Oil Field Water Floor or Salt Water Disposal Systems «Coinct appile in Marine and Estuarine Oil Fields)

- 1. For the control of sime forming and suffate reducing bacter a in outlie disaster food or salt water disposal systems and 35-50 ppm ractive) ** (91) 13 gallons per 3000 barrels of water) continuously. Levels for effective control will vary depending on conditions at the site
- 2 For intermittent use dose at a rate of 35-70 ppm (active) ** (9) 2 — 18 gatters per 3000 barrels of water) for 4-8 hours per day, one to four times a week as needed to maintain

Crude Oil Pipeline and Storage Facilities

- For the control of sulfate reducing bacterial heteratrophic bacteria and corresion in crude oil pipetines, stug does with 0.5-3 gattons of 1.8 % per diameter inchiper mite of pipetine. Apply the appropriate dosage in stug form in front of the pipeline pig as required by the system.
- For continuous, oideline, feed, approarinns, add, 9,5:13 gallons of 本本, per 2010 parrels of crude oil (本本)s added to the pipe ineldirectly behind the pig.
- For the treatment of crude oil storage facilities, add. ** at the rate of 9.5-13 gations per 3000 barrels of crude oil

Add ** direct it from the drum with the proper type of metering equipment. This product weighs 776 lbs gallon (at 20°C). Since crude oil pipeline and storage facilities differ in the material handled and operation, the recommended dosages may reci i re adjustment based on practical experience

** HP1 7910

After approval by the EPA, label will be reset completely and product name will appear in appropriate spaces. (Those designated with **)

	EPA REGISTRATION NO.	DATE OF ISSUANCE
U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROJUMNS REGISTRATION DIVISION (## 4/2)	TERM OF ISSUANCE	16 MAR 1983
AASHINGTON LC., 40	MALE OF PLANTED BY	
NOTICE OF PESTICIDE: (Soft for the form) (Under the Teefferd In extreme Terminal design and Rock into the Astronomy and the E.	NAME OF PESTICIPE PHO	put r
AME AND ADDRESS OF REGISTRANT Institle ZIP code		
r-	- Τ	
L	L.	
HOTE: Changes in labeling formula differing in substance submitted to and accepted by the Registration Division proproduct always refer to the above U.S. EPA registration nur	or to use of the label in comr	
On the basis of information furnished by the registrant, the he Federal Insecticide, Fungicide, and Rodenticide Act.	above named posticide is he	ereby Registered/Reregistered unt
A copy of the labeling accepted in connection with this Re	gistration/Reregistration is	returned herewith.
Registration is in no way to be construed as an indorsement health and the environment, the Administrator, on his moticide in accordance with the Act. The acceptance of any national to be construed as giving the registrant a right to be of the second transfer of the registrant and the second transfer of the registrant and the second transfer of the second transfer	in, may at any time suspend ime in connection with the re	or cancel the registration of a pes egistration of a product under this
•		
	•	
! ATTACHMENT IS APPLICABLE		2 2 4

Is these conditions are not complied with, the regulatration will be subject to cancellation in accordance with Fifth sec. 6(e). Your release for Shipment of the product constitutes acceptance of these conditions.

A stanged copy of the laber is cherosed for jour records. James G. Bucks

Product .. anaget (31) biblimiectants branch

negistration Division (T3-70/C)

Auclosures