4.1 - 1-14 DATE OF ISSUANCE US ENVIRONMENTAL PROTECTION AGENCY 12 1588 SEP OFFICE OF PESTICIDES PROGRAMS 44616-14 REGISTRATION DIVISION (TS-767) TERM OF ISSUANCE WASHINGTON, DC 20460 <u>Until Reregistered</u> NAME OF PESTICIDE PRODUCT NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION Animal & Kennel Concentrate (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended) NAME AND ADDRESS OF REGISTRANT (Include ZIP code) HP1 Trebucts P.O. LOY 14 St. J.: com, ik -64102L NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cance) the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. this properties conditionally registered in accordance with all kn section (COUNTY) or wise that your 1. Submitted to an data required for the istration/relegistration of your paparet with larks section of(a)(b) when the Agency regulates will registrante d'alminar product do bullmit adon data. 2. Each the observery charges in the policy percent year release the product 101 Shiphy Si a. A. ter preday "rik kegistration has a hote-14." to the transfer of mindle the bathle street in and their matter of . It is a " reg out of remark streams of points. Do not contartions with the chamity of population in almost up of waster" to "e not allly meeting to water. In not contaminate water when the of the or of Milett was water . " gradional at the probabilities for each transfer of The second and the property of the second compress constraints approved temperatory protection V 516.24

EPA Form 6570-6 (Rev. 5-76)

ATTACHMENT IS APPLICABLE

211

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

-2-

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with PIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

## ANIMAL & KENNEL CONCENTRATE

For Control of Ticks, Fleas, Lice and Ear Mites on Dogs and Cats.

Protects against Chiggers, Eye Gnats, Biting Flies and Mosquitoes.

The insecticidal ingredients of this concentrate are effective against insects. This concentrate is designed for dilution with water at specified rates for use on animals or in kennels as a space, surface, fogging spray or as a dip.

Recommended for Commercial Use.

### ACTIVE INGREDIENTS:

\*Equivalent to 9.47% (butylcarbity)) (S-propylpiperonyl) ether and 2.37% related compounds. This product contains petroleum distillate.

# KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel, for additional precautions

PYREMONE - Registered trademark of Fairfield American Corporation

EPA Reg. No. 44616 EPA Lst. No. 44616-MO-01

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Dilutions of this concentrate should be made shortly before use in the quantity needed for the individual application. Water dilutions should not be kept for future use.

## To Control Insects On Animals

Sponge Bath or Dip: Dilute this concentrate at a rate of I fluid ounce in 23 fluid ounces of water (2 tablespoons of concentrate in 2-3/4 cups of water) or 6 fluid ounces (12 tablespoons in 1 gallon of water.

Unit Size: 40z; 80z; pint; quart & gallon,

For control of ticks, fleas and lice on cats and dogs, sponge solution on thoroughly wetting skin over entire animal or dip the animal. Do not rinse; allow solution to remain on animal. In cases of heavy tick infestations on long-haired cats or dogs, dilute 1 fluid ounce of concentrate to 11 fluid ounces with water (2 tublespoons of concentrate in 14 cups water) or 12 fluid ounces (24 tablespoons) of concentrate in one gallon of water.

Mist Spray: Dilute this concentrate at the rate of 7 fluid ounces in 1 gallon of water or 1 fluid ounce of concentrate in 18 fluid ounces of water.

For control of ticks, fleas and lice using a mist spray. To insure thorough coverage, part the fur by stroking against the lay of the hair as spray is applied, Spray ticks directly. Apply to moisten the fur lightly.

To control spinose ear ticks and ear mites, syringe the ears with a few drops of this dilution so that it can penetrate the was down to the surrounding tissues. Repeat treatment once or twice at 2 to 3 day intervals as necessary. For temporary protection from mosquitoes, eye gnats, biting flies and chiggers, apply to cover the surface of the hair. Repeat treatment as necessary when insects are troublesome.

Ticks are only an occasional pest of cats. This product will control ticks on cats should they occur.

To Control Insects in Kennels and Animal Quarters

Dilute at the rate of 13 fluid ounces in 1 gallon of water or 2 fluid ounces in 18 fluid ounces of water.

Remove pets before treating area and ventilate thoroughly before allowing them to re-enter treated area.

For Cleanout of fleas and ticks in kennels, apply this dilution in a good machine adjusted to deliver coarse droplets. Apply to the point of runoff with special attention to cracks and crevices and other insect hiding places. Bedding should be removed and sprayed thoroughly.

To control flies, mosquitoes and gnats in kennels, apply this dilution in a good sprayer adjusted to deliver a fine mist. Use at the rate of approximately 1 ounce for 1000 cubic feet of space. Fill the enclosed area with mist wherever practical. Keep doors and windows closed for 10 minutes or more after application. Remove pets before treatment and do not allow them to return until area is completely ventilated. Do not remain in treated areas and ventilate after treatment is completed.

Do not reuse of wrap containe and discard in

PREC HAZARDS TO

Harmful if swafood, feed, as covered while If Swallowed

If Inhaled -

If on Skin -

If in Eyes -

Remove pets, before sprayi

This product lakes, stream water by clea wastes. Appl on this label

Buyer assume: handling of cordance with

Manufac

wit in C

SE Por the

Under the Fungicid's amended registered

446.