

NOTICE OF INTENT

NOTE: Changes in labeling, terms, or other information in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence or product label, refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Re-registered under the Federal Insecticide, Fungicide, and Plant Repellent Act.

A copy of the labeling accepted in connection with this Registration/Re-registration is being furnished to you.

Registration is in no way a statement of approval of the product by the Agency. The Agency is not responsible for the health and the environment effects of the use of the product. The registrant is responsible for the use of the product in accordance with the label. The Agency is not responsible for the use of the product in accordance with the label. The Agency is not responsible for the use of the product in accordance with the label.

1. The registrant is required to provide for registration/re-registration of the product in accordance with the label. The registrant is required to provide for registration/re-registration of the product in accordance with the label.

2. The registrant is required to provide for registration/re-registration of the product in accordance with the label. The registrant is required to provide for registration/re-registration of the product in accordance with the label.

3. The registrant is required to provide for registration/re-registration of the product in accordance with the label. The registrant is required to provide for registration/re-registration of the product in accordance with the label.

4. The registrant is required to provide for registration/re-registration of the product in accordance with the label. The registrant is required to provide for registration/re-registration of the product in accordance with the label.

5. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-75 enclosure for a further description of final printed labeling.

BEST AVAILABLE COPY

☐ ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

-2-

...tions are not complied with, the registrant shall be
subject to ...tion in accordance with FIFRA section 6(a). Your release
for shipment of this product constitutes acceptance of these conditions.

... the label is enclosed for your record.

Phil Hutton
Phil Hutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (15-767C)

Enclosures

BEST AVAILABLE COPY

FOLIAFUME® INSECTICIDE

with ROTENONE/PYRETHRINS

EMULSIFIABLE CONCENTRATE 1.1% + 0.8%

FORMULA II

EMULSIFIABLE PYRETHRUM-ROTENONE PLANT & ANIMAL INSECTICIDE
 Contains 0.08 lb/gal (9.9 g/L) of Rotenone & 0.06 lb/gal (7.2 g/L) of Pyrethrins

ACTIVE INGREDIENTS:

Rotenone	1.1% w/w
Other Cube Extractives	2.2%
Pyrethrins	0.8%
INERT INGREDIENTS:	95.9%
	100.0% w/w

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

TRANSLATION: (To the user: If you cannot read English, do not use this product until the label has been fully explained to you.)

**KEEP OUT OF REACH OF CHILDREN
WARNING**

SEE SIDE PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS AND
STATEMENT OF PRACTICAL TREATMENT

EPA Est. See Lot No. For Correlation

EPA Reg. No. 432-581 G 42545-MO-1

H 5905-AR-1

P 655-GA-1

P-6/2/87

NET CONTENTS

LOT NO.:

**PENICK-BIO UCLAF
CORPORATION**

P.O. Box 1077, 130 S. Main Avenue, Englewood Cliffs, NJ 07631

BEST AVAILABLE COPY

PRECAUTIONARY STATEMENT HAZARDS TO HUMANS & DOMESTIC ANIMALS WARNING

May be fatal if swallowed. Harmful if absorbed through skin. Causes irritation of temporary eye injury. Wear safety glasses. Do not breathe spray mist. Wash thoroughly with soap and water. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT
 IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting. Give milk, egg whites, gelatin solution, or, if these are not available, water. Avoid alcohol. Do not induce vomiting. This product contains pyrethrins which may be a hazard.

IF IN CONTACT WITH SKIN: Flush with plenty of water. Get medical attention.

ENVIRONMENTAL HAZARDS
 This product is toxic to fish. Do not apply directly to water. Do not use for cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS
 DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the directions on the label.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** For Containers 1 Gallon and Under: Store in original container in a cool, dry place.

PESTICIDE DISPOSAL: For Containers Over 1 Gallon: Do not reuse. Dispose of empty pesticide, spray mixture or concentrate in a secure container. Do not be disposed of by use and dump to land. Pesticide or Environmental Control Agency for the State or nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: For Containers 1 Gallon and Under: Wash container and put in trash.

For Containers Over 1 Gallon: Triple rinse (or equivalent) and then dispose of in a sanitary manner or by other means approved by State and local authorities.

DIRECTIONS FOR USE (Continue) on Page 2

**ORNAMENTAL, VEGETABLE AND FRUIT PLANT USES
ARE NOT REGISTERED IN CALIFORNIA**

Label No. 432-664

FOLIAPUR® INSECTICIDE with Rotenone/Pyrethrins Emulsifiable Concentrate 1.1% + 0.8% Formula II

Page 2 of 3

For ornamental and flowering plants such as poplar, lindens, dogwood, willow, birch, boxelder, maple, oak, elm, pine, spruce, cedar, yew, spirea, rose, lilac, zinnia, aster, petunia, geranium, pansy, stock, sweet pea, and carnation; on chrysanthemum, and rose, mix this product with water as described in the following chart. Use hand or automatic sprayer as a coarse spray. Do not apply this product within one day of collection. Repeat every 5-10 days or as needed. Keep diluted spray away from light.

PESTS	VOLUME OF PRODUCT/GALLON OF WATER (3.78L)
Aphids, Leafhoppers, Exposed Thrips	1 teaspoon (5 ml)
Japanese Beetles, Leafrollers, Sawfly larvae, Boxelder bugs, Spined beetles, Elm leaf beetle larvae, Mites, Lygus bugs, Lace bugs, Greenhouse Whiteflies, Stink bugs, Garden Fleahoppers, Greenhouse Leafhoppers	2 teaspoons (10 ml)
Cucumber beetles, Rose chafers, Ants, Aster beetles, Flea beetles	4 teaspoons (20 ml)

For vegetable plants such as pea, bean, beet, cucumber, squash, muskmelon, potato, tomato, cabbage, spinach, lettuce, celery, asparagus, pepper, eggplant, onion, carrot and corn: Mix this product with water as described in the following chart. Use hand or automatic sprayer as a coarse spray. Use sufficient spray mix to give complete coverage of the plants. Do not apply this product within one day of harvest. Repeat every 5-10 days or as needed. Keep diluted spray away from light.

PESTS	VOLUME OF PRODUCT/GALLON OF WATER (3.78L)
Aphids, Leafhoppers, Exposed Thrips	1 teaspoon (5 ml)
Cabbage Worms, Bean Beetles, Beet Webworms, Sod Webworms, Asparagus Beetles, Japanese Beetles, Lygus Bugs, Whiteflies, Garden Fleahoppers, Harlequin bugs, Oblique-banded Leaf Rollers, Stink Bugs, Celery Leafhoppers, Melon Worms, Tortoise Beetles, Garden Webworms, Alfalfa Webworms, and Mites	2 teaspoons (10 ml)
Cucumber Beetles, Flea Beetles, Vegetable Weevils, Squash Bugs (nymphs), Squash Vine Borers, European Corn Borers- 3 to 4 applications or more as eggs start to hatch and repeated at 5 to 7 day intervals.	4 teaspoons (20 ml)

For fruiting plants such as cherry, grape, currant, gooseberry, raspberry, blackberry, strawberry and blueberry, consult the following chart. Use sufficient spray mix to give complete coverage of the plants. Do not apply this product within one day of harvest. Repeat every 5 to 10 days or as needed. Keep diluted spray away from light.

PESTS	VOLUME OF PRODUCT/GALLON OF WATER (3.78L)
Aphids, Leafhoppers, Exposed Thrips	1 teaspoon (5 ml)
Imported Currant Worms, Gooseberry Fruit Worms, Raspberry Fruit Worms, Blueberry Maggots, Cherry Fruit Flies, Strawberry Root Worms (adult), Red-necked Borers, Japanese beetles, and Mites	2 teaspoons (10 ml)
Strawberry Leaf Rollers and Rose Chafers	4 teaspoons (20 ml)

BEST AVAILABLE COPY

4 of 5

DIRECTIONS FOR USE (Continued)

TO KILL FLEAS, TICKS AND LICE ON DOGS, CATS, AND PREMISES: (KEEP DILUTED SPRAY AWAY FROM LIGHT).

ON DOGS: DO NOT USE MORE THAN 1 FLUID OUNCE (2 Tbsp.) (30 ml) PER GALLON (3.79 L) ON PUPPIES.

For fleas and lice, dilute FOLIAFUME® Insecticide at the rate of 1 fluid ounce (2 Tbsp.) (30 ml) per 1 gallon (3.79 L) of water. [For young animals, use 1/2 fluid ounce (1 Tbsp.) (15 ml) per 1 gallon (3.79 L) of water.] Apply directly to animal as a spray, sponge-on or a wash. Dip until animal's skin is wet. Do not rinse.

For ticks, dilute FOLIAFUME® Insecticide at the rate of 2 fluid ounces (4 Tbsp.) (60 ml) per 1 gallon (3.79 L) of water. [For young animals, use 1 fluid ounce (2 Tbsp.) (30 ml) per 1 gallon (3.79 L) of water.] Apply directly to animal as a spray, sponge-on or a wash. Dip until animal's skin is wet. Do not rinse.

Avoid contact with eyes, nose or mouth of animal. To prevent reinfestation, thoroughly spray the animal's living quarters with FOLIAFUME® Insecticide.

ON CATS: DO NOT USE ON YOUNG KITTENS. ON ADULT ANIMALS, DO NOT USE MORE THAN 1 FLUID OUNCE (2 Tbsp.) (30 ml) PER GALLON (3.79 L).

For fleas, ticks and lice, dilute FOLIAFUME® Insecticide at the rate of 1 fluid ounce (2 Tbsp.) (30 ml) per gallon (3.79 L) of water. Apply directly to animal as a spray, sponge-on or a wash. Dip until animal's skin is wet. Do not rinse.

Avoid contact with eyes, nose or mouth of animal. To prevent reinfestation, thoroughly spray the animal's living quarters with FOLIAFUME® Insecticide.

BEST AVAILABLE COPY

WARRANTY STATEMENT

Our recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage resulting from its misuse as such, or in combination with other materials.

BEST AVAILABLE COPY

5 of 5