

DISINFECTICIDE

Disinfectant-Fungicide-Virucide*
Deodorizer with Organic Soil Tolerance
for Hospital, Institutional, Industrial,
School, Dairy and Other Farm Use.

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Apply Disinfecticide with a cloth, mop, or mechanical spray device. When applied with a mechanical spray device, surface must be sprayed until thoroughly wetted. Treated surfaces must remain wet for 10 minutes. Fresh solution should be prepared daily or when the use solution becomes visibly dirty.

Disinfection in Hospitals, Nursing Homes and Other Health Care Institutions. For disinfecting floors, walls, countertops, bathing areas, lavatories, bedframes, tables, chairs, garbage pails and other non-porous surfaces. Add 3.5 oz. Disinfecticide to 4.5 gallons water. Apply to previously cleaned hard surfaces. At this use level, Disinfecticide is effective against *Pseudomonas aeruginosa*, *Staphylococcus aureus* and *Salmonella choleraesuis* in the presence of 5% blood serum when evaluated by the AOAC Use-Dilution Test.

***Virucidal Performance.** At a 3.5 oz./4.5 gallon use level Disinfecticide was evaluated in the presence of 5% serum and found to be effective against the viruses Herpes simplex, Vaccinia, and Influenza A₂ (Hong Kong) on inanimate environmental surfaces.

Disinfection in Institutions, Industry and Schools. Add 2 oz. of Disinfecticide to 4.5 gallons of water.

Fungicidal Performance. At 0.5 oz. to 2.25 gallons of water use level, Disinfecticide is an effective fungicide against *Trichophyton mentagrophytes* (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities, utilizing the AOAC Fungicidal Test.

Disinfection of Barber Tools. Pre-cleaned barber tools (such as combs, brushes, razors and scissors) can be disinfected by immersing in a 0.5 oz./gallon solution of Disinfecticide.

Disinfection of Poultry Equipment, Animal Quarters and Kennels. Poultry brooders, watering founts, feeding equipment and other animal quarters (such as stalls and kennel areas) can be disinfected after thorough cleaning by applying a solution of 2 oz. Disinfecticide to 4.5 gallons of water. Small utensils should be immersed in this solution. Prior to disinfection, all poultry, other animals and their feeds must be removed from the premises. This includes emptying all troughs, racks and other feeding and watering appliances. Remove all litter and droppings from floors, walls and other surfaces occupied or traversed by poultry or other animals.

After disinfection ventilate buildings, coops and other closed spaces. Do not house poultry or other animals or employ equipment until treatment has been absorbed, set or dried.

All treated equipment that will contact feed or drinking water, must be rinsed with potable water before use.

Precautionary Statements

Hazards to Humans and domestic animals

DANGER

Keep out of reach of children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Do not breathe spray mist. Avoid contamination of food.

STORAGE AND DISPOSAL

- DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.
- OPEN DUMPING IS PROHIBITED.
- DO NOT REUSE EMPTY CONTAINER.

PESTICIDE DISPOSAL

PESTICIDE WASTES ARE ACUTELY HAZARDOUS. IMPROPER DISPOSAL OF EXCESS PESTICIDE, SPRAY MIXTURE, OR RINSE IS A VIOLATION OF FEDERAL LAW. IF THESE WASTES CANNOT BE DISPOSED OF BY USE ACCORDING TO LABEL INSTRUCTIONS, CONTACT YOUR STATE PESTICIDE OR ENVIRONMENTAL CONTROL AGENCY, OR THE HAZARDOUS WASTE REPRESENTATIVE AT THE NEAREST EPA REGIONAL OFFICE FOR GUIDANCE.

CONTAINER DISPOSAL

TRIPLE RINSE (OR EQUIVALENT), THEN OFFER FOR RECYCLING OR RECONDITIONING, OR DISPOSE OF IN A SANITARY LANDFILL OR BY INCINERATION IF ALLOWED BY STATE AND LOCAL AUTHORITIES.

GENERAL

- CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITY FOR APPROVED ALTERNATIVE PROCEDURES.

Active Ingredients

Octyl decyl dimethyl ammonium chloride	2.250%
Didecyl dimethyl ammonium chloride	1.125%
Dioctyl dimethyl ammonium chloride	1.125%
Alkyl (C ₁₄ , 50%, C ₁₂ , 40%, C ₁₆ , 10%) dimethyl benzyl ammonium chloride	3.000%

Inert Ingredients

92.500%
100.000%

100.000%

KEEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIANS: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Registration No. 44673-1
EPA Establishment No. 44673-CA-01
Net Contents 16 oz.

MANUFACTURED BY:
GAR LABORATORIES, INC.
8178 Mar Vista Cr., Riverside, CA 92504

BEST AVAILABLE COPY

NOT REVIEWED

In Accordance with FR Notice 82-2,
Based on Draft Labeling Dated

